AUTHOR INDEX

VOLUME 68, 1992

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ABADIR, A. R. and HUMAYUN, S. G., (editors) *Anaesthesia for Plastic and Reconstructive Surgery*, (*R*) 119
ABE, K., DEMIZU, A. and YOSHIYA, I. Effect of prostaglandin E_1-induced hypotension on carbon dioxide reactivity and local cerebral blood flow after subarachnoid haemorrhage 268–271
ADACHI, M., IKEMOTO, Y., KUSO, K. and TAKUMA, C. Seizure-like movements during induction of anaesthesia with sevoflurane 214–215
ADAMS, A. P. and CASHMAN, J. N., (editors) *Anaesthesia, Analgesia and Intensive Care*, (*R*) 455
ADT, M., BAUMERT, J.-H. and REIMANN, H.-J. The role of histamine in the cardiovascular effects of atracurium 155–160
AITKEN, H. A., BURNS, J. W., MCARDLE, C. S. and KENNY, G. N. C. Effects of ketorolac trometamol on renal function 481–485
AITKENHEAD, A. R. *see* LIU, W. H. D. 277–281
AKOOJEE, S. S. *see* ROUT, C. C. 394–397
ALI, H. H. *see* SHORTEN, G. D., (*ARS*) 438–439P
ALI-MELKKILÄ, T. *see* JAAKOLA, M.-L. 570–575
ALLEN, J., SVANE, D., PETERSEN, L. K., CHRISTENSEN, J. H. and FORMAN, A. Effects of thiopentone and chlormethiazole on human myometrial arteries from term pregnant women 256–260
ALLEN, R. W. *see* WRIGHT, P. M. C. 248–251
ALLEN, S. J. *see* HOYT, J. W., (*R*) 453–454
ALLOTT, J. *see* BAILEY, S., (*ARS*) 441P
ALLSOP, J. R. *see* HAYNES, S. R. 519–522
AL-OBAIDI, T. A. A. *see* MECKLENBURGH, J. S. 603–612
AMAHA, K. *see* AOCHI, O., (*R*) 231
ANALOUEI, A. *see* KIM, Y. D. 286–292
ANDERTON, J. M. Venous air embolism and the prone position, (*C*) 325
ANSERMINO, J. M., BLOGG, C. E. and CARRIE, L. E. S. Failed tracheal intubation at Caesarean section and the laryngeal mask, (*C*) 118
AOCHI, O., AMAHA, K. and TAKESHITA, H., (editors) *Intensive and Critical Care Medicine*, (*R*) 231
ARIEFF, A. I. Incorrect statement, (*C*) 326
ASBURY, A. J., GAWTHROP, P. J., GRAY, W. M. and WORSHIP, G. R. Using Bond graphs to represent pharmaco–physiological models, (*ARS*) 446P
ASBURY, A. J. *see* PURDIE, J. 580–584
ASTIER, V. *see* VEROLI, P., (*C*) 634
ATALLAH, M. M., DAIF, A. A., SAIED, M. M. A. and SONBUL, Z. M. Neuromuscular blocking activity of tubocurarine in patients with diabetes mellitus 567–569
ATHERTON, A. M. J. Peak serum bupivacaine concentration, (*C*) 540
AUBIER, M. *see* DUREUIL, B. 352–355
AUN, C. S. T., SHORT, S. M., LEUNG, D. H. Y. and OH, T. E. Induction dose–response of propofol in unpremedicated children 64–67

BACHMANN-METTLER, I. *see* LAFFER, U., (*R*) 542
BAGSHAWE, A. *see* WATTERS, D. A. K., (*R*) 453
BAIGENT, D. F. *see* TIDMARSH, M. A., (*C*) 230
BAILEY, S., ALLOTT, J., LANGTON, J., MOTTRAM, S., KEY, A. and SMITH, G. Measurement of voice wavelength variability in patients after tracheal extubation for intensive care, (*ARS*) 441P
BAILEY, S. *see* MUSHAMBI, M., (*ARS*) 447P
BAILIE, G. R., COCKSHOTT, I. D., DOUGLAS, E. J. and BOWLES, B. J. M. Pharmacokinetics of propofol during and after long term continuous infusion for maintenance of sedation in ICU patients 486–491
BARKER, P. *see* RABEY, P. G., (*ARS*) 440P
BARNES, R. K. *see* DAWSON, P. J. 414–417
BARRETT, R. F. *see* STUART-TAYLOR, M. E. 429–432
BARRIE, J. R. *see* CALLEJA, M. A., (*ARS*) 443P
BATES, S. J. *see* KONG, A. S. 252–255
BAUMERT, J.-H. *see* ADT, M. 155–160
BAXTER, M. K., CUPPAGE, A., GOLDHILL, D. R. and STRUNIN, L. Emergency anaesthetic service at three hospitals. I: Methods and results, (*ARS*) 448P
BEATTY, P. C. W. *see* JENNINGS, A. D. 625–629; MEAKIN, G. 43–47; 333–337
BEEMER, G. H. *see* DAWSON, P. J. 414–417
BEHARA, M. *see* NAGUIB, M., (*C*) 114–115
BELL, D. *see* RYAN, D. W., (*C*) 326
BENGTSON, J. P., HARALDSSON, A, BENGTSSON, A., HENRIKSSON, B.-A. and STENQVIST, O. Inspiratory to end-tidal oxygen difference during nitrous oxide anaesthesia 599–602
BENGTSSON, A. *see* BENGTSON, J. P. 599–602
BENNETT, J. R. *see* MURPHY, P. G., (*ARS*) 439P
BERRY, F. A., (editor) *Anesthetic Management of Difficult and Routine Pediatric Patients*, 2nd Edn, (*R*) 231
BERTAN, V. *see* TEKKOK, I. H., (*C*) 117
BERTRAND, F. *see* VEROLI, P. 183–186
BEVAN, D. R. *see* DONATI, F., (*E*) 235–236
BHANUMURTHY, S. *see* MURALIDHAR, K. 264–267
BHASKAR, P. U. Fresh gas utilization in the circle system, (*C*) 452
BIHARI, D. The EPIC Study, (*C*) 450
BILLINGHAM, I. S. *see* STUART-TAYLOR, M. E. 429–432
BION, J. F. and ELLIOTT, T. Preventing cross infection in intensive care, (*E*) 121–122
BIRKS, R. J. S. *see* DORMAN, T., (*C*) 227
BJÖRKMAN, R. *see* EJNELL, H. 76–80
BJORKSTEN, A. R. *see* DAWSON, P. J. 414–417
BLOGG, C. E. *see* ANSERMINO, J. M., (*C*) 118
BOCZKOWSKI, J. *see* DUREUIL, B. 352–355
BOER, F., BOVILL, J. G., BURM, A. G. L. and MOOREN, R. A. G. Uptake of sufentanil, alfentanil and morphine in the lungs of patients about to undergo coronary artery surgery 370–375
BOLSIN, S. N. *see* MANARA, A. J., (*C*) 228–229
BORGEAT, A. and WILDER-SMITH, O. Propofol sedation for outpatient upper gastrointestinal endoscopy, (*C*) 116
BOSSAERT, L. L. *see* HEYTENS, L. 72–75
BOVILL, J. G. *see* BOER, F. 370–375; CHOPRA, V. 13–17
BOWER, S., SEAR, J. W., ROY, R. C. and CARTER, R. F. Effects of different hepatic pathologies on disposition of alfentanil in anaesthetized patients 462–465
BOWLES, B. J. M. *see* BAILIE, G. R. 486–491
BOYLE, E. *see* GRIFFITHS, R., (*ARS*) 445P
BOYS, R. J. *see* ROBSON, S. C. 54–59
BREARLEY, J. C. *see* TAYLOR, P. M., (*ARS*) 444–445P
BREDAHL, C. *see* HINDSHOLM, K. B. 531–533
BRENDEL, K. *see* GHANTOUS, H. N. 172–177
BROOME, I. J. *see* SPIERS, S. P. W., (*ARS*) 443–444P
BURGESS, N. A. *see* SOWTER, M. C. 103–105
BURKE, T. A. *see* KIM, Y. D. 286–292
BURM, A. G. L. *see* BOER, F. 370–375
BURNS, J. W. *see* AITKEN, H. A. 481–485

CALLEJA, M. A., LITTLE, D. C., BARRIE, J. R. and PATRICK, M. R. Continuous spinal analgesia during high-risk labour and operative delivery, (*ARS*) 443P
CALVEY, T. N., FRAZER, R. S., SHEARER, E. S. and HUNTER, J. M. Pharmacokinetics of the monoquaternary alcohol metabolite of atracurium, (*ARS*) 437P
CALVEY, T. N. and WILLIAMS, N. E. *The Principles and Practice of Pharmacology for Anaesthetists*, 2nd Edn, (*R*) 638
CALVEY, T. N. *see* FRAZER, R. S., (*ARS*) 436–437P
CARABINE, U. A., MILLIGAN, K. R. and MOORE, J. Extradural

clonidine and bupivacaine for postoperative analgesia 132–135
CARABINE, U. A., MILLIGAN, K. R., MULHOLLAND, D. and MOORE, J. Extradural clonidine infusions for analgesia after total hip replacement 338–343
CARLI, F., WILLIAMS, K. N. and CORMACK, R. S. Difficult laryngoscopy, (*C*) 117–118
CARRIE, L. E. S. *see* ANSERMINO, J. M., (*C*) 118
CARTER, M. L. and KARALLIEDDE, L. Effect of pretreatment with oral pyridostigmine, (*C*) 113–114
CARTER, R. F. *see* BOWER, S. 462–465
CASEY, K. R. *see* REEDER, M. K. 23–26
CASHMAN, J. N. *see* ADAMS, A. P., (*R*) 455
CATALTEPE, O. *see* TEKKOK, I. H., (*C*) 117
CHAKRABARTI, M. K. *see* WANG, C. 503–507
CHAPTAL, P. A. *see* COLSON, P. 420–421
CHARTERS, P. *see* COLVILLE, L. J., (*ARS*) 445P; MARKS, R. R. D., (*ARS*) 439–440P
CHAUDHRI, S. and KENNY, G. N. C. Sedation after cardiac bypass surgery: comparison of propofol and midazolam in the presence of a computerized closed loop arterial pressure controller 98–99
CHO, E., DAYAN, S. S. and MARX, G. F. Anaesthesia in a parturient with osteogenesis imperfecta 422–423
CHOPRA, V., BOVILL, J. G., SPIERDIJK, J. and KOORNNEEF, F. Reported significant observations during anaesthesia: a prospective analysis over an 18-month period 13–17
CHRISTENSEN, J. H. *see* ALLEN, J. 256–260
CHUI, P. T., GIN, T. and CHUNG, S. C. S. Anaesthesia for a patient undergoing transthoracic endoscopic vagotomy 318–320
CHUNG, S. C. S. *see* CHUI, P. T. 318–320
CHURCH, J. J. *see* STUART-TAYLOR, M. E. 429–432
CLARKE, R. S. J. *see* DUNDEE, J. W., (*R*) 232
COBLEY, M. and VAUGHAN, R. S. Recognition and management of difficult airway problems 90–97
COCKSHOTT, I. D. *see* BAILIE, G. R. 486–491
COLLINS, P. D. and MENON, N. K. Extradurals and balanced analgesia, (*C*) 118
COLSON, P., GALY, A., GROLLEAU, D., SÉGUIN, J., SAUSSINE, M., CUCHET, D., CHAPTAL, P. A. and ROQUEFEUIL, B. Myocardial depressant effect of nitrous oxide after coronary artery bypass graft surgery 420–421
COLUMB, M. O. No heparinization with the Cell Saver, (*C*) 227
COLVILLE, L. J., SWIFT, A. C. and CHARTERS, P. Neck flexion and common airway measurements, (*ARS*) 445P
COONEY, C. M. and TARPEY, J. Postdural puncture headache, (*C*) 637
COOPER, R., MCCARTHY, G., MIRAKHUR, R. K. and MADDINENI, V. R. Effect of doxapram on the rate of recovery from atracurium and vecuronium neuromuscular block 527–528
CORFIATIS, T. *see* GALLETLY, D. C. 360–364
CORMACK, R. S. *see* CARLI, F., (*C*) 117–118
CORSON, R. J. *see* GAVIN, N. J., (*ARS*) 433P
COTTRELL, J. E. *see* NEWFIELD, P., (*R*) 232
COUGHLIN, S. *see* KIM, Y. D. 286–292
COUPLAND, R. M. *see* ESHAYA-CHAUVIN, B. 221–223
CREAGH-BARRY, P. *see* THORNTON, C. 508–514
CROSSLEY, A. W. A. and MASON, J. L. Comparison of atropine and glycopyrrolate as antagonists to neostigmine in isolated human taenia coli, (*ARS*) 437–438P
CUCHET, D. *see* COLSON, P. 420–421
CUNNINGHAM, A. J. *see* PATTERSON, K. W., (*C*) 116
CUPPAGE, A. *see* BAXTER, M. K., (*ARS*) 448P

DAHL, A. *see* DIERKING, G. W. 344–348
DAHL, J. B. *see* DIERKING, G. W. 344–348
DAIF, A. A. *see* ATALLAH, M. M. 567–569
DAL SANTO, G. *A Rational Basis for Anesthesiology*, (*R*) 454
DANCHEK, M. *see* KIM, Y. D. 286–292
DARKE, P. G. G. *see* LONG, K. J., (*ARS*) 447P
DATTA, S., (editor) *Anaesthetic and Obstetric Management of High-Risk Pregnancy*, 1st Edn, (*R*) 119
DAVIES, M. J. *see* MURPHY, P. G., (*ARS*) 439P; 613–618
DAWSON, P. J., BJORKSTEN, A. R., DUNCAN, I. P., BARNES, R. K. and BEEMER, G. H. Stability of fentanyl, bupivacaine and adrenaline solutions for extradural infusion 414–417
DAYAN, S. S. *see* CHO, E. 422–423
DE JONGE, M. *see* JONES, R. P. 515–518
DE KOCK, J. *see* GLYNN, C. J., (*ARS*) 436P
DELLA PUPA, A. Reversal of extradurally induced hypotension, (*C*) 229–230
DEMIZU, A. *see* ABE, K. 268–271
DENT, H. *see* PATEL, M., (*C*) 635–636
DESMONTS, J. M. *see* MONTRAVERS, P. 27–31
DIERKING, G. W., DAHL, J. B., KANSTRUP, J., DAHL, A. and KEHLET, H. Effect of pre- *vs* postoperative inguinal field block on postoperative pain after herniorrhaphy 344–348
DOLIN, S. J., SMITH, M. B., SOAR, J. and MORRIS, P. J. Does glycine antagonism underlie the excitatory effects of methohexitone and propofol? 523–526
DONATI, F. and BEVAN, D. R. Not all muscles are the same, (*E*) 235–236
DONNELLY, J. and THIRLWELL, J. Nasopharyngeal airways in infants after palatal surgery, (*C*) 227
DONNELLY, J. P. *see* WRIGHT, P. M. C. 248–251
DORAN, B. R. H. *see* SNEYD, J. R. 349–351
DORÉ, C. J. *see* THORNTON, C. 508–514
DORMAN, T. and BIRKS, R. J. S. The ideal spinal needle, (*C*) 227
DOUGLAS, E. J. *see* BAILIE, G. R. 486–491
DOWSON, S. Fibreoptic intubation, (*C*) 228
DRUMMOND, G. B. *see* MORTON, C. P. J. 619–620; NIMMO, A. F., (*ARS*) 434–435P
DUFEK, V. *see* EICHINGER, S. 534–535
DUNCAN, I. P. *see* DAWSON, P. J. 414–417
DUNDEE, J. W., CLARKE, R. S. J. and MCCAUGHEY, W., (editors) *Clinical Anaesthetic Pharmacology*, 1st Edn, (*R*) 232
DUNDEE, J. W. and MCMILLAN, C. M. P6 acupressure and postoperative vomiting, (*C*) 225–226
DUNDEE, J. W. and MCMILLAN, C. M. P6 acupressure and anaesthetic practice can affect the evaluation of postoperative nausea and vomiting, (*ARS*) 446P
DUREUIL, B., LEBRAULT, C., BOCZKOWSKI, J., AUBIER, M. and DUVALDESTIN, P. Does a subparalysing dose of vecuronium enhance diaphragm fatigue? 352–355
DUREUIL, B. *see* MONTRAVERS, P. 27–31
DUVALDESTIN, P. *see* DUREUIL, B. 352–355

EADSFORTH, P. *see* GRAY, H. ST J. 272–276
ECOFFEY, C. *see* VEROLI, P. 183–186
EDWARDS, D. *see* SNEYD, J. R. 349–351
EDWARDS, N. *Principles and Practice of Neuroanaesthesia*, (*R*) 542
EICHINGER, S., SCHREIBER, W., HEINZ, T., KIER, P., DUFEK, V., GOLDIN, M., LEITHNER, C. and FRASS, M. Airway management in a case of neck impalement: use of the oesophageal tracheal Combitube airway 534–535
EJNELL, H., BJÖRKMAN, R., WÄHLANDER, L. and HEDNER, J. Treatment of postoperative pain with diclofenac in uvulopalatopharyngoplasty 76–80
ELDOR, J. Combined spinal–extradural anaesthesia in obstetrics, (*C*) 634–635
ELDRIDGE, P. R. *see* SEEX, K. A., (*C*) 326–327
EL-GAMMAL, M. *see* NAGUIB, M. 308–310
ELLIOTT, T. *see* BION, J. F., (*E*) 121–122
ELLIS, F. R. *see* HALSALL, P. J. 209–210; HOPKINS, P. M., (*ARS*) 442P; KEELEP, J. F. 68–71; VUCEVIC, M. 529–530
ERSKINE, W. A. R. *see* JANICKI, P. K. 311–312
ESHAYA-CHAUVIN, B. and COUPLAND, R. M. Transfusion requirements for the management of war injured: the experience of the International Committee of the Red Cross 221–223
ESPERSEN, K. *see* MOLLER, J. T. 146–150
EVANS, M. J. Mental function after TURP, (*C*) 329

FAMILTON, M. J. G. and MORGAN, B. M. "Needle-through-needle" technique for combined spinal–extradural anaesthesia in obstetrics, (*C*) 327
FARINOTTI, R. *see* VEROLI, P. 183–186
FEE, J. P. H. *see* WRIGHT, P. M. C. 585–589
FELL, D. *see* LOWRIE, A. 261–263; MARJOT, R., (*ARS*) 440–441P
FENNELLY, M. E., POWELL, H., GALLETLY, D. C. and WHITWAM, J. G. Midazolam sedation reversed with flumazenil for cardioversion 303–305
FERGUSON, D. J. M. Combined spinal–extradural anaesthesia, (*C*) 450–451
FERNANDO, J. L. *see* GHANTOUS, H. N. 172–177
FIACCHINO, F. and GIANNINI, A. Corticosteroids and resistance to vecuronium, (*C*) 540
FIELD, J. M. and STOKES, D. N. Potassium in the perioperative period, (*C*) 328–329
FIELDS, H. L., (editor) *Core Curriculum for Professional Education in Pain*, (*R*) 233
FISCHLER, M. *see* VEBER, B. 623–624
FISHER, M. MCD. Radioimmunoassay tests in anaphylaxis, (*C*) 224
FLETCHER, J. E., SEBEL, P. S., MICK, S. A., VAN DUYS, J. and RYAN, K. Comparison of the train-of-four fade profiles produced by vecuronium and atracurium 207–208
FLETCHER, M. *see* HATCH, D. 398–410

FLETCHER, R. What's in a slope? Comparison of carbon dioxide single breath tests in children with intracardiac shunts, (*ARS*) 435–436
FOËX, P. *see* REEDER, M. K. 23–26
FOGARTY, D. J. and HOWE, J. P. Methoxamine and peripheral blood flow during subarachnoid anaesthesia, (*ARS*) 444P
FORBES, A. *see* IP YAM, P. C. 106–108
FORMAN, A. *see* ALLEN, J. 256–260
FRASS, M. *see* EICHINGER, S. 534–535
FRAZER, R. S., SHEARER, E. S., HUNTER, J. M. and CALVEY, T. N. Clearance of atracurium in volunteers under acid and alkaline conditions, (*ARS*) 436–437P
FRAZER, R. S. *see* CALVEY, T. N., (*ARS*) 437P
FUJITA, Y., KIMURA, K., FURUKAWA, Y. and TAKAORI, M. Plasma concentrations of lignocaine after obturator nerve block combined with spinal anaesthesia in patients undergoing transurethral resection procedures 596–598
FURUKAWA, Y. *see* FUJITA, Y. 596–598

GALLETLY, D. C., CORFIATIS, T., WESTENBERG, A. M. and ROBINSON, B. J. Heart rate periodicities during induction of propofol–nitrous oxide–isoflurane anaesthesia 360–364
GALLETLY, D. C. *see* FENNELLY, M. E. 303–305; ROBINSON, B. J., (*C*) 540; ROWE, L. 381–387
GALY, A. *see* COLSON, P. 420–421
GANDOLFI, A. J. *see* GHANTOUS, H. N. 172–177
GARRY, R. *see* HASHAM, F. 151–154
GASSER, J. *see* HARPER, N. J. N., (*ARS*) 438P
GAUMANN, D. M., MUSTAKI, J.-P. and TASSONYI, E. MAC-awake of isoflurane, enflurane and halothane evaluated by slow and fast alveolar washout 81–84
GAUTHÉ, M. *see* VEBER, B. 623–624
GAVIN, N. J., CORSON, R. J. and MORTIMER, A. J. Oxygen delivery and consumption in patients undergoing elective surgery for abdominal aortic repair, (*ARS*) 433P
GAWTHROP, P. J. *see* ASBURY, A. J., (*ARS*) 446P
GEBUHR, P. *see* ROSENBERG, J. 18–22
GHALY, R. G. *see* STRANG, T., (*ARS*) 439P
GHANTOUS, H. N., FERNANDO, J. L., KEITH, R. L., GANDOLFI, A. J. and BRENDEL, K. Effects of halothane and other volatile anaesthetics on protein synthesis and secretion in guineapig liver slices 172–177
GIANNINI, A. *see* FIACCHINO, F., (*C*) 540
GIBSON, J. S. *see* INGLIS, T. J. J. 499–502
GILDERSLEVE, C. D. *see* THAM, E. J. 32–38
GILL, N. P., WRIGHT, B. and REILLY, C. S. Relationship between hypoxaemic and cardiac ischaemic events in the perioperative period 471–473
GILLESPIE, J. A. *see* IRWIN, M. 411–413
GILLIES, G. W. A. *see* HAYNES, S. R. 519–522
GIN, T. and LEW, J. K. L. Gastric emptying in pregnancy, (*C*) 115–116
GIN, T. *see* CHUI, P. T. 318–320
GINSBURG, R. *see* LIPPMANN, M., (*C*) 228
GLYNN, C. J., HILL, A., DE KOCK, J. and TARESSENKO, L. Central non-invasive pulse oximetry using retinal oximetry: a feasibility study, (*ARS*) 436P
GOLDHILL, D. R. *see* BAXTER, M. K., (*ARS*) 448P; OOI, L. G. 576–579
GOLDIN, M. *see* EICHINGER, S. 534–535
GOLDMAN, M. D. *see* REEDER, M. K. 23–26
GOMMA, M. *see* NAGUIB, M. 308–310
GOODMAN, N. W. and HUGHES, A. O. Statistical awareness of research workers in British anaesthesia 321–324
GOODMAN, N. W. and KESTIN, I. G. Sighs and their effect on the breathing of patients anaesthetized with infusions of propofol 48–53
GOODMAN, N. W. *see* KESTIN, I. G. 244–247
GOUWS, E. *see* ROUT, C. C. 394–397
GRAY, H. ST J., HOLT, B. L., WHITAKER, D. K. and EADSFORTH, P. Preliminary study of a pregnanolone emulsion (Kabi 2213) for i.v. induction of general anaesthesia 272–276
GRAY, W. M. *see* ASBURY, A. J., (*ARS*) 446P
GREENBAUM, R., SUGG, B. R. and HAYES, B. European Standardization Committee on anaesthetic equipment, (*C*) 326
GRIFFITHS, A. *see* OOI, L. G. 576–579
GRIFFITHS, R., BOYLE, E., VALENDER, E. J., ROWBOTHAM, D. J. and NORMAN, R. I. Effect of volatile anaesthetic agents on choline acetyltransferase activity *in vitro*, (*ARS*) 445P
GROLLEAU, D. *see* COLSON, P. 420–421

HAHN, C. E. W. *see* REYNOLDS, K. J. 365–369
HAIGH, C. G. *see* KENNY, G. N. C. 466–470
HALL, G. M. *see* MILASKIEWICZ, R. M. 198–206
HALL, I. *see* HARPER, N. J. N., (*ARS*) 438P
HALL, S. *see* HAMANN, W., (*ARS*) 443P
HALSALL, P. J. and ELLIS, F. R. Does postoperative pyrexia indicate malignant hyperthermia susceptibility? 209–210
HALSALL, P. J. *see* HOPKINS, P. M., (*ARS*) 442P
HAMANN, W. and HALL, S. Acute effect and recovery of primary afferent nerve fibres after graded radiofrequency lesions in anaesthetized rats, (*ARS*) 443P
HAMILTON-FARRELL, M. R. *see* NATHANSON, M., (*C*) 113
HANCOCK, R. *see* MARKS, R. R. D., (*ARS*) 439–440P
HARALDSSON, Á *see* BENGTSON, J. P. 599–602
HARPER, N. J. N., ORLOWSKI, M., GASSER, J., O'SULLIVAN, K. and HALL, I. Atracurium reversal: what is the optimum dose of neostigmine? (*ARS*) 438P
HARRISON, M. I. *see* HEALY, T. E. J., (*R*) 453
HASHAM, F., GARRY, R., KOKRI, M. S. and MOONEY, P. Fluid absorption during laser ablation of the endometrium in the treatment of menorrhagia 151–154
HASIMOTO, Y. *see* SAKUMA, N. 316–317
HATANO, Y. *see* NAKAMURA, K. 193–197
HATCH, D. and FLETCHER, M. Anaesthesia and the ventilatory system in infants and young children 398–410
HAWKEY, P. M. *see* INGLIS, T. J. J. 216–220; 499–502
HAYES, B. *see* GREENBAUM, R., (*C*) 326
HAYES, P. C. Liver disease and drug disposition, (*E*) 459–461
HAYNES, S. R., ALLSOP, J. R. and GILLIES, G. W. A. Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion: prospective evaluation of four techniques 519–522
HEALY, T. E. J., HARRISON, M. I. and THORNTON, J. A., (editors) *Aids to Anaesthesia: Basic Sciences*, 3rd Edn, (*R*) 453
HEALY, T. E. J. *see* JENNINGS, A. D. 625–629; MEAKIN, G. 43–47; 333–337; SNEYD, J. R. 349–351
HEDNER, J. *see* EJNELL, H. 76–80
HEINONEN, J. *see* MUIKKU, O. 376–380; PERTTUNEN, K. 474–480
HEINZ, T. *see* EICHINGER, S. 534–535
HELLIGE, G. *see* SCHRÖDER, T. 536–539
HEMPELMANN, G. *see* THIEL, A. 388–393
HENDERSON, R. S. *see* ROWE, L. 381–387
HENLEY, M. *see* THORNTON, C. 508–514
HENRIKSSON, B.-A. *see* BENGTSON, J. P. 599–602
HERING, J. P. *see* SCHRÖDER, T. 536–539
HERLEVSEN, P. *see* HINDSHOLM, K. B. 531–533
HEYTENS, L., MARTIN, J. J., VAN DE KELFT, E. and BOSSAERT, L. L. *In vitro* contracture tests in patients with various neuromuscular diseases 72–75
HILL, A. *see* GLYNN, C. J., (*ARS*) 436P
HILL, C. M. and MORRIS, P. J. *General Anaesthesia and Sedation in Dentistry*, 2nd Edn, (*R*) 638
HINDSHOLM, K. B., BREDAHL, C., HERLEVSEN, P. and KRUHØFFER, P. K. Reflective blankets used for reduction of heat loss during regional anaesthesia 531–533
HIRAKATA, H. *see* NAKAMURA, K. 193–197
HOLDCROFT, A. *see* NICOL, M. E. 60–63
HOLT, B. L. *see* GRAY, H. ST J. 272–276
HOPKINS, P. M. A quantitative *in vitro* animal model of suxamethonium- and halothane-induced muscle damage, (*ARS*) 447–448P
HOPKINS, P. M., ELLIS, F. R. and HALSALL, P. J. Effects of amiloride on the *in vitro* response of malignant hyperthermia muscle to halothane, (*ARS*) 442P
HOWE, J. P. *see* FOGARTY, D. J., (*ARS*) 444P
HOYT, J. W., TONNESEN, A. S. and ALLEN, S. J., (editors) *Critical Care Practice*, (*R*) 453–454
HUGHES, A. O. *see* GOODMAN, N. W. 321–324
HULL, C. J. *Pharmacokinetics for Anaesthesia*, 1st Edn, (*R*) 542
HUMAYUN, S. G. *see* ABADIR, A. R., (*R*) 119
HUNTER, D. *see* MADEJ, T. H., (*ARS*) 434P; WHEATLEY, R. G., (*ARS*) 433–434P
HUNTER, J. M. *see* CALVEY, T. N., (*ARS*) 437P; FRAZER, R. S., (*ARS*) 436–437P; PARKER, C. J. R. 548–554; 555–561; PHILLIPS, B. J. 492–498
HYNYNEN, M. *see* MUIKKU, O. 376–380

IDE, T. *see* ISONO, S. 239–243; KOCHI, T. 562–566
IKEDA, K. *see* KATOH, T. 139–141
IKEMOTO, Y. *see* ADACHI, M. 214–215
INGLIS, T. J. J., SPROAT, L. J., HAWKEY, P. M. and KNAPPETT, P. Infection control in intensive care units: U.K. National Survey 216–220
INGLIS, T. J. J., SPROAT, L. J., SHERRATT, M. J., HAWKEY, P. M., GIBSON, J. S. and SHAH, M. V. Gastroduodenal dysfunction as a cause of gastric bacterial overgrowth in patients undergoing mechanical ventilation of the lungs 499–502
IP YAM, P. C., FORBES, A. and KOX, W. J. Clonidine in the

treatment of alcohol withdrawal in the intensive care unit 106–108
IRWIN, M., GILLESPIE, J. A. and MORTON, N. S. Evaluation of a disposable patient-controlled analgesia device in children 411–413
ISONO, S., KOCHI, T., IDE, T., SUGIMORI, K., MIZUGUCHI, T. and NISHINO, T. Differential effects of vecuronium on diaphragm and geniohyoid muscle in anaesthetized dogs 239–243
IWATSUKI, N. *see* SAKUMA, N. 316–317

JAAKOLA, M.-L., ALI-MELKKILÄ, T., KANTO, J., KALLIO, A., SCHEININ, H. and SCHEININ, M. Dexmedetomidine reduces intraocular pressure, intubation responses and anaesthetic requirements in patients undergoing ophthalmic surgery 570–575
JACKSON, I. J. *see* WHEATLEY, R. G., (*ARS*) 433–434P
JACKSON, I. J. B. *see* MADEJ, T. H., (*ARS*) 434P
JADAD, A. R. *see* MCQUAY, H. J., (*C*) 540–541
JAMES, M. F. M. *see* JANICKI, P. K. 311–312
JANICKI, P. K., JAMES, M. F. M. and ERSKINE, W. A. R. Propofol inhibits enzymatic degradation of alfentanil and sufentanil by isolated liver microsomes *in vitro* 311–312
JAWAN, B. *see* YANG, L. C., (*C*) 115
JENNINGS, A. D., MICHELL, B. C., BEATTY, P. C. W., MEAKIN, G. and HEALY, T. E. J. Physical characteristics of an enclosed afferent reservoir breathing system 625–629
JENNINGS, A. D. *see* MEAKIN, G. 43–47; 333–337
JENSEN, P. F. *see* MOLLER, J. T. 146–150
JESSOP, J. and JONES, J. G. Conscious awareness, (*C*) 325–326
JOHANNESSEN, N. W. *see* MOLLER, J. T. 146–150
JOHNSTON, P. L. *see* LOWRIE, A. 261–263
JONES, G. and LOGAN, M. "Neurological" complications of extradural bupivacaine, (*C*) 328
JONES, J. G., ROE, P. G. and SAPSFORD, D. J. Postoperative hypoxaemia: an analysis of causative factors, (*ARS*) 435P
JONES, J. G. *see* JESSOP, J., (*C*) 325–326; MURPHY, P. G., (*ARS*) 439P; 613–618
JONES, R. P., DE JONGE, M. and SMITH, B. E. Voltage fields surrounding needles used in regional anaesthesia 515–518
JONES, R. S. *see* LONG, K. J., (*ARS*) 447P
JORDAN, C. *see* THORNTON, C. 508–514
JOSHI, P., OOI, R. and SONI, N. Nitrous oxide administration using commonly available oxygen therapy devices 630–632
JOSHI, P. *see* OOI, R. 39–42

KALLIO, A. *see* JAAKOLA, M.-L. 570–575
KALSO, E. *see* PERTTUNEN, K. 474–480
KANSTRUP, J. *see* DIERKING, G. W. 344–348
KANTO, J. *see* JAAKOLA, M.-L. 570–575
KAPLAN, J. A., (editor) *Vascular Anaesthesia*, 1st Edn, (*R*) 233
KARALLIEDDE, L. *see* CARTER, M. L., (*C*) 113–114
KATOH, T. and IKEDA, K. Minimum alveolar concentration of sevoflurane in children 139–141
KAUFMAN, L., (editor) *Anaesthesia Review 8*, 8th Edn, (*R*) 231
KAY, S. P. *see* KEELER, J. F. 68–71
KEELER, J. F., SIMPSON, K. H., ELLIS, F. R. and KAY, S. P. Effect of addition of hyaluronidase to bupivacaine during axillary brachial plexus block 68–71
KEHLET, H. *see* DIERKING, G. W. 344–348; ROSENBERG, J. 18–22
KEITH, R. L. *see* GHANTOUS, H. N. 172–177
VAN DE KELFT, E. *see* HEYTENS, L. 72–75
KENNY, G. N. C., OATES, J. D. L., LEESER, J., ROWBOTHAM, D. J., LIP, H., RUST, M., SAUR, P., ONSRUD, M. and HAIGH, C. G. Efficacy of orally administered ondansetron in the prevention of postoperative nausea and vomiting: a dose ranging study 466–470
KENNY, G. N. C. *see* AITKEN, H. A. 481–485; CHAUDHRI, S. 98–99
KESTIN, I. G., MADDEN, A. P., MULVEIN, J. T. and GOODMAN, N. W. Analgesia for labour and delivery using incremental diamorphine and bupivacaine via a 32-gauge intrathecal catheter 244–247
KESTIN, I. G. *see* GOODMAN, N. W. 48–53
KEY, A. *see* BAILEY, S., (*ARS*) 441P
KIER, P. *see* EICHINGER, S. 534–535
KIM, Y. D., DANCHEK, M., MYERS, A. K., BURKE, T. A., ANALOUEI, A., MILLER, D. L., MOORE, S., COUGHLIN, S. and VISNER, M. S. Anaesthetic modification of regional myocardial functional adjustments during myocardial ischaemia: halothane *vs* fentanyl 286–292
KIMURA, K. *see* FUJITA, Y. 596–598
KIRVELÄ, M., OLKKOLA, K. T., ROSENBERG, P. H., YLI-HANKALA, A., SALMELA, K. and LINDGREN, L. Pharmacokinetics of propofol and haemodynamic changes during induction of anaesthesia in uraemic patients 178–182
KNAPPETT, P. *see* INGLIS, T. J. J. 216–220
KOCHI, T., IDE, T., MIZUGUCHI, T. and NISHINO, T. Halothane does not depress contractile function of fresh or fatigued diaphragm in pentobarbitone-anaesthetized dogs 562–566
KOCHI, T. *see* ISONO, S. 239–243
KOKRI, M. S. *see* HASHAM, F. 151–154
KONG, A. S., BATES, S. J. and RIZK, B. Rupture of membranes before the onset of spontaneous labour increases the likelihood of instrumental delivery 252–255
KOORNNEEF, F. *see* CHOPRA, V. 13–17
KOX, W. J. *see* IP YAM, P. C. 106–108
KREUZER, H. *see* SCHRÖDER, T. 536–539
KRUHØFFER, P. K. *see* HINDSHOLM, K. B. 531–533
KUBOTA, H. *see* KUBOTA, Y., (*C*) 451
KUBOTA, Y., TOYODA, Y. and KUBOTA, H. Tension pneumothorax—detection and incidence, (*C*) 451
KUSO, K. *see* ADACHI, M. 214–215

LAFFER, U., BACHMANN-METTLER, I. and METZGER, U., (editors) *Implantable Drug Delivery Systems*, 1st Edn, (*R*) 542
LAISHLEY, R. S. Tension pneumothorax—detection and incidence, (*C*) 451
LAM, A. M. Change in cerebral blood flow velocity pattern during induced hypotension: a non-invasive indicator of increased intracranial pressure? 424–428
LANGTON, J. *see* BAILEY, S., (*ARS*) 441P
LANGTON, J. A. *see* RABEY, P. G., (*ARS*) 440P
LANIGAN, C. Hypoxia after dental anaesthesia, (*C*) 635
LANIGAN, C. J. Oxygen desaturation after dental anaesthesia 142–145
LAWES, E. G. *see* O'KELLY, S. W. 313–315
LAWSON, R. A., TURNER, W. H., REEDER, M. K. and SEAR, J. W. Haemodynamic effects of transurethral prostatectomy, (*ARS*) 442P
LAYCOCK, G. J. A. *see* MERRY, A. F. 6–12
LEAVER, R. J. *see* WATTERS, D. A. K., (*R*) 453
LEBEDA, M. D., WEGRZYNOWICZ, E. S. and WACHTEL, R. E. Propofol potentiates both pre- and postsynaptic effects of vecuronium in the rat hemidiaphragm 282–285
LEBRAULT, C. *see* DUREUIL, B. 352–355
LEE, J. H. *see* YANG, L. C., (*C*) 115
LEESER, J. *see* KENNY, G. N. C. 466–470
LEITHNER, C. *see* EICHINGER, S. 534–535
LENNMARKEN, C. *see* VEGFORS, M., (*C*) 113
LEUNG, D. H. Y. *see* AUN, C. S. T. 64–67
LEW, J. K. L. *see* GIN, T., (*C*) 115–116
LEWIS, I., PRYN, S., REYNOLDS, P., PANDIT, U. and WILTON, N. P6 acupressure and postoperative vomiting, (*C*) 226
LEWIS, I. H. and WILTON, N. C. T. Acupuncture and postoperative vomiting in children, (*C*) 633
LEWIS, I. H. *see* NIGHTINGALE, J. J. 356–359
LEWIS, M. H. *see* SOWTER, M. C. 103–105
LINDGREN, L. *see* KIRVELÄ, M. 178–182; RANDELL, T. 164–167; SCHEININ, B. 126–131
LINDOP, M. J. and SMITH, M. F. No heparinization with the Cell Saver, (*C*) 226–227
LIP, H. *see* KENNY, G. N. C. 466–470
LIPPMANN, M. and GINSBURG, R. Does propofol in combination with alfentanil provide stable anaesthesia in cardiac patients? (*C*) 228
LITTLE, D. C. *see* CALLEJA, M. A., (*ARS*) 443P
LIU, W. H. D., STANDEN, P. J. and AITKENHEAD, A. R. Therapeutic suggestions during general anaesthesia in patients undergoing hysterectomy 277–281
LOGAN, M. *see* JONES, G., (*C*) 328
LOH, L. *see* REEDER, M. K. 23–26
LONG, K. J., YOUNG, L. E., JONES, R. S., DARKE, P. G. G. and UTTING, J. E. Determination of cardiac output in the standing horse by thermodilution and Doppler echocardiography, (*ARS*) 447P
LOWRIE, A., JOHNSTON, P. L., FELL, D. and ROBINSON, S. L. Cardiovascular and plasma catecholamine responses at tracheal extubation 261–263
LUFF, N. P. *see* THORNTON, C. 508–514
LUNA, S. P. L. *see* TAYLOR, P. M., (*ARS*) 444–445P
LUNTLEY, J. B. *see* O'KELLY, S. W. 313–315
LUTHMAN, J. A. and MARSH, R. H. K. Emergency anaesthetic service at three hospitals. II. Obstetric anaesthetic services, (*ARS*) 448–449P
LYNCH, J. Postdural puncture headache, (*C*) 637

MCARDLE, C. S. *see* AITKEN, H. A. 481–485
MCCARTHY, G. *see* COOPER, R. 527–528
MCCAUGHEY, W. *see* DUNDEE, J. W., (*R*) 232

MACFIE, A. G., RICHMOND, M. N., MAGIDES, A. D. and REILLY, C. S. Gastric emptying in pregnancy, (*C*) 116
MCKENZIE, P. J. *see* REEDER, M. K. 23–26
MCMILLAN, C. M. *see* DUNDEE, J. W., (*C*) 225–226; (*ARS*) 446P
MCQUAY, H. J. and JADAD, A. R. Is steroid therapy a contraindication to extradural analgesia? (*C*) 540–541
MADDEN, A. P. *see* KESTIN, I. G. 244–247
MADDINENI, V. R. *see* COOPER, R. 527–528
MADEJ, T. H., WHEATLEY, R. G., JACKSON, I. J. B. and HUNTER, D. Hypoxaemia and pain relief after lower abdominal surgery, (*ARS*) 434P
MADEJ, T. H. *see* WHEATLEY, R. G., (*ARS*) 433–434P
MAEKAWA, N. *see* YAKU, H. 85–89
MAGIDES, A. D. *see* MACFIE, A. G., (*C*) 116
MANARA, A. J., MONK, C. R., BOLSIN, S. N. and PRYS-ROBERTS, C. Does propofol in combination with alfentanil provide stable anaesthesia in cardiac patients? (*C*) 228–229
MAPLESON, W. W. *see* MECKLENBURGH, J. S. 603–612; THAM, E. J. 32–38
MARJOT, R., SHAW, D. A. and FELL, D. Pressure exerted by the laryngeal mask airway on the pharyngeal mucosa, (*ARS*) 440–441P
MARKS, L. F. *see* SADDLER, J. M., (*ARS*) 436P
MARKS, R. R. D., HANCOCK, R. and CHARTERS, P. Laryngoscope blade position using a mathematical model, (*ARS*) 439–440P
MARSH, J. E., MURRAY, W. B. and ROCKE, D. A. Early tracheal intubation with thiopentone in elective surgery 100–102
MARSH, R. H. K. *see* LUTHMAN, J. A., (*ARS*) 448–449P
MARTIN, J. J. *see* HEYTENS, L. 72–75
MARX, G. F. *see* CHO, E. 422–423
MASON, J. L. *see* CROSSLEY, A. W. A., (*ARS*) 437–438P
MEAKIN, G. Masseter spasm after suxamethonium, (*C*) 451
MEAKIN, G., JENNINGS, A. D., BEATTY, P. C. W. and HEALY, T. E. J. Fresh gas requirements of an enclosed afferent reservoir breathing system during controlled ventilation in children 43–47; Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously ventilating children 333–337
MEAKIN, G., MORTON, R. H. and WAREHAM, A. C. Age-dependent variation in response to tubocurarine in the isolated rat diaphragm 161–163
MEAKIN, G. *see* JENNINGS, A. D. 625–629
MECKLENBURGH, J. S., AL-OBAIDI, T. A. A. and MAPLESON, W. W. A model lung with direct representation of respiratory muscle activity 603–612
MENON, N. K. *see* COLLINS, P. D., (*C*) 118
MERK, H. *see* SHORTEN, G. D., (*ARS*) 438–439P
MERRY, A. F., RAMAGE, M. C., WHITLOCK, R. M. L., LAYCOCK, G. J. A., SMITH, W., STENHOUSE, D. and WILD, C. J. First-time coronary artery bypass grafting: the anaesthetist as a risk factor 6–12
DES MESNARDS, V. *see* VEBER, B. 623–624
MESSETER, K. *see* REINSTRUP, P. 187–192
METZGER, U. *see* LAFFER, U., (*R*) 542
MICHEL-CHERQUI, M. *see* VEBER, B. 623–624
MICHELL, B. C. *see* JENNINGS, A. D. 625–629
MICK, S. A. *see* FLETCHER, J. E. 207–208
MIKAWA, K. *see* SAITOH, N., (*C*) 228; YAKU, H. 85–89
MILASKIEWICZ, R. M. and HALL, G. M. Diabetes and anaesthesia: the past decade 198–206
MILLER, D. L. *see* KIM, Y. D. 286–292
MILLIGAN, K. R. *see* CARABINE, U. A. 132–135; 338–343
MIRAKHUR, R. K. *see* COOPER, R. 527–528
MIZUGUCHI, T. *see* ISONO, S. 239–243; KOCHI, T. 562–566
MOLLER, J. T., JENSEN, P. F., JOHANNESSEN, N. W. and ESPERSEN, K. Hypoxaemia is reduced by pulse oximetry monitoring in the operating room and in the recovery room 146–150
MONK, C. R. *see* MANARA, A. J., (*C*) 228–229
MONTRAVERS, P., DUREUIL, B. and DESMONTS, J. M. Effects of i.v. midazolam on upper airway resistance 27–31
MOONEY, P. *see* HASHAM, F. 151–154
MOORE, D. C. Atropine and the test dose, (*C*) 328
MOORE, J. *see* CARABINE, U. A. 132–135; 338–343; DUNDEE, J. W., (*ARS*) 446P; WRIGHT, P. M. C. 248–251
MOORE, S. *see* KIM, Y. D. 286–292
MOOREN, R. A. G. *see* BOER, F. 370–375
MORGAN, B. *see* ROBSON, S. C. 54–59
MORGAN, B. M. *see* FAMILTON, M. J. G., (*C*) 327
MORGAN, M. *see* VICKERS, M. D., (*R*) 454–455
MORI, K. *see* NAKAMURA, K. 193–197
MORRIS, P. Paediatric day-case surgery, (*E*) 3–4
MORRIS, P. J. *see* DOLIN, S. J. 523–526; HILL, C. M., (*R*) 638
MORTIMER, A. J. *see* GAVIN, N. J., (*ARS*) 433P
MORTON, C. P. J. and DRUMMOND, G. B. Bradycardia and vecuronium: comparison with alcuronium during cholecystectomy 619–620
MORTON, N. S. *see* IRWIN, M. 411–413
MORTON, R. H. *see* MEAKIN, G. 161–163
MOTTRAM, S. *see* BAILEY, S., (*ARS*) 441P
MOXHAM, J., (editor) *Assisted Ventilation*, (*R*) 233
MOYLE, J. T. B. *see* REYNOLDS, K. J. 365–369
MUIKKU, O., HYNYNEN, M., SALMENPERÄ, M. and HEINONEN, J. Vasodilator properties of nitroglycerin and isosorbide dinitrate during cardiopulmonary bypass 376–380
MUIR, A. D. *see* REEDER, M. K. 23–26
MULHOLLAND, D. *see* CARABINE, U. A. 338–343
MULVEIN, J. T. *see* KESTIN, I. G. 244–247
MUNGLANI, R. Conscious awareness, (*C*) 325
MURALIDHAR, K. and BHANUMURTHY, S. Attenuation of the cardiovascular responses to subcutaneous adrenaline in neurosurgical patients 264–267
MURPHY, P. G., BENNETT, J. R., MYERS, D. S., DAVIES, M. J. and JONES, J. G. Effect of anaesthetic doses of propofol on liver cell membrane lipid peroxidation in the rat, (*ARS*) 439P
MURPHY, P. G., MYERS, D. S., DAVIES, M. J., WEBSTER, N. R. and JONES, J. G. The antioxidant potential of propofol (2,6-diisopropylphenol) 613–618
MURPHY, P. J. *see* RABEY, P. G., (*ARS*) 440P
MURRAY, J. M., ROWLANDS, B. J. and TRINICK, T. R. Indocyanine green clearance and hepatic function during and after prolonged anaesthesia: comparison of halothane with isoflurane 168–171
MURRAY, W. B. *see* MARSH, J. E. 100–102
MUSHAMBI, M., BAILEY, S., TROTTER, T. N. and ROWBOTHAM, D. J. Effect of alcohol on gastric emptying, (*ARS*) 447P
MUSTAKI, J.-P. *see* GAUMANN, D. M. 81–84
MYERS, A. K. *see* KIM, Y. D. 286–292
MYERS, D. S. *see* MURPHY, P. G., (*ARS*) 439P; 613–618

NAGUIB, M. and BEHARA, M. Analysis of effects of drug combinations, (*C*) 114–115
NAGUIB, M., SARI-KOUZEL, A., SERAJ, M., EL-GAMMAL, M. and GOMMA, M. Induction dose–response studies with propofol and thiopentone 308–310
NAKAMURA, K., HATANO, Y., HIRAKATA, H., NISHIWADA, M., TODA, H. and MORI, K. Direct vasoconstrictor and vasodilator effects of propofol in isolated dog arteries 193–197
NAPIER, J. A. F. *see* THOMSON, A., (*E*) 237–238
NARCHI, P. Atropine and the test dose, (*C*) 328
NASH, T. P. Acupuncture and postoperative vomiting in children, (*C*) 633
NATHANSON, M. and HAMILTON-FARRELL, M. R. Management of carboxyhaemoglobinaemia, (*C*) 113
NEWFIELD, P. and COTTRELL, J. E., (editors) *Neuroanaesthesia: Handbook of Clinical and Physiologic Essentials*, 2nd Edn, (*R*) 232
NEWTON, D. E. F. *see* THORNTON, C. 508–514
NICOL, M. E. and HOLDCROFT, A. Density of intrathecal agents 60–63
NIGHTINGALE, J. J. and LEWIS, I. H. Recovery from day-case anaesthesia: a comparison of total i.v. anaesthesia using propofol with an inhalation technique 356–359
NIMMO, A. F., WILDSMITH, J. A. W. and DRUMMOND, G. B. Nasal oxygen prevents hypoxaemia the night after upper abdominal surgery, (*ARS*) 434–435P
NISHINO, T. *see* ISONO, S. 239–243; KOCHI, T. 562–566
NISHIWADA, M. *see* NAKAMURA, K. 193–197
NORMAN, J. *see* SADDLER, J. M., (*ARS*) 436P
NORMAN, R. I. *see* GRIFFITHS, R., (*ARS*) 445P
NOTCUTT, W. Overdose of opioid from patient-controlled analgesia, (*C*) 450

OATES, J. D. L. *see* KENNY, G. N. C. 466–470
OBARA, H. *see* YAKU, H. 85–89
OH, T. E. *see* AUN, C. S. T. 64–67
O'KELLY, B. *see* VEROLI, P. 183–186
O'KELLY, S. W., LAWES, E. G. and LUNTLEY, J. B. Bleeding time: is it a useful clinical tool? 313–315
OLKKOLA, K. T. *see* KIRVELÄ, M. 178–182
ONSRUD, M. *see* KENNY, G. N. C. 466–470
OOI, L. G., GOLDHILL, D. R., GRIFFITHS, A. and SMITH, C. I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia 576–579
OOI, R., JOSHI, P. and SONI, N. A high flow semi-open system for preoxygenation: an evaluation 39–42
OOI, R. *see* JOSHI, P. 630–632
ORLOWSKI, M. and POLLARD, B. J. Effect of doxapram on neostigmine evoked antagonism of vecuronium neuromuscular block 418–419
ORLOWSKI, M. *see* HARPER, N. J. N., (*ARS*) 438P
O'SULLIVAN, K. *see* HARPER, N. J. N., (*ARS*) 438P

PANDIT, U. *see* LEWIS, I., (*C*) 226
PARKER, C. J. R. and HUNTER, J. M. A new four-parameter threshold model for the plasma atracurium concentration–response relationship 548–554; Dependence of the neuromuscular blocking effect of atracurium upon its disposition 555–561
PATEL, M., SWAMI, A. and DENT, H. Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, (*C*) 635–636
PATRICK, M. R. *see* CALLEJA, M. A., (*ARS*) 443P
PATTERSON, K. W. and CUNNINGHAM, A. J. Propofol sedation for outpatient upper gastrointestinal endoscopy, (*C*) 116
PAUCA, A. L. Effect of pethidine premedication and halothane anaesthesia on upper limb blood flow 621–622
PEACOCK, J. E. *see* SPIERS, S. P. W., (*ARS*) 443–444P
PEDEN, C. J. and PRYS-ROBERTS, C. Dexmedetomidine—A powerful new adjunct to anaesthesia? (*E*) 123–125
PEDERSEN, M. H. *see* ROSENBERG, J. 18–22
PERTTUNEN, K., KALSO, E., HEINONEN, J. and SALO, J. I.v. diclofenac in post-thoracotomy pain 474–480
PETERSEN, L. K. *see* ALLEN, J. 256–260
PHILLIPS, B. J. and HUNTER, J. M. Use of mivacurium chloride by constant infusion in the anephric patient 492–498
PIHLAJAMÄKI, K. K. Peak serum bupivacaine concentration, (*C*) 540
PITKÄNEN, M. *see* TUOMINEN, M. 136–138; (*C*) 636–637
PLUMMER, J. L. and SHORT, T. G. Analysis of effects of drug combinations, (*C*) 114
POLLARD, B. J. Neuromuscular blocking drugs and renal failure, (*E*) 545–547
POLLARD, B. J. *see* ORLOWSKI, M. 418–419; SNEYD, J. R. 349–351
POMFRETT, C. J. D. *see* SNEYD, J. R. 349–351
POWELL, H. *see* FENNELLY, M. E. 303–305
PRYN, S. *see* LEWIS, I., (*C*) 226
PRYS-ROBERTS, C. *see* MANARA, A. J., (*C*) 228–229; PEDEN, C. J., (*E*) 123–125
PURDIE, J., REID, J., THORBURN, J. and ASBURY, A. J. Continuous extradural analgesia: comparison of midwife top-ups, continuous infusions and patient controlled administration 580–584
PURDY, G. M. *see* VUCEVIC, M. 529–530
PURI, G. D. and SINGH, H. Ventilatory effects of laparoscopy under general anaesthesia 211–213

RABEY, P. G., MURPHY, P. J., LANGTON, J. A., BARKER, P. and ROWBOTHAM, D. J. Effect of the laryngeal mask airway on the lower oesophageal sphincter during anaesthesia, (*ARS*) 440P
RAJ, P. P., (editor) *Clinical Practice of Regional Anesthesia*, (*R*) 454
RAMAGE, M. C. *see* MERRY, A. F. 6–12
RANDELL, T., YLI-HANKALA, A., VALLI, H. and LINDGREN, L. Topical anaesthesia of the nasal mucosa for fibreoptic airway endoscopy 164–167
RANDELL, T. *see* SCHEININ, B. 126–131
REEDER, M. K., GOLDMAN, M. D., LOH, L., MUIR, A. D., FOËX, P., CASEY, K. R. and MCKENZIE, P. J. Postoperative hypoxaemia after major abdominal vascular surgery 23–26
REEDER, M. K. *see* LAWSON, R. A., (*ARS*) 442P
REES, D. *see* ROBINSON, B. J., (*C*) 540
REID, J. *see* PURDIE, J. 580–584
REILLY, C. S. *see* GILL, N. P. 471–473; MACFIE, A. G., (*C*) 116; SPIERS, S. P. W., (*ARS*) 443–444P
REIMANN, H.-J. *see* ADT, M. 155–160
REINSTRUP, P., USKI, T. and MESSETER, K. Oxygen modulates contractile responses to potassium and prostaglandin $F_{2\alpha}$ in human pial arteries 187–192
REYNOLDS, K. J., MOYLE, J. T. B., SYKES, M. K. and HAHN, C. E. W. Response of 10 pulse oximeters to an *in vitro* test system 365–369
REYNOLDS, P. *see* LEWIS, I., (*C*) 226
RICHMOND, M. N. *see* MACFIE, A. G., (*C*) 116
RIZK, B. *see* KONG, A. S. 252–255
ROBINSON, B. J., REES, D. and GALLETLY, D. C. Corticosteroids and resistance to vecuronium, (*C*) 540
ROBINSON, B. J. *see* GALLETLY, D. C. 360–364
ROBINSON, S. L. *see* LOWRIE, A. 261–263
ROBSON, S. C. Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, (*C*) 636
ROBSON, S. C., BOYS, R. J., RODECK, C. and MORGAN, B. Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section 54–59
ROCKE, D. A. *see* MARSH, J. E. 100–102; ROUT, C. C. 394–397
RODECK, C. *see* ROBSON, S. C. 54–59
ROE, P. G. *see* JONES, J. G., (*ARS*) 435P
ROQUEFEUIL, B. *see* COLSON, P. 420–421
ROSENBERG, J., PEDERSEN, M. H., GEBUHR, P. and KEHLET, H. Effect of oxygen therapy on late postoperative episodic and constant hypoxaemia 18–22
ROSENBERG, P. H. *see* KIRVELÄ, M. 178–182; TUOMINEN, M. 136–138; (*C*) 636–637
ROTHWELL, N. J. and STOCK, M. J., (editors) *Obesity and Cachexia—Physiological Mechanisms and New Approaches to Pharmacological Control*, (*R*) 638
ROUT, C. C., AKOOJEE, S. S., ROCKE, D. A. and GOUWS, E. Rapid administration of crystalloid preload does not decrease the incidence of hypotension after spinal anaesthesia for elective Caesarean section 394–397
ROWBOTHAM, D. J. The development and safe use of patient-controlled analgesia, (*E*) 331–332
ROWBOTHAM, D. J. *see* GRIFFITHS, R., (*ARS*) 445P; KENNY, G. N. C. 466–470; MUSHAMBI, M., (*ARS*) 447P; RABEY, P. G., (*ARS*) 440P
ROWE, L., GALLETLY, D. C. and HENDERSON, R. S. Accuracy of text entries within a manually compiled anaesthetic record 381–387
ROWLANDS, B. J. *see* MURRAY, J. M. 168–171
ROY, R. C. *see* BOWER, S. 462–465
RUSSELL, G. N. *see* SHEARER, E. S., (*ARS*) 441–442P
RUSSELL, I. F. *see* VUCEVIC, M. 590–595
RUST, M. *see* KENNY, G. N. C. 466–470
RYAN, D. W. and BELL, D. Blood conservation, (*C*) 326
RYAN, K. *see* FLETCHER, J. E. 207–208

SADDLER, J. M. Masseter spasm after suxamethonium, (*C*) 451
SADDLER, J. M., MARKS, L. F. and NORMAN, J. Effects of atracurium on abdominal muscles, (*ARS*) 436P
SAIED, M. M. A. *see* ATALLAH, M. M. 567–569
SAITOH, N. and MIKAWA, K. Apology, (*C*) 228
SAKUMA, N., HASIMOTO, Y. and IWATSUKI, N. Effects of neostigmine and edrophonium on human erythrocyte acetylcholinesterase activity 316–317
SALMELA, K. *see* KIRVELÄ, M. 178–182
SALMENPERÄ, M. *see* MUIKKU, O. 376–380
SALO, J. *see* PERTTUNEN, K. 474–480
SANDERS, L. D. *see* THAM, E. J. 32–38
SAPSFORD, D. J. *see* JONES, J. G., (*ARS*) 435P
SARI-KOUZEL, A. *see* NAGUIB, M. 308–310
SAUR, P. *see* KENNY, G. N. C. 466–470
SAUSSINE, M. *see* COLSON, P. 420–421
SCHEININ, B., LINDGREN, L., RANDELL, T., SCHEININ, H. and SCHEININ, M. Dexmedetomidine attenuates sympathoadrenal responses to tracheal intubation and reduces the need for thiopentone and peroperative fentanyl 126–131
SCHEININ, H. *see* JAAKOLA, M.-L. 570–575; SCHEININ, B. 126–131
SCHEININ, M. *see* JAAKOLA, M.-L. 570–575; SCHEININ, B. 126–131
SCHOLZ, K. H. *see* SCHRÖDER, T. 536–539
SCHREIBER, W. *see* EICHINGER, S. 534–535
SCHRÖDER, T., HERING, J. P., UHLIG, P., SCHOLZ, K. H., TEBBE, U., KREUZER, H. and HELLIGE, G. Efficiency of the left ventricle assist device Hemopump in cardiac fibrillation 536–539
SEAR, J. W. *see* BOWER, S. 462–465; LAWSON, R. A., (*ARS*) 442P; TAYLOR, P. M., (*ARS*) 444–445P
SEBEL, P. S. *see* FLETCHER, J. E. 207–208
SEEX, K. A. and ELDRIDGE, P. R. Management of hyponatraemia, (*C*) 326–327
SÉGUIN, J. *see* COLSON, P. 420–421
SERAJ, M. *see* NAGUIB, M. 308–310
SHAH, M. V. *see* INGLIS, T. J. J. 499–502
SHANTHA, T. R. Retrograde intubation using the subcricoid region 109–112
SHARROCK, N. E. Reversal of extradurally induced hypotension, (*C*) 230
SHAW, D. A. *see* MARJOT, R., (*ARS*) 440–441P
SHEARER, E. S. and RUSSELL, G. N. Effect of cardiopulmonary bypass on plasma cholinesterase, (*ARS*) 441–442P
SHEARER, E. S. *see* CALVEY, T. N., (*ARS*) 437P; FRAZER, R. S., (*ARS*) 436–437P
SHEPHERD, D. *see* WHEATLEY, R. G., (*ARS*) 433–434P
SHERRATT, M. J. *see* INGLIS, T. J. J. 499–502
SHERRY, K. M. *see* SKOYLES, J. R. 293–302
SHORT, S. M. *see* AUN, C. S. T. 64–67
SHORT, T. G. *see* PLUMMER, J. L., (*C*) 114
SHORTEN, G. D., ALI, H. H. and MERK, H. Perioperative neuromuscular monitoring and residual curarization, (*ARS*) 438–439P
SIMPSON, K. H. *see* KEELER, J. F. 68–71
SINGH, H. *see* PURI, G. D. 211–213
SKOYLES, J. R. and SHERRY, K. M. Pharmacology, mechanisms

of action and uses of selective phosphodiesterase inhibitors 293–302
SMITH, B. E. *see* JONES, R. P. 515–518
SMITH, C. Mental function after TURP, (*C*) 329
SMITH, C. *see* OOI, L. G. 576–579
SMITH, G. Changes in 1992, (*E*) 1–2; Dual publication of abstracts, (*E*) 5
SMITH, G. *see* BAILEY, S., (*ARS*) 441P
SMITH, M. B. *see* DOLIN, S. J. 523–526
SMITH, M. F. *see* LINDOP, M. J., (*C*) 226–227
SMITH, W. *see* MERRY, A. F. 6–12
SNEYD, J. R., WANG, D. Y., EDWARDS, D., POMFRETT, C. J. D., DORAN, B. R. H., HEALY, T. E. J. and POLLARD, B. J. Effect of physiotherapy on the auditory evoked response of paralysed, sedated patients in the intensive care unit 349–351
SNOW, J. *On Narcotism by the Inhalation of Vapours*, (*R*) 232
SOAR, J. *see* DOLIN, S. J. 523–526
SONBUL, Z. M. *see* ATALLAH, M. M. 567–569
SONI, N. *see* JOSHI, P. 630–632; OOI, R. 39–42
SOWTER, M. Is steroid therapy a contraindication to extradural analgesia? (*C*) 541
SOWTER, M. C., BURGESS, N. A., WOODSFORD, P. V. and LEWIS, M. H. Delayed presentation of an extradural abscess complicating thoracic extradural analgesia 103–105
SPENCE, A. A. Collegiate developments, (*E*) 457–458
SPENCER, P. S. J. *see* VICKERS, M. D., (*R*) 454–455
SPIERDIJK, J. *see* CHOPRA, V. 13–17
SPIERS, S. P. W., BROOME, I. J., PEACOCK, J. E. and REILLY, C. S. Duration of action of 5% intrathecal pethidine *vs* 0.5% hyperbaric bupivacaine for hip surgery, (*ARS*) 443–444P
SPROAT, L. J. *see* INGLIS, T. J. J. 216–220; 499–502
STANDEN, P. J. *see* LIU, W. H. D. 277–281
STENHOUSE, D. *see* MERRY, A. F. 6–12
STENQVIST, O. *see* BENGTSON, J. P. 599–602
STEVENS, J. Use of drugs in children, (*C*) 635
STOCK, M. J. *see* ROTHWELL, N. J., (*R*) 638
STOKES, D. N. *see* FIELD, J. M., (*C*) 328–329
STRANG, T. and GHALY, R. G. A survey of anaesthetic log book practice in the North-Western Region, (*ARS*) 439P
STRUNIN, L. *see* BAXTER, M. K., (*ARS*) 448P
STUART-TAYLOR, M. E., BILLINGHAM, I. S., BARRETT, R. F. and CHURCH, J. J. Extradural diamorphine for postoperative analgesia: audit of a nurse-administered service to 800 patients in a district general hospital 429–432
SUGG, B. R. *see* GREENBAUM, R., (*C*) 326
SUGIMORI, K. *see* ISONO, S. 239–243
SVANE, D. *see* ALLEN, J. 256–260
SWALES, J. D. Management of hyponatraemia, (*C*) 327
SWAMI, A. *see* PATEL, M., (*C*) 635–636
SWIFT, A. C. *see* COLVILLE, L. J., (*ARS*) 445P
SYKES, M. K. *see* REYNOLDS, K. J. 365–369

TAHTA, K. *see* TEKKOK, I. H., (*C*) 117
TAIVAINEN, T. *see* TUOMINEN, M. 136–138; (*C*) 636–637
TAKAORI, M. *see* FUJITA, Y. 596–598
TAKESHITA, H. *see* AOCHI, O., (*R*) 231
TAKUMA, C. *see* ADACHI, M. 214–215
TARESSENKO, L. *see* GLYNN, C. J., (*ARS*) 436P
TARPEY, J. *see* COONEY, C. M., (*C*) 637
TASSONYI, E. *see* GAUMANN, D. M. 81–84
TAYLOR, P. M., LUNA, S. P. L., BREARLEY, J. C. and SEAR, J. W. Use of a total i.v. anaesthetic technique using guaiphenesin, ketamine and detomidine in horses: endocrine changes and detomidine concentrations, (*ARS*) 444–445P
TEBBE, U. *see* SCHRÖDER, T. 536–539
TEKKOK, I. H., CATALTEPE, O., TAHTA, K. and BERTAN, V. Extradural haematoma after continuous extradural anaesthesia, (*C*) 117
THAM, E. J., GILDERSLEVE, C. D., SANDERS, L. D., MAPLESON, W. W. and VAUGHAN, R. S. Effects of posture, phonation and observer on Mallampati classification 32–38
THIEL, A., ZICKMANN, B., ZIMMERMANN, R. and HEMPELMANN, G. Transcranial Doppler sonography: effects of halothane, enflurane and isoflurane on blood flow velocity in the middle cerebral artery 388–393
THIRLWELL, J. *see* DONNELLY, J., (*C*) 227
THOMAS, D. V. Venous air embolism and the prone position, (*C*) 325
THOMSON, A., NAPIER, J. A. F. and WOOD, J. K. Use and abuse of fresh frozen plasma, (*E*) 237–238
THORBURN, J. *see* PURDIE, J. 580–584
THORNTON, C., CREAGH-BARRY, P., JORDAN, C., LUFF, N. P., DORÉ, C. J., HENLEY, M. and NEWTON, D. E. F. Somatosensory and auditory evoked responses recorded simultaneously: differential effects of nitrous oxide and isoflurane 508–514
THORNTON, J. A. *see* HEALY, T. E. J., (*R*) 453
TIDMARSH, M. A. and BAIGENT, D. F. Propofol in acute intermittent porphyria, (*C*) 230
TODA, H. *see* NAKAMURA, K. 193–197
TONNESEN, A. S. *see* HOYT, J. W., (*R*) 453–454
TORRETTI, J. Management of carboxyhaemoglobinaemia, (*C*) 113
TOYODA, Y. *see* KUBOTA, Y., (*C*) 451
TRINICK, T. R. *see* MURRAY, J. M. 168–171
TROTTER, T. N. *see* MUSHAMBI, M., (*ARS*) 447P
TROUVIN, J. H. *see* VEROLI, P. 183–186
TUOMINEN, M., PITKÄNEN, M., TAIVAINEN, T. and ROSENBERG, P. H. Prediction of the spread of repeated spinal anaesthesia with bupivacaine 136–138; Prediction of the spread of repeated spinal anaesthesia with bupivacaine, (*C*) 636–637
TURNER, W. H. *see* LAWSON, R. A., (*ARS*) 442P

UHLIG, P. *see* SCHRÖDER, T. 536–539
USKI, T. *see* REINSTRUP, P. 187–192
UTTING, J. E. *see* LONG, K. J., (*ARS*) 447P

VALENDER, E. J. *see* GRIFFITHS, R., (*ARS*) 445P
VALLI, H. *see* RANDELL, T. 164–167
VAN DUYS, J. *see* FLETCHER, J. E. 207–208
VAN HASSELT, G. *see* WILLIAMS, A. R., (*C*) 637
VAUGHAN, R. S. Potassium in the perioperative period, (*C*) 225; Potassium in the perioperative period, (*C*) 229; Potassium in the perioperative period, (*C*) 329
VAUGHAN, R. S. *see* COBLEY, M. 90–97; THAM, E. J. 32–38
VEBER, B., GAUTHÉ, M., MICHEL-CHERQUI, M., DES MESNARDS, V. and FISCHLER, M. Severe hypertension during postpartum haemorrhage after i.v. administration of prostglandin E_2 623–624
VEGFORS, M. and LENNMARKEN, C. Management of carboxyhaemoglobinaemia, (*C*) 113
VEROLI, P. and ASTIER, V. Acupressure and postoperative vomiting in strabismus correction, (*C*) 634
VEROLI, P., O'KELLY, B., BERTRAND, F., TROUVIN, J. H., FARINOTTI, R. and ECOFFEY, C. Extrahepatic metabolism of propofol in man during the anhepatic phase of orthotopic liver transplantation 183–186
VICKERS, M. D. Potassium in the perioperative period, (*C*) 224–225
VICKERS, M. D., MORGAN, M. and SPENCER, P. S. J. *Drugs in Anaesthetic Practice*, (*R*) 454–455
VISNER, M. S. *see* KIM, Y. D. 286–292
VUCEVIC, M., PURDY, G. M. and ELLIS, F. R. Esmolol hydrochloride for management of the cardiovascular stress responses to laryngoscopy and tracheal intubation 529–530
VUCEVIC, M. and RUSSELL, I. F. Spinal anaesthesia for Caesarean section: 0.125% plain bupivacaine 12 ml compared with 0.5% plain bupivacaine 3 ml 590–595

WACHTEL, R. E. *see* LEBEDA, M. D. 282–285
WÅHLANDER, L. *see* EJNELL, H. 76–80
WANG, C., CHAKRABARTI, M. K. and WHITWAM, J. G. Effect of low and high concentrations of alfentanil administered intrathecally on Aδ and C fibre mediated somatosympathetic reflexes 503–507
WANG, D. Y. *see* SNEYD, J. R. 349–351
WAREHAM, A. C. *see* MEAKIN, G. 161–163
WATTERS, D. A. K., WILSON, I. N., LEAVER, R. J. and BAGSHAWE, A. *Care of the Critically Ill Patient in the Tropics and Subtropics*, (*R*) 453
WEBSTER, N. R. *see* MURPHY, P. G. 613–618
WEGRZYNOWICZ, E. S. *see* LEBEDA, M. D. 282–285
WESTENBERG, A. M. *see* GALLETLY, D. C. 360–364
WHEATLEY, R. G., SHEPHERD, D., JACKSON, I. J., MADEJ, T. H. and HUNTER, D. Hypoxaemia and pain relief after upper abdominal surgery, (*ARS*) 433–434P
WHEATLEY, R. G. *see* MADEJ, T. H., (*ARS*) 434P
WHITAKER, D. K. *see* GRAY, H. ST J. 272–276
WHITLOCK, R. M. L. *see* MERRY, A. F. 6–12
WHITWAM, J. G. *see* FENNELLY, M. E. 303–305; WANG, C. 503–507
WILD, C. J. *see* MERRY, A. F. 6–12
WILDER-SMITH, O. *see* BORGEAT, A., (*C*) 116
WILDSMITH, J. A. W. Extradural haematoma after continuous extradural anaesthesia, (*C*) 116–117; "Neurological" complications of extradural bupivacaine, (*C*) 327–328; Prediction of the spread of repeated spinal anaesthesia with bupivacaine, (*C*) 636; Wearing of face masks for spinal anaesthesia, (*C*) 224

WILDSMITH, J. A. W. *see* NIMMO, A. F., (*ARS*) 434–435P
WILLIAMS, A. R. and VAN HASSELT, G. Adequacy of preoperative safety checks of the Bain breathing system, (*C*) 637
WILLIAMS, K. N. *see* CARLI, F., (*C*) 117–118
WILLIAMS, N. E. *see* CALVEY, T. N., (*R*) 638
WILLIAMSON, R. Difficult laryngoscopy, (*C*) 117
WILSON, I. N. *see* WATTERS, D. A. K., (*R*) 453
WILTON, N. *see* LEWIS, I., (*C*) 226
WILTON, N. C. T. *see* LEWIS, I. H., (*C*) 633
WINTER, R. *see* YELLOWLEES, I., (*ARS*) 446P
WITTMANN, F. W. *see* WITTMANN, P. H. 306–307
WITTMANN, P. H. and WITTMANN, F. W. Total hip replacement surgery without blood transfusion in Jehovah's Witnesses 306–307
WOOD, J. K. *see* THOMSON, A., (*E*) 237–238
WOODCOCK, B. J. and YOUNG, T. M. Hypoxia after dental anaesthesia, (*C*) 635
WOODSFORD, P. V. *see* SOWTER, M. C. 103–105
WORSHIP, G. R. *see* ASBURY, A. J., (*ARS*) 446P
WRIGHT, B. *see* GILL, N. P. 471–473
WRIGHT, P. M. C., ALLEN, R. W., MOORE, J. and DONNELLY, J. P. Gastric emptying during lumbar extradural analgesia in labour: effect of fentanyl supplementation 248–251
WRIGHT, P. M. C. and FEE, J. P. H. Cardiovascular support during combined extradural and general anaesthesia 585–589

YAKU, H., MIKAWA, K., MAEKAWA, N. and OBARA, H. Effect of verapamil on the cardiovascular responses to tracheal intubation 85–89
YANG, L. C., JAWAN, B. and LEE, J. H. Iatrogenic foreign body after laryngoscopy, (*C*) 115
YELLOWLEES, I. and WINTER, R. A universal computer interface, (*ARS*) 446P
YENTIS, S. M. Acupuncture and postoperative vomiting in children, (*C*) 633–634; Wearing of face masks for spinal anaesthesia, (*C*) 224
YLI-HANKALA, A. *see* KIRVELÄ, M. 178–182; RANDELL, T. 164–167
YOSHIYA, I. *see* ABE, K. 268–271
YOUNG, L. E. *see* LONG, K. J., (*ARS*) 447P
YOUNG, T. M. *see* WOODCOCK, B. J., (*C*) 635

ZBINDEN, A. M. Fresh gas utilization in the circle system, (*C*) 452
ZICKMANN, B. *see* THIEL, A. 388–393
ZIMMERMANN, R. *see* THIEL, A. 388–393

SUBJECT INDEX

A Rational Basis for Anesthesiology, DAL SANTO, G., (*R*) 454
Acid–base equilibrium, metabolic acidosis, Incorrect statement, ARIEFF, A. I., (*C*) 326
Acid–base equilibrium, pH, Clearance of atracurium in volunteers under acid and alkaline conditions, FRAZER, R. S., *et al.*, (*ARS*) 436–437P
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, PATEL, M., *et al.*, (*C*) 635–636
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., *et al.* 54–59
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., (*C*) 636
Acupuncture, Acupressure and postoperative vomiting in strabismus correction, VEROLI, P., *et al.*, (*C*) 634
——, Acupuncture and postoperative vomiting in children, LEWIS, I. H., *et al.*, (*C*) 633
——, Acupuncture and postoperative vomiting in children, NASH, T. P., (*C*) 633
——, Acupuncture and postoperative vomiting in children, YENTIS, S. M., (*C*) 633–634
——, P6 acupressure and postoperative vomiting, DUNDEE, J. W., *et al.*, (*C*) 225–226
——, P6 acupressure and postoperative vomiting, LEWIS, I., *et al.*, (*C*) 226
Adductor pollicis, Not all muscles are the same, DONATI, F., *et al.*, (*E*) 235–236
Age factors, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.* 161–163
——, Masseter spasm after suxamethonium, MEAKIN, G., (*C*) 451
——, Masseter spasm after suxamethonium, SADDLER, J. M., (*C*) 451
Aids to Anaesthesia: Basic Sciences, 3rd Edn, HEALY, T. E. J., *et al.*, (editors), (*R*) 453
Airway, Anaesthesia and the ventilatory system in infants and young children, HATCH, D., *et al.* 398–410
Airway, anatomy, Retrograde intubation using the subcricoid region, SHANTHA, T. R. 109–112
Airway, obstruction, Airway management in a case of neck impalement: use of the oesophageal tracheal Combitube airway, EICHINGER, S., *et al.* 534–535
——, Hypoxia after dental anaesthesia, LANIGAN, C., (*C*) 635
——, Hypoxia after dental anaesthesia, WOODCOCK, B. J., *et al.*, (*C*) 635
——, Iatrogenic foreign body after laryngoscopy, YANG, L. C., *et al.*, (*C*) 115
——, Recognition and management of difficult airway problems, COBLEY, M., *et al.* 90–97
Airway, patency, Neck flexion and common airway measurements, COLVILLE, L. J., *et al.*, (*ARS*) 445P
Airway, pharynx, Pressure exerted by the laryngeal mask airway on the pharyngeal mucosa, MARJOT, R., *et al.*, (*ARS*) 440–441P
Airway, pressure, Pressure exerted by the laryngeal mask airway on the pharyngeal mucosa, MARJOT, R., *et al.*, (*ARS*) 440–441P
Airway, resistance, Effects of i.v. midazolam on upper airway resistance, MONTRAVERS, P., *et al.* 27–31
Alcohol, Does glycine antagonism underlie the excitatory effects of methohexitone and propofol? DOLIN, S. J., *et al.* 523–526
——, Effect of alcohol on gastric emptying, MUSHAMBI, M., *et al.*, (*ARS*) 447P
Alcohol, withdrawal, Clonidine in the treatment of alcohol withdrawal in the intensive care unit, IP YAM, P. C., *et al.* 106–108
Allergy, Radioimmunoassay tests in anaphylaxis, FISHER, M. McD., (*C*) 224
Anaesthesia, Analgesia and Intensive Care, ADAMS, A. P., *et al.*, (editors), (*R*) 455
Anaesthesia, audit, A survey of anaesthetic log book practice in the North-Western Region, STRANG, T., *et al.*, (*ARS*) 439P
——, Emergency anaesthetic service at three hospitals. I: Methods and results, BAXTER, M. K., *et al.*, (*ARS*) 448P
——, Emergency anaesthetic service at three hospitals. II. Obstetric anaesthetic services, LUTHMAN, J. A., *et al.*, (*ARS*) 448–449P
——, Extradural diamorphine for postoperative analgesia: audit of a nurse-administered service to 800 patients in a district general hospital, STUART-TAYLOR, M. E., *et al.* 429–432
——, Infection control in intensive care units: U.K. National Survey, INGLIS, T. J. J., *et al.* 216–220
——, Reported significant observations during anaesthesia: a prospective analysis over an 18-month period, CHOPRA, V., *et al.* 13–17
——, Statistical awareness of research workers in British anaesthesia, GOODMAN, N. W., *et al.* 321–324
——, The EPIC Study, BIHARI, D., (*C*) 450
——, Transfusion requirements for the management of war injured: the experience of the International Committee of the Red Cross, ESHAYA-CHAUVIN, B., *et al.* 221–223
Anaesthesia, day-case, Propofol sedation for outpatient upper gastrointestinal endoscopy, BORGEAT, A., *et al.*, (*C*) 116
——, Propofol sedation for outpatient upper gastrointestinal endoscopy, PATTERSON, K. W., *et al.*, (*C*) 116
——, Recovery from day-case anaesthesia: a comparison of total i.v. anaesthesia using propofol with an inhalation technique, NIGHTINGALE, J. J., *et al.* 356–359
Anaesthesia, dental, Hypoxia after dental anaesthesia, LANIGAN, C., (*C*) 635
——, Hypoxia after dental anaesthesia, WOODCOCK, B. J., *et al.*, (*C*) 635
——, Oxygen desaturation after dental anaesthesia, LANIGAN, C. J. 142–145
Anaesthesia, depth, Conscious awareness, JESSOP, J., *et al.*, (*C*) 325–326
——, Conscious awareness, MUNGLANI, R., (*C*) 325
——, MAC-awake of isoflurane, enflurane and halothane evaluated by slow and fast alveolar washout, GAUMANN, D. M., *et al.* 81–84
Anaesthesia, duration, Indocyanine green clearance and hepatic function during and after prolonged anaesthesia: comparison of halothane with isoflurane, MURRAY, J. M., *et al.* 168–171
Anaesthesia, emergency service, Emergency anaesthetic service at three hospitals. I: Methods and results, BAXTER, M. K., *et al.*, (*ARS*) 448P
——, Emergency anaesthetic service at three hospitals. II. Obstetric anaesthetic services, LUTHMAN, J. A., *et al.*, (*ARS*) 448–449P
Anaesthesia for Plastic and Reconstructive Surgery, ABADIR, A. R., *et al.*, (editors), (*R*) 119
Anaesthesia, general, Inspiratory to end-tidal oxygen difference during nitrous oxide anaesthesia, BENGTSON, J. P., *et al.* 599–602
——, Therapeutic suggestions during general anaesthesia in patients undergoing hysterectomy, LIU, W. H. D., *et al.* 277–281
Anaesthesia, journals, Changes in 1992, SMITH, G., (*E*) 1–2
——, Dual publication of abstracts, SMITH, G., (*E*) 5
Anaesthesia, neurosurgical, Attenuation of the cardiovascular responses to subcutaneous adrenaline in neurosurgical patients, MURALIDHAR, K., *et al.* 264–267
Anaesthesia, obstetric, Anaesthesia in a parturient with osteogenesis imperfecta, CHO, E., *et al.* 422–423
——, Combined spinal–extradural anaesthesia, FERGUSON, D. J. M., (*C*) 450–451
——, Combined spinal–extradural anaesthesia in obstetrics, ELDOR, J., (*C*) 634–635
——, Continuous spinal analgesia during high-risk labour and operative delivery, CALLEJA, M. A., *et al.*, (*ARS*) 443P
——, Emergency anaesthetic service at three hospitals. II. Obstetric anaesthetic services, LUTHMAN, J. A., *et al.*, (*ARS*) 448–449P

——, Failed tracheal intubation at Caesarean section and the laryngeal mask, ANSERMINO, J. M., *et al.*, (*C*) 118
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, PATEL, M., *et al.*, (*C*) 635–636
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., *et al.* 54–59
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., (*C*) 636
——, "Needle-through-needle" technique for combined spinal–extradural anaesthesia in obstetrics, FAMILTON, M. J. G., *et al.*, (*C*) 327
——, Rapid administration of crystalloid preload does not decrease the incidence of hypotension after spinal anaesthesia for elective Caesarean section, ROUT, C. C., *et al.* 394–397
——, Rupture of membranes before the onset of spontaneous labour increases the likelihood of instrumental delivery, KONG, A. S., *et al.* 252–255
——, Severe hypertension during postpartum haemorrhage after i.v. administration of prostglandin E_2, VEBER, B., *et al.* 623–624
——, Spinal anaesthesia for Caesarean section: 0.125% plain bupivacaine 12 ml compared with 0.5% plain bupivacaine 3 ml, VUCEVIC, M., *et al.* 590–595
——, The ideal spinal needle, DORMAN, T., *et al.*, (*C*) 227
Anaesthesia, paediatric, Anaesthesia and the ventilatory system in infants and young children, HATCH, D., *et al.* 398–410
——, Fresh gas requirements of an enclosed afferent reservoir breathing system during controlled ventilation in children, MEAKIN, G., *et al.* 43–47
——, Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously ventilating children, MEAKIN, G., *et al.* 333–337
——, Induction dose–response of propofol in unpremedicated children, AUN, C. S. T., *et al.* 64–67
——, Minimum alveolar concentration of sevoflurane in children, KATOH, T., *et al.* 139–141
——, Seizure-like movements during induction of anaesthesia with sevoflurane, ADACHI, M., *et al.* 214–215
Anaesthesia Review 8, 8th Edn, KAUFMAN, L., (editor), (*R*) 231
Anaesthesia, safety, Reported significant observations during anaesthesia: a prospective analysis over an 18-month period, CHOPRA, V., *et al.* 13–17
Anaesthetic and Obstetric Management of High-Risk Pregnancy, 1st Edn, DATTA, S., (editor), (*R*) 119
Anaesthetic techniques, endoscopy, Propofol sedation for outpatient upper gastrointestinal endoscopy, BORGEAT, A., *et al.*, (*C*) 116
——, Propofol sedation for outpatient upper gastrointestinal endoscopy, PATTERSON, K. W., *et al.*, (*C*) 116
Anaesthetic techniques, extradural, Cardiovascular support during combined extradural and general anaesthesia, WRIGHT, P. M. C., *et al.* 585–589
——, Combined spinal–extradural anaesthesia, FERGUSON, D. J. M., (*C*) 450–451
——, Combined spinal–extradural anaesthesia in obstetrics, ELDOR, J., (*C*) 634–635
——, Continuous extradural analgesia: comparison of midwife top-ups, continuous infusions and patient controlled administration, PURDIE, J., *et al.* 580–584
——, Delayed presentation of an extradural abscess complicating thoracic extradural analgesia, SOWTER, M. C., *et al.* 103–105
——, Extradural clonidine and bupivacaine for postoperative analgesia, CARABINE, U. A., *et al.* 132–135
——, Extradural diamorphine for postoperative analgesia: audit of a nurse-administered service to 800 patients in a district general hospital, STUART-TAYLOR, M. E., *et al.* 429–432
——, Extradural haematoma after continuous extradural anaesthesia, TEKKOK, I. H., *et al.*, (*C*) 117
——, Extradural haematoma after continuous extradural anaesthesia, WILDSMITH, J. A. W., (*C*) 116–117
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, PATEL, M., *et al.*, (*C*) 635–636
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., *et al.* 54–59
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., (*C*) 636
——, "Needle-through-needle" technique for combined spinal–extradural anaesthesia in obstetrics, FAMILTON, M. J. G., *et al.*, (*C*) 327
——, "Neurological" complications of extradural bupivacaine, JONES, G., *et al.*, (*C*) 328
——, "Neurological" complications of extradural bupivacaine, WILDSMITH, J. A. W., (*C*) 327–328
——, Reflective blankets used for reduction of heat loss during regional anaesthesia, HINDSHOLM, K. B., *et al.* 531–533
——, Reversal of extradurally induced hypotension, DELLA PUPA, A., (*C*) 229–230
——, Reversal of extradurally induced hypotension, SHARROCK, N. E., (*C*) 230
——, Rupture of membranes before the onset of spontaneous labour increases the likelihood of instrumental delivery, KONG, A. S., *et al.* 252–255
——, Stability of fentanyl, bupivacaine and adrenaline solutions for extradural infusion, DAWSON, P. J., *et al.* 414–417
Anaesthetic techniques, fibreoptic, Fibreoptic intubation, DOWSON, S., (*C*) 228
——, Topical anaesthesia of the nasal mucosa for fibreoptic airway endoscopy, RANDELL, T., *et al.* 164–167
Anaesthetic techniques, hypotensive, Change in cerebral blood flow velocity pattern during induced hypotension: a non-invasive indicator of increased intracranial pressure? LAM, A. M. 424–428
——, Reversal of extradurally induced hypotension, DELLA PUPA, A., (*C*) 229–230
——, Reversal of extradurally induced hypotension, SHARROCK, N. E., (*C*) 230
——, Vasodilator properties of nitroglycerin and isosorbide dinitrate during cardiopulmonary bypass, MUIKKU, O., *et al.* 376–380
Anaesthetic techniques, induction, Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion: prospective evaluation of four techniques, HAYNES, S. R., *et al.* 519–522
——, Preliminary study of a pregnanolone emulsion (Kabi 2213) for i.v. induction of general anaesthesia, GRAY, H. ST J., *et al.* 272–276
Anaesthetic techniques, inhalation, Cardiovascular support during combined extradural and general anaesthesia, WRIGHT, P. M. C., *et al.* 585–589
——, I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia, OOI, L. G., *et al.* 576–579
——, Recovery from day-case anaesthesia: a comparison of total i.v. anaesthesia using propofol with an inhalation technique, NIGHTINGALE, J. J., *et al.* 356–359
Anaesthetic techniques, i.v., Recovery from day-case anaesthesia: a comparison of total i.v. anaesthesia using propofol with an inhalation technique, NIGHTINGALE, J. J., *et al.* 356–359
——, Use of a total i.v. anaesthetic technique using guaiphenesin, ketamine and detomidine in horses: endocrine changes and detomidine concentrations, TAYLOR, P. M., *et al.*, (*ARS*) 444–445P
Anaesthetic techniques, i.v. infusion, Pharmacokinetics of propofol during and after long term continuous infusion for maintenance of sedation in ICU patients, BAILIE, G. R., *et al.* 486–491
Anaesthetic techniques, preoxygenation, A high flow semi-open system for preoxygenation: an evaluation, OOI, R., *et al.* 39–42
——, Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion: prospective evaluation of four techniques, HAYNES, S. R., *et al.* 519–522
Anaesthetic techniques, regional, Voltage fields surrounding needles used in regional anaesthesia, JONES, R. P., *et al.* 515–518
Anaesthetic techniques, regional, brachial plexus, Effect of addition of hyaluronidase to bupivacaine during axillary brachial plexus block, KEELER, J. F., *et al.* 68–71
——, Peak serum bupivacaine concentration, ATHERTON, A. M. J., (*C*) 540
——, Peak serum bupivacaine concentration, PIHLAJAMÄKI, K. K., (*C*) 540
Anaesthetic techniques, regional, inguinal, Effect of pre-*vs* postoperative inguinal field block on postoperative pain after herniorrhaphy, DIERKING, G. W., *et al.* 344–348
Anaesthetic techniques, regional, obturator nerve block, Plasma concentrations of lignocaine after obturator nerve block combined with spinal anaesthesia in patients undergoing transurethral resection procedures, FUJITA, Y., *et al.* 596–598
Anaesthetic techniques, subarachnoid, Combined spinal–extradural anaesthesia, FERGUSON, D. J. M., (*C*) 450–451
——, Combined spinal–extradural anaesthesia in obstetrics, ELDOR, J., (*C*) 634–635

——, Continuous spinal analgesia during high-risk labour and operative delivery, CALLEJA, M. A., *et al.*, (*ARS*) 443P
——, Density of intrathecal agents, NICOL, M. E., *et al.* 60–63
——, Duration of action of 5% intrathecal pethidine *vs* 0.5% hyperbaric bupivacaine for hip surgery, SPIERS, S. P. W., *et al.*, (*ARS*) 443–444P
——, Effect of low and high concentrations of alfentanil administered intrathecally on Aδ and C fibre mediated somatosympathetic reflexes, WANG, C., *et al.* 503–507
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, PATEL, M., *et al.*, (*C*) 635–636
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., *et al.* 54–59
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., (*C*) 636
——, Methoxamine and peripheral blood flow during subarachnoid anaesthesia, FOGARTY, D. J., *et al.*, (*ARS*) 444P
——, "Needle-through-needle" technique for combined spinal–extradural anaesthesia in obstetrics, FAMILTON, M. J. G., *et al.*, (*C*) 327
——, Plasma concentrations of lignocaine after obturator nerve block combined with spinal anaesthesia in patients undergoing transurethral resection procedures, FUJITA, Y., *et al.* 596–598
——, Postdural puncture headache, COONEY, C. M., *et al.*, (*C*) 637
——, Postdural puncture headache, LYNCH, J., (*C*) 637
——, Prediction of the spread of repeated spinal anaesthesia with bupivacaine, TUOMINEN, M., *et al.* 136–138
——, Prediction of the spread of repeated spinal anaesthesia with bupivacaine, TUOMINEN, M., *et al.*, (*C*) 636–637
——, Prediction of the spread of repeated spinal anaesthesia with bupivacaine, WILDSMITH, J. A. W., (*C*) 636
——, Rapid administration of crystalloid preload does not decrease the incidence of hypotension after spinal anaesthesia for elective Caesarean section, ROUT, C. C., *et al.* 394–397
——, Reflective blankets used for reduction of heat loss during regional anaesthesia, HINDSHOLM, K. B., *et al.* 531–533
——, Spinal anaesthesia for Caesarean section: 0.125% plain bupivacaine 12 ml compared with 0.5% plain bupivacaine 3 ml, VUCEVIC, M., *et al.* 590–595
——, Wearing of face masks for spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 224
——, Wearing of face masks for spinal anaesthesia, YENTIS, S. M., (*C*) 224
Anaesthetic techniques, test doses, Atropine and the test dose, MOORE, D. C., (*C*) 328
——, Atropine and the test dose, NARCHI, P., (*C*) 328
Anaesthetic techniques, topical, Topical anaesthesia of the nasal mucosa for fibreoptic airway endoscopy, RANDELL, T., *et al.* 164–167
Anaesthetics gases, nitrous oxide, Heart rate periodicities during induction of propofol–nitrous oxide–isoflurane anaesthesia, GALLETLY, D. C., *et al.* 360–364
——, Inspiratory to end-tidal oxygen difference during nitrous oxide anaesthesia, BENGTSON, J. P., *et al.* 599–602
——, Myocardial depressant effect of nitrous oxide after coronary artery bypass graft surgery, COLSON, P., *et al.* 420–421
——, Nitrous oxide administration using commonly available oxygen therapy devices, JOSHI, P., *et al.* 630–632
——, Somatosensory and auditory evoked responses recorded simultaneously: differential effects of nitrous oxide and isoflurane, THORNTON, C., *et al.* 508–514
Anaesthetics i.v., ketamine, Use of a total i.v. anaesthetic technique using guaiphenesin, ketamine and detomidine in horses: endocrine changes and detomidine concentrations, TAYLOR, P. M., *et al.*, (*ARS*) 444–445P
Anaesthetics i.v., methohexitone, Does glycine antagonism underlie the excitatory effects of methohexitone and propofol? DOLIN, S. J., *et al.* 523–526
Anaesthetics i.v., pethidine, Effect of pethidine premedication and halothane anaesthesia on upper limb blood flow, PAUCA, A. L. 621–622
Anaesthetics i.v., pregnanolone, Preliminary study of a pregnanolone emulsion (Kabi 2213) for i.v. induction of general anaesthesia, GRAY, H. ST J., *et al.* 272–276
Anaesthetics i.v., propofol, Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion: prospective evaluation of four techniques, HAYNES, S. R., *et al.* 519–522
——, Changing anaesthetic practice can affect the evaluation of postoperative nausea and vomiting, DUNDEE, J. W., *et al.*, (*ARS*) 446P
——, Direct vasoconstrictor and vasodilator effects of propofol in isolated dog arteries, NAKAMURA, K., *et al.* 193–197
——, Does glycine antagonism underlie the excitatory effects of methohexitone and propofol? DOLIN, S. J., *et al.* 523–526
——, Does propofol in combination with alfentanil provide stable anaesthesia in cardiac patients? LIPPMANN, M., *et al.*, (*C*) 228
——, Does propofol in combination with alfentanil provide stable anaesthesia in cardiac patients? MANARA, A. J., *et al.*, (*C*) 228–229
——, Effect of anaesthetic doses of propofol on liver cell membrane lipid peroxidation in the rat, MURPHY, P. G., *et al.*, (*ARS*) 439P
——, Extrahepatic metabolism of propofol in man during the anhepatic phase of orthotopic liver transplantation, VEROLI, P., *et al.* 183–186
——, Heart rate periodicities during induction of propofol–nitrous oxide–isoflurane anaesthesia, GALLETLY, D. C., *et al.* 360–364
——, Induction dose–response of propofol in unpremedicated children, AUN, C. S. T., *et al.* 64–67
——, Induction dose–response studies with propofol and thiopentone, NAGUIB, M., *et al.* 308–310
——, I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia, OOI, L. G., *et al.* 576–579
——, Pharmacokinetics of propofol and haemodynamic changes during induction of anaesthesia in uraemic patients, KIRVELÄ, M., *et al.* 178–182
——, Pharmacokinetics of propofol during and after long term continuous infusion for maintenance of sedation in ICU patients, BAILIE, G. R., *et al.* 486–491
——, Propofol in acute intermittent porphyria, TIDMARSH, M. A., *et al.*, (*C*) 230
——, Propofol inhibits enzymatic degradation of alfentanil and sufentanil by isolated liver microsomes *in vitro*, JANICKI, P. K., *et al.* 311–312
——, Propofol potentiates both pre- and postsynaptic effects of vecuronium in the rat hemidiaphragm, LEBEDA, M. D., *et al.* 282–285
——, Propofol sedation for outpatient upper gastrointestinal endoscopy, BORGEAT, A., *et al.*, (*C*) 116
——, Propofol sedation for outpatient upper gastrointestinal endoscopy, PATTERSON, K. W., *et al.*, (*C*) 116
——, Recovery from day-case anaesthesia: a comparison of total i.v. anaesthesia using propofol with an inhalation technique, NIGHTINGALE, J. J., *et al.* 356–359
——, Sedation after cardiac bypass surgery: comparison of propofol and midazolam in the presence of a computerized closed loop arterial pressure controller, CHAUDHRI, S., *et al.* 98–99
——, Sighs and their effect on the breathing of patients anaesthetized with infusions of propofol, GOODMAN, N. W., *et al.* 48–53
——, The antioxidant potential of propofol (2,6-diisopropylphenol), MURPHY, P. G., *et al.* 613–618
Anaesthetics i.v., steroid, Preliminary study of a pregnanolone emulsion (Kabi 2213) for i.v. induction of general anaesthesia, GRAY, H. ST J., *et al.* 272–276
Anaesthetics i.v., thiopentone, Dexmedetomidine attenuates sympathoadrenal responses to tracheal intubation and reduces the need for thiopentone and peroperative fentanyl, SCHEININ, B., *et al.* 126–131
——, Early tracheal intubation with thiopentone in elective surgery, MARSH, J. E., *et al.* 100–102
——, Effects of thiopentone and chlormethiazole on human myometrial arteries from term pregnant women, ALLEN, J., *et al.* 256–260
——, Induction dose–response studies with propofol and thiopentone, NAGUIB, M., *et al.* 308–310
Anaesthetics local, bupivacaine, Analgesia for labour and delivery using incremental diamorphine and bupivacaine via a 32-gauge intrathecal catheter, KESTIN, I. G., *et al.* 244–247
——, Continuous extradural analgesia: comparison of midwife top-ups, continuous infusions and patient controlled administration, PURDIE, J., *et al.* 580–584
——, Duration of action of 5% intrathecal pethidine *vs* 0.5% hyperbaric bupivacaine for hip surgery, SPIERS, S. P. W., *et al.*, (*ARS*) 443–444P
——, Effect of addition of hyaluronidase to bupivacaine during axillary brachial plexus block, KEELER, J. F., *et al.* 68–71
——, Extradural clonidine and bupivacaine for postoperative analgesia, CARABINE, U. A., *et al.* 132–135
——, "Neurological" complications of extradural bupivacaine, JONES, G., *et al.*, (*C*) 328
——, "Neurological" complications of extradural bupivacaine, WILDSMITH, J. A. W., (*C*) 327–328
——, Peak serum bupivacaine concentration, ATHERTON, A. M. J., (*C*) 540

——, Peak serum bupivacaine concentration, PIHLAJAMÄKI, K. K., (*C*) 540
——, Prediction of the spread of repeated spinal anaesthesia with bupivacaine, TUOMINEN, M., *et al.* 136–138
——, Prediction of the spread of repeated spinal anaesthesia with bupivacaine, TUOMINEN, M., *et al.*, (*C*) 636–637
——, Prediction of the spread of repeated spinal anaesthesia with bupivacaine, WILDSMITH, J. A. W., (*C*) 636
——, Spinal anaesthesia for Caesarean section: 0.125% plain bupivacaine 12 ml compared with 0.5% plain bupivacaine 3 ml, VUCEVIC, M., *et al.* 590–595
——, Stability of fentanyl, bupivacaine and adrenaline solutions for extradural infusion, DAWSON, P. J., *et al.* 414–417
Anaesthetics local, lignocaine, Effect of pre- *vs* postoperative inguinal field block on postoperative pain after herniorrhaphy, DIERKING, G. W., *et al.* 344–348
——, Plasma concentrations of lignocaine after obturator nerve block combined with spinal anaesthesia in patients undergoing transurethral resection procedures, FUJITA, Y., *et al.* 596–598
——, Topical anaesthesia of the nasal mucosa for fibreoptic airway endoscopy, RANDELL, T., *et al.* 164–167
Anaesthetics local, pethidine, Duration of action of 5% intrathecal pethidine *vs* 0.5% hyperbaric bupivacaine for hip surgery, SPIERS, S. P. W., *et al.*, (*ARS*) 443–444P
Anaesthetics local, prilocaine, Topical anaesthesia of the nasal mucosa for fibreoptic airway endoscopy, RANDELL, T., *et al.* 164–167
Anaesthetics volatile, enflurane, Effect of volatile anaesthetic agents on choline acetyltransferase activity *in vitro*, GRIFFITHS, R., *et al.*, (*ARS*) 445P
——, Effects of halothane and other volatile anaesthetics on protein synthesis and secretion in guineapig liver slices, GHANTOUS, H. N., *et al.* 172–177
——, MAC-awake of isoflurane, enflurane and halothane evaluated by slow and fast alveolar washout, GAUMANN, D. M., *et al.* 81–84
——, Transcranial Doppler sonography: effects of halothane, enflurane and isoflurane on blood flow velocity in the middle cerebral artery, THIEL, A., *et al.* 388–393
Anaesthetics volatile, halothane, A quantitative *in vitro* animal model of suxamethonium- and halothane-induced muscle damage, HOPKINS, P. M., (*ARS*) 447–448P
——, Anaesthetic modification of regional myocardial functional adjustments during myocardial ischaemia: halothane *vs* fentanyl, KIM, Y. D., *et al.* 286–292
——, Effect of pethidine premedication and halothane anaesthesia on upper limb blood flow, PAUCA, A. L. 621–622
——, Effect of volatile anaesthetic agents on choline acetyltransferase activity *in vitro*, GRIFFITHS, R., *et al.*, (*ARS*) 445P
——, Effects of amiloride on the *in vitro* response of malignant hyperthermia muscle to halothane, HOPKINS, P. M., *et al.*, (*ARS*) 442P
——, Effects of halothane and other volatile anaesthetics on protein synthesis and secretion in guineapig liver slices, GHANTOUS, H. N., *et al.* 172–177
——, Halothane does not depress contractile function of fresh or fatigued diaphragm in pentobarbitone-anaesthetized dogs, KOCHI, T., *et al.* 562–566
——, Indocyanine green clearance and hepatic function during and after prolonged anaesthesia: comparison of halothane with isoflurane, MURRAY, J. M., *et al.* 168–171
——, MAC-awake of isoflurane, enflurane and halothane evaluated by slow and fast alveolar washout, GAUMANN, D. M., *et al.* 81–84
——, Transcranial Doppler sonography: effects of halothane, enflurane and isoflurane on blood flow velocity in the middle cerebral artery, THIEL, A., *et al.* 388–393
Anaesthetics volatile, isoflurane, Effect of volatile anaesthetic agents on choline acetyltransferase activity *in vitro*, GRIFFITHS, R., *et al.*, (*ARS*) 445P
——, Effects of halothane and other volatile anaesthetics on protein synthesis and secretion in guineapig liver slices, GHANTOUS, H. N., *et al.* 172–177
——, Heart rate periodicities during induction of propofol–nitrous oxide–isoflurane anaesthesia, GALLETLY, D. C., *et al.* 360–364
——, Indocyanine green clearance and hepatic function during and after prolonged anaesthesia: comparison of halothane with isoflurane, MURRAY, J. M., *et al.* 168–171
——, MAC-awake of isoflurane, enflurane and halothane evaluated by slow and fast alveolar washout, GAUMANN, D. M., *et al.* 81–84
——, Somatosensory and auditory evoked responses recorded simultaneously: differential effects of nitrous oxide and isoflurane, THORNTON, C., *et al.* 508–514
——, Transcranial Doppler sonography: effects of halothane, enflurane and isoflurane on blood flow velocity in the middle cerebral artery, THIEL, A., *et al.* 388–393
Anaesthetics volatile, sevoflurane, Effects of halothane and other volatile anaesthetics on protein synthesis and secretion in guineapig liver slices, GHANTOUS, H. N., *et al.* 172–177
——, Minimum alveolar concentration of sevoflurane in children, KATOH, T., *et al.* 139–141
——, Seizure-like movements during induction of anaesthesia with sevoflurane, ADACHI, M., *et al.* 214–215
Anaesthetist, activity, Emergency anaesthetic service at three hospitals. I: Methods and results, BAXTER, M. K., *et al.*, (*ARS*) 448P
——, Emergency anaesthetic service at three hospitals. II. Obstetric anaesthetic services, LUTHMAN, J. A., *et al.*, (*ARS*) 448–449P
Anaesthetist, risk, First-time coronary artery bypass grafting: the anaesthetist as a risk factor, MERRY, A. F., *et al.* 6–12
Analeptics, doxapram, Effect of doxapram on neostigmine evoked antagonism of vecuronium neuromuscular block, ORLOWSKI, M., *et al.* 418–419
——, Effect of doxapram on the rate of recovery from atracurium and vecuronium neuromuscular block, COOPER, R., *et al.* 527–528
Analgesia, obstetric, Analgesia for labour and delivery using incremental diamorphine and bupivacaine via a 32-gauge intrathecal catheter, KESTIN, I. G., *et al.* 244–247
——, Continuous extradural analgesia: comparison of midwife top-ups, continuous infusions and patient controlled administration, PURDIE, J., *et al.* 580–584
——, Gastric emptying during lumbar extradural analgesia in labour: effect of fentanyl supplementation, WRIGHT, P. M. C., *et al.* 248–251
Analgesia, paediatric, Evaluation of a disposable patient-controlled analgesia device in children, IRWIN, M., *et al.* 411–413
Analgesia, patient-controlled, Continuous extradural analgesia: comparison of midwife top-ups, continuous infusions and patient controlled administration, PURDIE, J., *et al.* 580–584
——, Duration of action of 5% intrathecal pethidine *vs* 0.5% hyperbaric bupivacaine for hip surgery, SPIERS, S. P. W., *et al.*, (*ARS*) 443–444P
——, Evaluation of a disposable patient-controlled analgesia device in children, IRWIN, M., *et al.* 411–413
——, Hypoxaemia and pain relief after lower abdominal surgery, MADEJ, T. H., *et al.*, (*ARS*) 434P
——, Hypoxaemia and pain relief after upper abdominal surgery, WHEATLEY, R. G., *et al.*, (*ARS*) 433–434P
——, Overdose of opioid from patient-controlled analgesia, NOTCUTT, W., (*C*) 450
——, The development and safe use of patient-controlled analgesia, ROWBOTHAM, D. J., (*E*) 331–332
Analgesia, postoperative, Effects of ketorolac trometamol on renal function, AITKEN, H. A., *et al.* 481–485
——, Extradural clonidine and bupivacaine for postoperative analgesia, CARABINE, U. A., *et al.* 132–135
——, Extradural clonidine infusions for analgesia after total hip replacement, CARABINE, U. A., *et al.* 338–343
——, Extradural diamorphine for postoperative analgesia: audit of a nurse-administered service to 800 patients in a district general hospital, STUART-TAYLOR, M. E., *et al.* 429–432
Analgesic techniques, extradural, Continuous extradural analgesia: comparison of midwife top-ups, continuous infusions and patient controlled administration, PURDIE, J., *et al.* 580–584
——, Delayed presentation of an extradural abscess complicating thoracic extradural analgesia, SOWTER, M. C., *et al.* 103–105
——, Extradural clonidine and bupivacaine for postoperative analgesia, CARABINE, U. A., *et al.* 132–135
——, Extradural clonidine infusions for analgesia after total hip replacement, CARABINE, U. A., *et al.* 338–343
——, Extradurals and balanced analgesia, COLLINS, P. D., *et al.*, (*C*) 118
——, Hypoxaemia and pain relief after lower abdominal surgery, MADEJ, T. H., *et al.*, (*ARS*) 434P
——, Hypoxaemia and pain relief after upper abdominal surgery, WHEATLEY, R. G., *et al.*, (*ARS*) 433–434P
——, Is steroid therapy a contraindication to extradural analgesia? MCQUAY, H. J., *et al.*, (*C*) 540–541
——, Is steroid therapy a contraindication to extradural analgesia? SOWTER, M., (*C*) 541
——, Rupture of membranes before the onset of spontaneous labour increases the likelihood of instrumental delivery, KONG, A. S., *et al.* 252–255
Analgesic techniques, i.m., Hypoxaemia and pain relief after

upper abdominal surgery, WHEATLEY, R. G., *et al.*, (*ARS*) 433–434P

Analgesic techniques, neurolysis, Acute effect and recovery of primary afferent nerve fibres after graded radiofrequency lesions in anaesthetized rats, HAMANN, W., *et al.*, (*ARS*) 443P

Analgesic techniques, subarachnoid, Analgesia for labour and delivery using incremental diamorphine and bupivacaine via a 32-gauge intrathecal catheter, KESTIN, I. G., *et al.* 244–247

——, Gastric emptying during lumbar extradural analgesia in labour: effect of fentanyl supplementation, WRIGHT, P. M. C., *et al.* 248–251

Analgesics non-opioid, diclofenac, I.v. diclofenac in post-thoracotomy pain, PERTTUNEN, K., *et al.* 474–480

——, Treatment of postoperative pain with diclofenac in uvulopalatopharyngoplasty, EJNELL, H., *et al.* 76–80

Analgesics non-opioid, ketorolac, Effects of ketorolac trometamol on renal function, AITKEN, H. A., *et al.* 481–485

Analgesics opioid, alfentanil, Does propofol in combination with alfentanil provide stable anaesthesia in cardiac patients? LIPPMANN, M., *et al.*, (*C*) 228

——, Does propofol in combination with alfentanil provide stable anaesthesia in cardiac patients? MANARA, A. J., *et al.*, (*C*) 228–229

——, Effect of low and high concentrations of alfentanil administered intrathecally on Aδ and C fibre mediated somatosympathetic reflexes, WANG, C., *et al.* 503–507

——, Effects of different hepatic pathologies on disposition of alfentanil in anaesthetized patients, BOWER, S., *et al.* 462–465

——, Propofol inhibits enzymatic degradation of alfentanil and sufentanil by isolated liver microsomes *in vitro*, JANICKI, P. K., *et al.* 311–312

——, Recovery from day-case anaesthesia: a comparison of total i.v. anaesthesia using propofol with an inhalation technique, NIGHTINGALE, J. J., *et al.* 356–359

——, Uptake of sufentanil, alfentanil and morphine in the lungs of patients about to undergo coronary artery surgery, BOER, F., *et al.* 370–375

Analgesics opioid, diamorphine, Analgesia for labour and delivery using incremental diamorphine and bupivacaine via a 32-gauge intrathecal catheter, KESTIN, I. G., *et al.* 244–247

——, Extradural diamorphine for postoperative analgesia: audit of a nurse-administered service to 800 patients in a district general hospital, STUART-TAYLOR, M. E., *et al.* 429–432

——, Hypoxaemia and pain relief after lower abdominal surgery, MADEJ, T. H., *et al.*, (*ARS*) 434P

Analgesics opioid, fentanyl, Anaesthetic modification of regional myocardial functional adjustments during myocardial ischaemia: halothane *vs* fentanyl, KIM, Y. D., *et al.* 286–292

——, Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion: prospective evaluation of four techniques, HAYNES, S. R., *et al.* 519–522

——, Dexmedetomidine attenuates sympathoadrenal responses to tracheal intubation and reduces the need for thiopentone and peroperative fentanyl, SCHEININ, B., *et al.* 126–131

——, Gastric emptying during lumbar extradural analgesia in labour: effect of fentanyl supplementation, WRIGHT, P. M. C., *et al.* 248–251

——, Stability of fentanyl, bupivacaine and adrenaline solutions for extradural infusion, DAWSON, P. J., *et al.* 414–417

Analgesics opioid, morphine, Effects of ketorolac trometamol on renal function, AITKEN, H. A., *et al.* 481–485

——, Extradural clonidine infusions for analgesia after total hip replacement, CARABINE, U. A., *et al.* 338–343

——, I.v. diclofenac in post-thoracotomy pain, PERTTUNEN, K., *et al.* 474–480

——, Uptake of sufentanil, alfentanil and morphine in the lungs of patients about to undergo coronary artery surgery, BOER, F., *et al.* 370–375

Analgesics opioid, pethidine, Duration of action of 5% intrathecal pethidine *vs* 0.5% hyperbaric bupivacaine for hip surgery, SPIERS, S. P. W., *et al.*, (*ARS*) 443–444P

Analgesics opioid, sufentanil, Propofol inhibits enzymatic degradation of alfentanil and sufentanil by isolated liver microsomes *in vitro*, JANICKI, P. K., *et al.* 311–312

——, Uptake of sufentanil, alfentanil and morphine in the lungs of patients about to undergo coronary artery surgery, BOER, F., *et al.* 370–375

Anatomy, airway, Laryngoscope blade position using a mathematical model, MARKS, R. R. D., *et al.*, (*ARS*) 439–440P

——, Retrograde intubation using the subcricoid region, SHANTHA, T. R. 109–112

Anesthetic Management of Difficult and Routine Pediatric Patients, 2nd Edn, BERRY, F. A., (editor), (*R*) 231

Antagonists benzodiazepine, flumazenil, Midazolam sedation reversed with flumazenil for cardioversion, FENNELLY, M. E., *et al.* 303–305

Antagonists, miscellaneous, Comparison of atropine and glycopyrrolate as antagonists to neostigmine in isolated human taenia coli, CROSSLEY, A. W. A., *et al.*, (*ARS*) 437–438P

——, Does glycine antagonism underlie the excitatory effects of methohexitone and propofol? DOLIN, S. J., *et al.* 523–526

——, Efficacy of orally administered ondansetron in the prevention of postoperative nausea and vomiting: a dose ranging study, KENNY, G. N. C., *et al.* 466–470

Antagonists neuromuscular block, edrophonium, Effects of neostigmine and edrophonium on human erythrocyte acetylcholinesterase activity, SAKUMA, N., *et al.* 316–317

Antagonists neuromuscular block, neostigmine, Atracurium reversal: what is the optimum dose of neostigmine? HARPER, N. J. N., *et al.*, (*ARS*) 438P

——, Comparison of atropine and glycopyrrolate as antagonists to neostigmine in isolated human taenia coli, CROSSLEY, A. W. A., *et al.*, (*ARS*) 437–438P

——, Effect of doxapram on neostigmine evoked antagonism of vecuronium neuromuscular block, ORLOWSKI, M., *et al.* 418–419

——, Effect of doxapram on the rate of recovery from atracurium and vecuronium neuromuscular block, COOPER, R., *et al.* 527–528

——, Effects of neostigmine and edrophonium on human erythrocyte acetylcholinesterase activity, SAKUMA, N., *et al.* 316–317

Antagonists neuromuscular block, pyridostigmine, Effect of pretreatment with oral pyridostigmine, CARTER, M. L., *et al.*, (*C*) 113–114

Arterial pressure, drug effects, Effect of verapamil on the cardiovascular responses to tracheal intubation, YAKU, H., *et al.* 85–89

Arterial pressure, hypertension, Esmolol hydrochloride for management of the cardiovascular stress responses to laryngoscopy and tracheal intubation, VUCEVIC, M., *et al.* 529–530

Arterial pressure, regulation automatic, Sedation after cardiac bypass surgery: comparison of propofol and midazolam in the presence of a computerized closed loop arterial pressure controller, CHAUDHRI, S., *et al.* 98–99

Arteries, cerebral, Oxygen modulates contractile responses to potassium and prostaglandin $F_{2\alpha}$ in human pial arteries, REINSTRUP, P., *et al.* 187–192

Arteries, miscellaneous, Direct vasoconstrictor and vasodilator effects of propofol in isolated dog arteries, NAKAMURA, K., *et al.* 193–197

Arteries, myometrial, Effects of thiopentone and chlormethiazole on human myometrial arteries from term pregnant women, ALLEN, J., *et al.* 256–260

Assisted Ventilation, MOXHAM, J., (editor), (*R*) 233

Biotransformation (drug), alfentanil, Propofol inhibits enzymatic degradation of alfentanil and sufentanil by isolated liver microsomes *in vitro*, JANICKI, P. K., *et al.* 311–312

Biotransformation (drug), halothane, Effects of halothane and other volatile anaesthetics on protein synthesis and secretion in guineapig liver slices, GHANTOUS, H. N., *et al.* 172–177

Biotransformation (drug), microsomes, Propofol inhibits enzymatic degradation of alfentanil and sufentanil by isolated liver microsomes *in vitro*, JANICKI, P. K., *et al.* 311–312

Biotransformation (drug), propofol, Extrahepatic metabolism of propofol in man during the anhepatic phase of orthotopic liver transplantation, VEROLI, P., *et al.* 183–186

Biotransformation (drug), sufentanil, Propofol inhibits enzymatic degradation of alfentanil and sufentanil by isolated liver microsomes *in vitro*, JANICKI, P. K., *et al.* 311–312

Blood, anaesthetic concentration, Peak serum bupivacaine concentration, ATHERTON, A. M. J., (*C*) 540

——, Peak serum bupivacaine concentration, PIHLAJAMÄKI, K. K., (*C*) 540

——, Plasma concentrations of lignocaine after obturator nerve block combined with spinal anaesthesia in patients

undergoing transurethral resection procedures, FUJITA, Y., *et al.* 596–598
Blood, anticoagulants, No heparinization with the Cell Saver, COLUMB, M. O., (*C*) 227
——, No heparinization with the Cell Saver, LINDOP, M. J., *et al.*, (*C*) 226–227
Blood, coagulation, Bleeding time: is it a useful clinical tool? O'KELLY, S. W., *et al.* 313–315
Blood, erythrocytes, Effects of neostigmine and edrophonium on human erythrocyte acetylcholinesterase activity, SAKUMA, N., *et al.* 316–317
Blood, flow, forearm, Effect of pethidine premedication and halothane anaesthesia on upper limb blood flow, PAUCA, A. L. 621–622
Blood, flow, peripheral, Methoxamine and peripheral blood flow during subarachnoid anaesthesia, FOGARTY, D. J., *et al.*, (*ARS*) 444P
Blood, flow, umbilical, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., *et al.* 54–59
Blood, platelets, Bleeding time: is it a useful clinical tool? O'KELLY, S. W., *et al.* 313–315
Blood, replacement, Total hip replacement surgery without blood transfusion in Jehovah's Witnesses, WITTMANN, P. H., *et al.* 306–307
Blood, salvage, Blood conservation, RYAN, D. W., *et al.*, (*C*) 326
——, No heparinization with the Cell Saver, COLUMB, M. O., (*C*) 227
——, No heparinization with the Cell Saver, LINDOP, M. J., *et al.*, (*C*) 226–227
Blood, transfusion, No heparinization with the Cell Saver, COLUMB, M. O., (*C*) 227
——, No heparinization with the Cell Saver, LINDOP, M. J., *et al.*, (*C*) 226–227
——, Transfusion requirements for the management of war injured: the experience of the International Committee of the Red Cross, ESHAYA-CHAUVIN, B., *et al.* 221–223
——, Use and abuse of fresh frozen plasma, THOMSON, A., *et al.*, (*E*) 237–238
Book Reviews
A Rational Basis for Anesthesiology, DAL SANTO, G., (*R*) 454
Aids to Anaesthesia: Basic Sciences, 3rd Edn, HEALY, T. E. J., *et al.*, (editors), (*R*) 453
Anaesthesia, Analgesia and Intensive Care, ADAMS, A. P., *et al.*, (editors), (*R*) 455
Anaesthesia for Plastic and Reconstructive Surgery, ABADIR, A. R., *et al.*, (editors), (*R*) 119
Anaesthesia Review 8, 8th Edn, KAUFMAN, L., (editor), (*R*) 231
Anaesthetic and Obstetric Management of High-Risk Pregnancy, 1st Edn, DATTA, S., (editor), (*R*) 119
Anesthetic Management of Difficult and Routine Pediatric Patients, 2nd Edn, BERRY, F. A., (editor), (*R*) 231
Assisted Ventilation, MOXHAM, J., (editor), (*R*) 233
Care of the Critically Ill Patient in the Tropics and Subtropics, WATTERS, D. A. K., *et al.*, (*R*) 453
Clinical Anaesthetic Pharmacology, 1st Edn, DUNDEE, J. W., *et al.*, (editors), (*R*) 232
Clinical Practice of Regional Anesthesia, RAJ, P. P., (editor), (*R*) 454
Core Curriculum for Professional Education in Pain, FIELDS, H. L., (editor), (*R*) 233
Critical Care Practice, HOYT, J. W., *et al.*, (editors), (*R*) 453–454
Drugs in Anaesthetic Practice, VICKERS, M. D., *et al.*, (*R*) 454–455
General Anaesthesia and Sedation in Dentistry, 2nd Edn, HILL, C. M., *et al.*, (*R*) 638
Implantable Drug Delivery Systems, 1st Edn, LAFFER, U., *et al.*, (editors), (*R*) 542
Intensive and Critical Care Medicine, AOCHI, O., *et al.*, (editors), (*R*) 231
Neuroanaesthesia: Handbook of Clinical and Physiologic Essentials, 2nd Edn, NEWFIELD, P., *et al.*, (editors), (*R*) 232
Obesity and Cachexia—Physiological Mechanisms and New Approaches to Pharmacological Control, ROTHWELL, N. J., *et al.*, (editors), (*R*) 638
On Narcotism by the Inhalation of Vapours, SNOW, J., (*R*) 232
Pharmacokinetics for Anaesthesia, 1st Edn, HULL, C. J., (*R*) 542
Principles and Practice of Neuroanaesthesia, EDWARDS, N., (*R*) 542
The Principles and Practice of Pharmacology for Anaesthetists, 2nd Edn, CALVEY, T. N., *et al.*, (*R*) 638
Vascular Anaesthesia, 1st Edn, KAPLAN, J. A., (editor), (*R*) 233
Brain, blood flow, Change in cerebral blood flow velocity pattern during induced hypotension: a non-invasive indicator of increased intracranial pressure? LAM, A. M. 424–428
——, Effect of prostaglandin E_1-induced hypotension on carbon dioxide reactivity and local cerebral blood flow after subarachnoid haemorrhage, ABE, K., *et al.* 268–271
——, Oxygen modulates contractile responses to potassium and prostaglandin $F_{2\alpha}$ in human pial arteries, REINSTRUP, P., *et al.* 187–192
——, Transcranial Doppler sonography: effects of halothane, enflurane and isoflurane on blood flow velocity in the middle cerebral artery, THIEL, A., *et al.* 388–393
Brain, carbon dioxide tension, Effect of prostaglandin E_1-induced hypotension on carbon dioxide reactivity and local cerebral blood flow after subarachnoid haemorrhage, ABE, K., *et al.* 268–271
Brain, convulsions, Does glycine antagonism underlie the excitatory effects of methohexitone and propofol? DOLIN, S. J., *et al.* 523–526
——, Effect of volatile anaesthetic agents on choline acetyltransferase activity *in vitro*, GRIFFITHS, R., *et al.*, (*ARS*) 445P
Brain, evoked potentials, Effect of physiotherapy on the auditory evoked response of paralysed, sedated patients in the intensive care unit, SNEYD, J. R., *et al.* 349–351
——, Somatosensory and auditory evoked responses recorded simultaneously: differential effects of nitrous oxide and isoflurane, THORNTON, C., *et al.* 508–514
Brain, intracranial pressure, Change in cerebral blood flow velocity pattern during induced hypotension: a non-invasive indicator of increased intracranial pressure? LAM, A. M. 424–428
British Journal of Anaesthesia, Changes in 1992, SMITH, G., (*E*) 1–2
——, Dual publication of abstracts, SMITH, G., (*E*) 5

Calcium channel block, verapamil, Effect of verapamil on the cardiovascular responses to tracheal intubation, YAKU, H., *et al.* 85–89
Carbon dioxide, exogenous, Ventilatory effects of laparoscopy under general anaesthesia, PURI, G. D., *et al.* 211–213
Carbon dioxide, partial pressure, Ventilatory effects of laparoscopy under general anaesthesia, PURI, G. D., *et al.* 211–213
Carbon dioxide, ventilatory response, Ventilatory effects of laparoscopy under general anaesthesia, PURI, G. D., *et al.* 211–213
Cardiovascular system, effects, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, PATEL, M., *et al.*, (*C*) 635–636
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., *et al.* 54–59
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., (*C*) 636
——, Methoxamine and peripheral blood flow during subarachnoid anaesthesia, FOGARTY, D. J., *et al.*, (*ARS*) 444P
——, Sedation after cardiac bypass surgery: comparison of propofol and midazolam in the presence of a computerized closed loop arterial pressure controller, CHAUDHRI, S., *et al.* 98–99
——, The role of histamine in the cardiovascular effects of atracurium, ADT, M., *et al.* 155–160
Cardiovascular system, responses, Attenuation of the cardiovascular responses to subcutaneous adrenaline in neurosurgical patients, MURALIDHAR, K., *et al.* 264–267
——, Cardiovascular and plasma catecholamine responses at tracheal extubation, LOWRIE, A., *et al.* 261–263
——, Effect of low and high concentrations of alfentanil administered intrathecally on Aδ and C fibre mediated somatosympathetic reflexes, WANG, C., *et al.* 503–507
——, Effect of verapamil on the cardiovascular responses to tracheal intubation, YAKU, H., *et al.* 85–89
——, Esmolol hydrochloride for management of the cardiovascular stress responses to laryngoscopy and tracheal intubation, VUCEVIC, M., *et al.* 529–530
——, Haemodynamic effects of transurethral prostatectomy, LAWSON, R. A., *et al.*, (*ARS*) 442P
——, Pharmacokinetics of propofol and haemodynamic changes during induction of anaesthesia in uraemic patients, KIRVELÄ, M., *et al.* 178–182

Care of the Critically Ill Patient in the Tropics and Subtropics, WATTERS, D. A. K., *et al.*, (*R*) 453
Children, Acupressure and postoperative vomiting in strabismus correction, VEROLI, P., *et al.*, (*C*) 634
——, Acupuncture and postoperative vomiting in children, LEWIS, I. H., *et al.*, (*C*) 633
——, Acupuncture and postoperative vomiting in children, NASH, T. P., (*C*) 633
——, Acupuncture and postoperative vomiting in children, YENTIS, S. M., (*C*) 633–634
——, Anaesthesia and the ventilatory system in infants and young children, HATCH, D., *et al.* 398–410
——, Evaluation of a disposable patient-controlled analgesia device in children, IRWIN, M., *et al.* 411–413
——, Fresh gas requirements of an enclosed afferent reservoir breathing system during controlled ventilation in children, MEAKIN, G., *et al.* 43–47
——, Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously ventilating children, MEAKIN, G., *et al.* 333–337
——, Induction dose–response of propofol in unpremedicated children, AUN, C. S. T., *et al.* 64–67
——, Masseter spasm after suxamethonium, MEAKIN, G., (*C*) 451
——, Masseter spasm after suxamethonium, SADDLER, J. M., (*C*) 451
——, Minimum alveolar concentration of sevoflurane in children, KATOH, T., *et al.* 139–141
——, Oxygen desaturation after dental anaesthesia, LANIGAN, C. J. 142–145
——, Seizure-like movements during induction of anaesthesia with sevoflurane, ADACHI, M., *et al.* 214–215
——, Use of drugs in children, STEVENS, J., (*C*) 635
——, What's in a slope? Comparison of carbon dioxide single breath tests in children with intracardiac shunts, FLETCHER, R., (*ARS*) 435–436
Clinical Anaesthetic Pharmacology, 1st Edn, DUNDEE, J. W., *et al.*, (editors), (*R*) 232
Clinical Practice of Regional Anesthesia, RAJ, P. P., (editor), (*R*) 454
Complications, accidents, Airway management in a case of neck impalement: use of the oesophagcal tracheal Combitube airway, EICHINGER, S., *et al.* 534–535
——, Reported significant observations during anaesthesia: a prospective analysis over an 18-month period, CHOPRA, V., *et al.* 13–17
Complications, anaphylaxis, Radioimmunoassay tests in anaphylaxis, FISHER, M. McD., (*C*) 224
Complications, anastomotic dehiscence, Comparison of atropine and glycopyrrolate as antagonists to neostigmine in isolated human taenia coli, CROSSLEY, A. W. A., *et al.*, (*ARS*) 437–438P
Complications, apnoea, Effects of i.v. midazolam on upper airway resistance, MONTRAVERS, P., *et al.* 27–31
Complications, arrhythmia, Bradycardia and vecuronium: comparison with alcuronium during cholecystectomy, MORTON, C. P. J., *et al.* 619–620
——, Cardiovascular and plasma catecholamine responses at tracheal extubation, LOWRIE, A., *et al.* 261–263
Complications, carboxyhaemoglobinaemia, Management of carboxyhaemoglobinaemia, NATHANSON, M., *et al.*, (*C*) 113
——, Management of carboxyhaemoglobinaemia, TORRETTI, J., (*C*) 113
——, Management of carboxyhaemoglobinaemia, VEGFORS, M., *et al.*, (*C*) 113
Complications, cardiac arrest, Efficiency of the left ventricle assist device Hemopump in cardiac fibrillation, SCHRÖDER, T., *et al.* 536–539
Complications, cerebral salt wasting, Management of hyponatraemia, SEEX, K. A., *et al.*, (*C*) 326–327
——, Management of hyponatraemia, SWALES, J. D., (*C*) 327
Complications, convulsions, Does glycine antagonism underlie the excitatory effects of methohexitone and propofol? DOLIN, S. J., *et al.* 523–526
——, Effect of volatile anaesthetic agents on choline acetyltransferase activity *in vitro*, GRIFFITHS, R., *et al.*, (*ARS*) 445P
——, Seizure-like movements during induction of anaesthesia with sevoflurane, ADACHI, M., *et al.* 214–215
Complications, diabetes, Diabetes and anaesthesia: the past decade, MILASKIEWICZ, R. M., *et al.* 198–206
——, Neuromuscular blocking activity of tubocurarine in patients with diabetes mellitus, ATALLAH, M. M., *et al.* 567–569
Complications, embolism, "Neurological" complications of extradural bupivacaine, WILDSMITH, J. A. W., (*C*) 327–328
——, Venous air embolism and the prone position, ANDERTON, J. M., (*C*) 325
——, Venous air embolism and the prone position, THOMAS, D. V., (*C*) 325
Complications, extradural abscess, Delayed presentation of an extradural abscess complicating thoracic extradural analgesia, SOWTER, M. C., *et al.* 103–105
——, Is steroid therapy a contraindication to extradural analgesia? MCQUAY, H. J., *et al.*, (*C*) 540–541
——, Is steroid therapy a contraindication to extradural analgesia? SOWTER, M., (*C*) 541
Complications, haematoma, Bleeding time: is it a useful clinical tool? O'KELLY, S. W., *et al.* 313–315
——, Extradural haematoma after continuous extradural anaesthesia, TEKKOK, I. H., *et al.*, (*C*) 117
——, Extradural haematoma after continuous extradural anaesthesia, WILDSMITH, J. A. W., (*C*) 116–117
Complications, haemorrhage, Severe hypertension during postpartum haemorrhage after i.v. administration of prostglandin E_2, VEBER, B., *et al.* 623–624
Complications, head injury, Change in cerebral blood flow velocity pattern during induced hypotension: a non-invasive indicator of increased intracranial pressure? LAM, A. M. 424–428
Complications, headache, Combined spinal–extradural anaesthesia in obstetrics, ELDOR, J., (*C*) 634–635
——, Postdural puncture headache, COONEY, C. M., *et al.*, (*C*) 637
——, Postdural puncture headache, LYNCH, J., (*C*) 637
Complications, hypertension, Cardiovascular and plasma catecholamine responses at tracheal extubation, LOWRIE, A., *et al.* 261–263
——, Effect of verapamil on the cardiovascular responses to tracheal intubation, YAKU, H., *et al.* 85–89
——, Sedation after cardiac bypass surgery: comparison of propofol and midazolam in the presence of a computerized closed loop arterial pressure controller, CHAUDHRI, S., *et al.* 98–99
——, Severe hypertension during postpartum haemorrhage after i.v. administration of prostglandin E_2, VEBER, B., *et al.* 623–624
Complications, hyperthermia, Does postoperative pyrexia indicate malignant hyperthermia susceptibility? HALSALL, P. J., *et al.* 209–210
Complications, hyponatraemia, Management of hyponatraemia, SEEX, K. A., *et al.*, (*C*) 326–327
——, Management of hyponatraemia, SWALES, J. D., (*C*) 327
Complications, hypotension, Cardiovascular support during combined extradural and general anaesthesia, WRIGHT, P. M. C., *et al.* 585–589
——, Rapid administration of crystalloid preload does not decrease the incidence of hypotension after spinal anaesthesia for elective Caesarean section, ROUT, C. C., *et al.* 394–397
Complications, hypoxaemia, Hypoxaemia is reduced by pulse oximetry monitoring in the operating room and in the recovery room, MOLLER, J. T., *et al.* 146–150
Complications, hypoxia, Hypoxia after dental anaesthesia, LANIGAN, C., (*C*) 635
——, Hypoxia after dental anaesthesia, WOODCOCK, B. J., *et al.*, (*C*) 635
Complications, infections, The EPIC Study, BIHARI, D., (*C*) 450
Complications, instrumental delivery, Rupture of membranes before the onset of spontaneous labour increases the likelihood of instrumental delivery, KONG, A. S., *et al.* 252–255
Complications, intubation tracheal, Recognition and management of difficult airway problems, COBLEY, M., *et al.* 90–97
Complications, Jehovah's Witness, Total hip replacement surgery without blood transfusion in Jehovah's Witnesses, WITTMANN, P. H., *et al.* 306–307
Complications, neurological, "Neurological" complications of extradural bupivacaine, JONES, G., *et al.*, (*C*) 328
——, "Neurological" complications of extradural bupivacaine, WILDSMITH, J. A. W., (*C*) 327–328
Complications, neuromuscular disease, *In vitro* contracture tests in patients with various neuromuscular diseases, HEYTENS, L., *et al.* 72–75
Complications, osteogenesis imperfecta, Anaesthesia in a parturient with osteogenesis imperfecta, CHO, E., *et al.* 422–423
Complications, overdose, Overdose of opioid from patient-controlled analgesia, NOTCUTT, W., (*C*) 450
Complications, postoperative desaturation, Oxygen desaturation after dental anaesthesia, LANIGAN, C. J. 142–145
Complications, regurgitation, Effect of alcohol on gastric emptying, MUSHAMBI, M., *et al.*, (*ARS*) 447P
——, Effect of the laryngeal mask airway on the lower

oesophageal sphincter during anaesthesia, RABEY, P. G., *et al.*, (*ARS*) 440P
Complications, renal failure, Use of mivacurium chloride by constant infusion in the anephric patient, PHILLIPS, B. J., *et al.* 492–498
Complications, respiratory arrest, Airway management in a case of neck impalement: use of the oesophageal tracheal Combitube airway, EICHINGER, S., *et al.* 534–535
Complications, tension pneumothorax, Tension pneumothorax—detection and incidence, KUBOTA, Y., *et al.*, (*C*) 451
——, Tension pneumothorax—detection and incidence, LAISHLEY, R. S., (*C*) 451
Core Curriculum for Professional Education in Pain, FIELDS, H. L., (editor), (*R*) 233
Critical Care Practice, HOYT, J. W., *et al.*, (editors), (*R*) 453–454

Diabetes, Diabetes and anaesthesia: the past decade, MILASKIEWICZ, R. M., *et al.* 198–206
——, Neuromuscular blocking activity of tubocurarine in patients with diabetes mellitus, ATALLAH, M. M., *et al.* 567–569
Dog, Anaesthetic modification of regional myocardial functional adjustments during myocardial ischaemia: halothane *vs* fentanyl, KIM, Y. D., *et al.* 286–292
——, Differential effects of vecuronium on diaphragm and geniohyoid muscle in anaesthetized dogs, ISONO, S., *et al.* 239–243
——, Direct vasoconstrictor and vasodilator effects of propofol in isolated dog arteries, NAKAMURA, K., *et al.* 193–197
——, Halothane does not depress contractile function of fresh or fatigued diaphragm in pentobarbitone-anaesthetized dogs, KOCHI, T., *et al.* 562–566
Drug delivery, computerized, A universal computer interface, YELLOWLEES, I., *et al.*, (*ARS*) 446P
Drugs in Anaesthetic Practice, VICKERS, M. D., *et al.*, (*R*) 454–455

Embolism, air, Venous air embolism and the prone position, ANDERTON, J. M., (*C*) 325
——, Venous air embolism and the prone position, THOMAS, D. V., (*C*) 325
Embolism, fat, "Neurological" complications of extradural bupivacaine, WILDSMITH, J. A. W., (*C*) 327–328
Enzymes, acetyl cholinesterase, Effects of neostigmine and edrophonium on human erythrocyte acetylcholinesterase activity, SAKUMA, N., *et al.* 316–317
Enzymes, choline acetyltransferase, Effect of volatile anaesthetic agents on choline acetyltransferase activity *in vitro*, GRIFFITHS, R., *et al.*, (*ARS*) 445P
Enzymes, cholinesterase, Effect of cardiopulmonary bypass on plasma cholinesterase, SHEARER, E. S., *et al.*, (*ARS*) 441–442P
——, Use of mivacurium chloride by constant infusion in the anephric patient, PHILLIPS, B. J., *et al.* 492–498
Enzymes, hyaluronidase, Effect of addition of hyaluronidase to bupivacaine during axillary brachial plexus block, KEELER, J. F., *et al.* 68–71
Equipment, airway, Nasopharyngeal airways in infants after palatal surgery, DONNELLY, J., *et al.*, (*C*) 227
Equipment, blankets, reflective, Reflective blankets used for reduction of heat loss during regional anaesthesia, HINDSHOLM, K. B., *et al.* 531–533
Equipment, breathing systems, A high flow semi-open system for preoxygenation: an evaluation, OOI, R., *et al.* 39–42
——, Adequacy of preoperative safety checks of the Bain breathing system, WILLIAMS, A. R., *et al.*, (*C*) 637
——, European Standardization Committee on anaesthetic equipment, GREENBAUM, R., *et al.*, (*C*) 326
——, Fresh gas requirements of an enclosed afferent reservoir breathing system during controlled ventilation in children, MEAKIN, G., *et al.* 43–47
——, Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously ventilating children, MEAKIN, G., *et al.* 333–337
——, Fresh gas utilization in the circle system, BHASKAR, P. U., (*C*) 452
——, Fresh gas utilization in the circle system, ZBINDEN, A. M., (*C*) 452
——, Physical characteristics of an enclosed afferent reservoir breathing system, JENNINGS, A. D., *et al.* 625–629
Equipment, catheters subarachnoid, Analgesia for labour and delivery using incremental diamorphine and bupivacaine via a 32-gauge intrathecal catheter, KESTIN, I. G., *et al.* 244–247
Equipment, Cell Saver, No heparinization with the Cell Saver, COLUMB, M. O., (*C*) 227
——, No heparinization with the Cell Saver, COLUMB, M. O., (*C*) 227
Equipment, Combitube, Airway management in a case of neck impalement: use of the oesophageal tracheal Combitube airway, EICHINGER, S., *et al.* 534–535
Equipment, computers, A universal computer interface, YELLOWLEES, I., *et al.*, (*ARS*) 446P
Equipment, Hemopump, Efficiency of the left ventricle assist device Hemopump in cardiac fibrillation, SCHRÖDER, T., *et al.* 536–539
Equipment, infusion systems, patient-controlled, Evaluation of a disposable patient-controlled analgesia device in children, IRWIN, M., *et al.* 411–413
——, Overdose of opioid from patient-controlled analgesia, NOTCUTT, W., (*C*) 450
Equipment, laryngoscopes, Laryngoscope blade position using a mathematical model, MARKS, R. R. D., *et al.*, (*ARS*) 439–440P
Equipment, masks anaesthesia, Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion: prospective evaluation of four techniques, HAYNES, S. R., *et al.* 519–522
——, Effect of the laryngeal mask airway on the lower oesophageal sphincter during anaesthesia, RABEY, P. G., *et al.*, (*ARS*) 440P
——, Failed tracheal intubation at Caesarean section and the laryngeal mask, ANSERMINO, J. M., *et al.*, (*C*) 118
——, Nitrous oxide administration using commonly available oxygen therapy devices, JOSHI, P., *et al.* 630–632
——, Pressure exerted by the laryngeal mask airway on the pharyngeal mucosa, MARJOT, R., *et al.*, (*ARS*) 440–441P
——, Wearing of face masks for spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 224
——, Wearing of face masks for spinal anaesthesia, YENTIS, S. M., (*C*) 224
Equipment, needles, Combined spinal–extradural anaesthesia in obstetrics, ELDOR, J., (*C*) 634–635
——, Postdural puncture headache, COONEY, C. M., *et al.*, (*C*) 637
——, Postdural puncture headache, LYNCH, J., (*C*) 637
——, The ideal spinal needle, DORMAN, T., *et al.*, (*C*) 227
——, Voltage fields surrounding needles used in regional anaesthesia, JONES, R. P., *et al.* 515–518
Equipment, pulse oximeters, Central non-invasive pulse oximetry using retinal oximetry: a feasibility study, GLYNN, C. J., *et al.*, (*ARS*) 436P
——, Management of carboxyhaemoglobinaemia, TORRETTI, J., (*C*) 113
——, Management of carboxyhaemoglobinaemia, VEGFORS, M., *et al.*, (*C*) 113
——, Response of 10 pulse oximeters to an *in vitro* test system, REYNOLDS, K. J., *et al.* 365–369
Equipment, standardization, European Standardization Committee on anaesthetic equipment, GREENBAUM, R., *et al.*, (*C*) 326
Equipment, stimulators, Voltage fields surrounding needles used in regional anaesthesia, JONES, R. P., *et al.* 515–518
Equipment, tubes tracheal, sprays, Iatrogenic foreign body after laryngoscopy, YANG, L. C., *et al.*, (*C*) 115
Equipment, ventilators, A model lung with direct representation of respiratory muscle activity, MECKLENBURGH, J. S., *et al.* 603–612
Errors, Apology, SAITOH, N., *et al.*, (*C*) 228
——, Incorrect statement, ARIEFF, A. I., (*C*) 326
Ethics, Dual publication of abstracts, SMITH, G., (*E*) 5
——, Use of drugs in children, STEVENS, J., (*C*) 635
Eye, intraocular pressure, Dexmedetomidine reduces intraocular pressure, intubation responses and anaesthetic requirements in patients undergoing ophthalmic surgery, JAAKOLA, M.-L., *et al.* 570–575

Fetus, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, PATEL, M., *et al.*, (*C*) 635–636
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., *et al.* 54–59
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., (*C*) 636
Fluid balance, Fluid absorption during laser ablation of the endometrium in the treatment of menorrhagia, HASHAM, F., *et al.* 151–154
——, I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia, OOI, L. G., *et al.* 576–579
——, Management of hyponatraemia, SEEX, K. A., *et al.*, (*C*) 326–327
——, Management of hyponatraemia, SWALES, J. D., (*C*) 327
——, Rapid administration of crystalloid preload does not

decrease the incidence of hypotension after spinal anaesthesia for elective Caesarean section, ROUT, C. C., *et al.* 394–397

Fluids, irrigating, Fluid absorption during laser ablation of the endometrium in the treatment of menorrhagia, HASHAM, F., *et al.* 151–154

——, Mental function after TURP, EVANS, M. J., (*C*) 329

——, Mental function after TURP, SMITH, C., (*C*) 329

Fluids, i.v., Cardiovascular support during combined extradural and general anaesthesia, WRIGHT, P. M. C., *et al.* 585–589

Formulations, stability, Stability of fentanyl, bupivacaine and adrenaline solutions for extradural infusion, DAWSON, P. J., *et al.* 414–417

Gases non-anaesthetic, Management of carboxyhaemoglobinaemia, NATHANSON, M., *et al.*, (*C*) 113

——, Management of carboxyhaemoglobinaemia, TORRETTI, J., (*C*) 113

——, Management of carboxyhaemoglobinaemia, VEGFORS, M., *et al.*, (*C*) 113

Gastrointestinal tract, emptying, Effect of alcohol on gastric emptying, MUSHAMBI, M., *et al.*, (*ARS*) 447P

——, Gastric emptying during lumbar extradural analgesia in labour: effect of fentanyl supplementation, WRIGHT, P. M. C., *et al.* 248–251

——, Gastric emptying in pregnancy, GIN, T., *et al.*, (*C*) 115–116

——, Gastric emptying in pregnancy, MACFIE, A. G., *et al.*, (*C*) 116

Gastrointestinal tract, endoscopy, Propofol sedation for outpatient upper gastrointestinal endoscopy, BORGEAT, A., *et al.*, (*C*) 116

——, Propofol sedation for outpatient upper gastrointestinal endoscopy, PATTERSON, K. W., *et al.*, (*C*) 116

Gastrointestinal tract, lower oesophageal sphincter, Effect of the laryngeal mask airway on the lower oesophageal sphincter during anaesthesia, RABEY, P. G., *et al.*, (*ARS*) 440P

Gastrointestinal tract, reflux, Gastroduodenal dysfunction as a cause of gastric bacterial overgrowth in patients undergoing mechanical ventilation of the lungs, INGLIS, T. J. J., *et al.* 499–502

Gastrointestinal tract, stomach bacteria, Gastroduodenal dysfunction as a cause of gastric bacterial overgrowth in patients undergoing mechanical ventilation of the lungs, INGLIS, T. J. J., *et al.* 499–502

General Anaesthesia and Sedation in Dentistry, 2nd Edn, HILL, C. M., *et al.*, (*R*) 638

Guineapig, Effects of halothane and other volatile anaesthetics on protein synthesis and secretion in guineapig liver slices, GHANTOUS, H. N., *et al.* 172–177

Heart, arrhythmia, bradycardia, Bradycardia and vecuronium: comparison with alcuronium during cholecystectomy, MORTON, C. P. J., *et al.* 619–620

Heart, arrhythmia, electroversion, Midazolam sedation reversed with flumazenil for cardioversion, FENNELLY, M. E., *et al.* 303–305

Heart, arrhythmia, fibrillation, Efficiency of the left ventricle assist device Hemopump in cardiac fibrillation, SCHRÖDER, T., *et al.* 536–539

Heart block, calcium channel blockers, Effect of verapamil on the cardiovascular responses to tracheal intubation, YAKU, H., *et al.* 85–89

Heart, cardiac output, Determination of cardiac output in the standing horse by thermodilution and Doppler echocardiography, LONG, K. J., *et al.*, (*ARS*) 447P

——, Haemodynamic effects of transurethral prostatectomy, LAWSON, R. A., *et al.*, (*ARS*) 442P

Heart, cardiopulmonary bypass, Effect of cardiopulmonary bypass on plasma cholinesterase, SHEARER, E. S., *et al.*, (*ARS*) 441–442P

——, Vasodilator properties of nitroglycerin and isosorbide dinitrate during cardiopulmonary bypass, MUIKKU, O., *et al.* 376–380

Heart, coronary artery bypass, First-time coronary artery bypass grafting: the anaesthetist as a risk factor, MERRY, A. F., *et al.* 6–12

——, Myocardial depressant effect of nitrous oxide after coronary artery bypass graft surgery, COLSON, P., *et al.* 420–421

——, Sedation after cardiac bypass surgery: comparison of propofol and midazolam in the presence of a computerized closed loop arterial pressure controller, CHAUDHRI, S., *et al.* 98–99

Heart, coronary occlusion, Anaesthetic modification of regional myocardial functional adjustments during myocardial ischaemia: halothane *vs* fentanyl, KIM, Y. D., *et al.* 286–292

Heart, heart rate, Heart rate periodicities during induction of propofol–nitrous oxide–isoflurane anaesthesia, GALLETLY, D. C., *et al.* 360–364

——, Methoxamine and peripheral blood flow during subarachnoid anaesthesia, FOGARTY, D. J., *et al.*, (*ARS*) 444P

Heart, inotropism, Pharmacology, mechanisms of action and uses of selective phosphodiesterase inhibitors, SKOYLES, J. R., *et al.* 293–302

Heart, ischaemia, Anaesthetic modification of regional myocardial functional adjustments during myocardial ischaemia: halothane *vs* fentanyl, KIM, Y. D., *et al.* 286–292

——, Relationship between hypoxaemic and cardiac ischaemic events in the perioperative period, GILL, N. P., *et al.* 471–473

Heart, myocardial function, Anaesthetic modification of regional myocardial functional adjustments during myocardial ischaemia: halothane *vs* fentanyl, KIM, Y. D., *et al.* 286–292

——, Myocardial depressant effect of nitrous oxide after coronary artery bypass graft surgery, COLSON, P., *et al.* 420–421

Heart, sinoatrial node, Heart rate periodicities during induction of propofol–nitrous oxide–isoflurane anaesthesia, GALLETLY, D. C., *et al.* 360–364

Heart, vascular pressures, Pharmacology, mechanisms of action and uses of selective phosphodiesterase inhibitors, SKOYLES, J. R., *et al.* 293–302

Heart, verapamil, Effect of verapamil on the cardiovascular responses to tracheal intubation, YAKU, H., *et al.* 85–89

Histamine, The role of histamine in the cardiovascular effects of atracurium, ADT, M., *et al.* 155–160

History, Royal College of Anaesthetists, Collegiate developments, SPENCE, A. A., (*E*) 457–458

Hormones, adrenocorticotrophic, Use of a total i.v. anaesthetic technique using guaiphenesin, ketamine and detomidine in horses: endocrine changes and detomidine concentrations, TAYLOR, P. M., *et al.*, (*ARS*) 444–445P

Hormones, corticosteroid, Corticosteroids and resistance to vecuronium, FIACCHINO, F., *et al.*, (*C*) 540

——, Corticosteroids and resistance to vecuronium, ROBINSON, B. J., *et al.*, (*C*) 540

——, Is steroid therapy a contraindication to extradural analgesia? MCQUAY, H. J., *et al.*, (*C*) 540–541

——, Is steroid therapy a contraindication to extradural analgesia? SOWTER, M., (*C*) 541

Hormones, glucocorticoid, Use of a total i.v. anaesthetic technique using guaiphenesin, ketamine and detomidine in horses: endocrine changes and detomidine concentrations, TAYLOR, P. M., *et al.*, (*ARS*) 444–445P

Hormones, prostaglandins, Effect of prostaglandin E_1-induced hypotension on carbon dioxide reactivity and local cerebral blood flow after subarachnoid haemorrhage, ABE, K., *et al.* 268–271

——, Oxygen modulates contractile responses to potassium and prostaglandin $F_{2\alpha}$ in human pial arteries, REINSTRUP, P., *et al.* 187–192

——, Severe hypertension during postpartum haemorrhage after i.v. administration of prostglandin E_2, VEBER, B., *et al.* 623–624

Horse, Determination of cardiac output in the standing horse by thermodilution and Doppler echocardiography, LONG, K. J., *et al.*, (*ARS*) 447P

——, Use of a total i.v. anaesthetic technique using guaiphenesin, ketamine and detomidine in horses: endocrine changes and detomidine concentrations, TAYLOR, P. M., *et al.*, (*ARS*) 444–445P

Hypnotics barbiturate, pentobarbitone, Does glycine antagonism underlie the excitatory effects of methohexitone and propofol? DOLIN, S. J., *et al.* 523–526

——, Halothane does not depress contractile function of fresh or fatigued diaphragm in pentobarbitone-anaesthetized dogs, KOCHI, T., *et al.* 562–566

Hypnotics benzodiazepine, midazolam, Effects of i.v. midazolam on upper airway resistance, MONTRAVERS, P., *et al.* 27–31

——, Midazolam sedation reversed with flumazenil for cardioversion, FENNELLY, M. E., *et al.* 303–305

——, Propofol sedation for outpatient upper gastrointestinal endoscopy, BORGEAT, A., *et al.*, (*C*) 116

——, Propofol sedation for outpatient upper gastrointestinal endoscopy, PATTERSON, K. W., *et al.*, (*C*) 116

——, Sedation after cardiac bypass surgery: comparison of propofol and midazolam in the presence of a computerized closed loop arterial pressure controller, CHAUDHRI, S., *et al.* 98–99

Hypnotics, chlormethiazole, Effects of thiopentone and chlormethiazole on human myometrial arteries from term pregnant women, ALLEN, J., *et al.* 256–260
Hypnotics, detomidine, Use of a total i.v. anaesthetic technique using guaiphenesin, ketamine and detomidine in horses: endocrine changes and detomidine concentrations, TAYLOR, P. M., *et al.*, (*ARS*) 444–445P
Hypnotics, ethanol, Does glycine antagonism underlie the excitatory effects of methohexitone and propofol? DOLIN, S. J., *et al.* 523–526
Hypoxaemia, Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion: prospective evaluation of four techniques, HAYNES, S. R., *et al.* 519–522
——, Effect of oxygen therapy on late postoperative episodic and constant hypoxaemia, ROSENBERG, J., *et al.* 18–22
——, Hypoxaemia and pain relief after lower abdominal surgery, MADEJ, T. H., *et al.*, (*ARS*) 434P
——, Hypoxaemia and pain relief after upper abdominal surgery, WHEATLEY, R. G., *et al.*, (*ARS*) 433–434P
——, Hypoxaemia is reduced by pulse oximetry monitoring in the operating room and in the recovery room, MOLLER, J. T., *et al.* 146–150
——, Nasal oxygen prevents hypoxaemia the night after upper abdominal surgery, NIMMO, A. F., *et al.*, (*ARS*) 434–435P
——, Postoperative hypoxaemia after major abdominal vascular surgery, REEDER, M. K., *et al.* 23–26
——, Postoperative hypoxaemia: an analysis of causative factors, JONES, J. G., *et al.*, (*ARS*) 435P
——, Relationship between hypoxaemic and cardiac ischaemic events in the perioperative period, GILL, N. P., *et al.* 471–473
Hypoxia, Hypoxia after dental anaesthesia, LANIGAN, C., (*C*) 635
——, Hypoxia after dental anaesthesia, WOODCOCK, B. J., *et al.*, (*C*) 635

Implantable Drug Delivery Systems, 1st Edn, LAFFER, U., *et al.*, (editors), (*R*) 542
Induction, anaesthesia, Heart rate periodicities during induction of propofol–nitrous oxide–isoflurane anaesthesia, GALLETLY, D. C., *et al.* 360–364
Infants, Anaesthesia and the ventilatory system in infants and young children, HATCH, D., *et al.* 398–410
——, Nasopharyngeal airways in infants after palatal surgery, DONNELLY, J., *et al.*, (*C*) 227
Infection, bacterial, Infection control in intensive care units: U.K. National Survey, INGLIS, T. J. J., *et al.* 216–220
——, Preventing cross infection in intensive care, BION, J. F., *et al.*, (*E*) 121–122
Infection, central nervous system, Wearing of face masks for spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 224
——, Wearing of face masks for spinal anaesthesia, YENTIS, S. M., (*C*) 224
Infection, control, Infection control in intensive care units: U.K. National Survey, INGLIS, T. J. J., *et al.* 216–220
——, Preventing cross infection in intensive care, BION, J. F., *et al.*, (*E*) 121–122
——, Wearing of face masks for spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 224
——, Wearing of face masks for spinal anaesthesia, YENTIS, S. M., (*C*) 224
Infection, nosocomial, Delayed presentation of an extradural abscess complicating thoracic extradural analgesia, SOWTER, M. C., *et al.* 103–105
——, Gastroduodenal dysfunction as a cause of gastric bacterial overgrowth in patients undergoing mechanical ventilation of the lungs, INGLIS, T. J. J., *et al.* 499–502
——, Infection control in intensive care units: U.K. National Survey, INGLIS, T. J. J., *et al.* 216–220
——, Is steroid therapy a contraindication to extradural analgesia? MCQUAY, H. J., *et al.*, (*C*) 540–541
——, Is steroid therapy a contraindication to extradural analgesia? SOWTER, M., (*C*) 541
——, The EPIC Study, BIHARI, D., (*C*) 450
——, Preventing cross infection in intensive care, BION, J. F., *et al.*, (*E*) 121–122
Intensive and Critical Care Medicine, AOCHI, O., *et al.*, (editors), (*R*) 231
Intensive care, Measurement of voice wavelength variability in patients after tracheal extubation for intensive care, BAILEY, S., *et al.*, (*ARS*) 441P
Intensive care, alcohol withdrawal, Clonidine in the treatment of alcohol withdrawal in the intensive care unit, IP YAM, P. C., *et al.* 106–108
Intensive care, infections, Gastroduodenal dysfunction as a cause of gastric bacterial overgrowth in patients undergoing mechanical ventilation of the lungs, INGLIS, T. J. J., *et al.* 499–502
——, Infection control in intensive care units: U.K. National Survey, INGLIS, T. J. J., *et al.* 216–220
——, Preventing cross infection in intensive care, BION, J. F., *et al.*, (*E*) 121–122
——, The EPIC Study, BIHARI, D., (*C*) 450
Intensive care, sedation, Effect of physiotherapy on the auditory evoked response of paralysed, sedated patients in the intensive care unit, SNEYD, J. R., *et al.* 349–351
——, Pharmacokinetics of propofol during and after long term continuous infusion for maintenance of sedation in ICU patients, BAILIE, G. R., *et al.* 486–491
Interactions (drug), Analysis of effects of drug combinations, NAGUIB, M., *et al.*, (*C*) 114–115
——, Analysis of effects of drug combinations, PLUMMER, J. L., *et al.*, (*C*) 114
——, Corticosteroids and resistance to vecuronium, FIACCHINO, F., *et al.*, (*C*) 540
——, Corticosteroids and resistance to vecuronium, ROBINSON, B. J., *et al.*, (*C*) 540
——, Effect of doxapram on neostigmine evoked antagonism of vecuronium neuromuscular block, ORLOWSKI, M., *et al.* 418–419
——, Effect of doxapram on the rate of recovery from atracurium and vecuronium neuromuscular block, COOPER, R., *et al.* 527–528
——, Propofol inhibits enzymatic degradation of alfentanil and sufentanil by isolated liver microsomes *in vitro*, JANICKI, P. K., *et al.* 311–312
——, Propofol potentiates both pre- and postsynaptic effects of vecuronium in the rat hemidiaphragm, LEBEDA, M. D., *et al.* 282–285
Intubation tracheal, complications, Failed tracheal intubation at Caesarean section and the laryngeal mask, ANSERMINO, J. M., *et al.*, (*C*) 118
——, Measurement of voice wavelength variability in patients after tracheal extubation for intensive care, BAILEY, S., *et al.*, (*ARS*) 441P
Intubation tracheal, difficult, Airway management in a case of neck impalement: use of the oesophageal tracheal Combitube airway, EICHINGER, S., *et al.* 534–535
——, Effects of posture, phonation and observer on Mallampati classification, THAM, E. J., *et al.* 32–38
——, Laryngoscope blade position using a mathematical model, MARKS, R. R. D., *et al.*, (*ARS*) 439–440P
——, Recognition and management of difficult airway problems, COBLEY, M., *et al.* 90–97
Intubation tracheal, responses, Cardiovascular and plasma catecholamine responses at tracheal extubation, LOWRIE, A., *et al.* 261–263
——, Dexmedetomidine attenuates sympathoadrenal responses to tracheal intubation and reduces the need for thiopentone and peroperative fentanyl, SCHEININ, B., *et al.* 126–131
——, Dexmedetomidine reduces intraocular pressure, intubation responses and anaesthetic requirements in patients undergoing ophthalmic surgery, JAAKOLA, M.-L., *et al.* 570–575
——, Effect of verapamil on the cardiovascular responses to tracheal intubation, YAKU, H., *et al.* 85–89
——, Esmolol hydrochloride for management of the cardiovascular stress responses to laryngoscopy and tracheal intubation, VUCEVIC, M., *et al.* 529–530
Intubation tracheal, technique, Early tracheal intubation with thiopentone in elective surgery, MARSH, J. E., *et al.* 100–102
——, Effects of posture, phonation and observer on Mallampati classification, THAM, E. J., *et al.* 32–38
——, Fibreoptic intubation, DOWSON, S., (*C*) 228
——, Neck flexion and common airway measurements, COLVILLE, L. J., *et al.*, (*ARS*) 445P
——, Recognition and management of difficult airway problems, COBLEY, M., *et al.* 90–97
——, Retrograde intubation using the subcricoid region, SHANTHA, T. R. 109–112
Intubation tracheal, training, Recognition and management of difficult airway problems, COBLEY, M., *et al.* 90–97
Ions, calcium, Effects of amiloride on the *in vitro* response of malignant hyperthermia muscle to halothane, HOPKINS, P. M., *et al.*, (*ARS*) 442P
Ions, potassium, Oxygen modulates contractile responses to potassium and prostaglandin $F_{2\alpha}$ in human pial arteries, REINSTRUP, P., *et al.* 187–192
——, Potassium in the perioperative period, FIELD, J. M., *et al.*, (*C*) 328–329
——, Potassium in the perioperative period, VAUGHAN, R. S., (*C*) 225
——, Potassium in the perioperative period, VAUGHAN, R. S., (*C*) 229

——, Potassium in the perioperative period, VAUGHAN, R. S., (*C*) 329
——, Potassium in the perioperative period, VICKERS, M. D., (*C*) 224–225
Ions, sodium, Management of hyponatraemia, SEEK, K. A., *et al.*, (*C*) 326–327
——, Management of hyponatraemia, SWALES, J. D., (*C*) 327

Kidney, anephric patient, Use of mivacurium chloride by constant infusion in the anephric patient, PHILLIPS, B. J., *et al.* 492–498
Kidney, diuretics, amiloride, Effects of amiloride on the *in vitro* response of malignant hyperthermia muscle to halothane, HOPKINS, P. M., *et al.*, (*ARS*) 442P
Kidney, failure, Neuromuscular blocking drugs and renal failure, POLLARD, B. J., (*E*) 545–547
——, Pharmacokinetics of propofol and haemodynamic changes during induction of anaesthesia in uraemic patients, KIRVELÄ, M., *et al.* 178–182
——, Use of mivacurium chloride by constant infusion in the anephric patient, PHILLIPS, B. J., *et al.* 492–498
Kidney, function, Effects of ketorolac trometamol on renal function, AITKEN, H. A., *et al.* 481–485
Kidney, transplantation, Pharmacokinetics of propofol and haemodynamic changes during induction of anaesthesia in uraemic patients, KIRVELÄ, M., *et al.* 178–182

Larynx, damage, Measurement of voice wavelength variability in patients after tracheal extubation for intensive care, BAILEY, S., *et al.*, (*ARS*) 441P
Larynx, laryngoscopy, Difficult laryngoscopy, CARLI, F., *et al.*, (*C*) 117–118
——, Difficult laryngoscopy, WILLIAMSON, R., (*C*) 117
——, Effect of verapamil on the cardiovascular responses to tracheal intubation, YAKU, H., *et al.* 85–89
——, Esmolol hydrochloride for management of the cardiovascular stress responses to laryngoscopy and tracheal intubation, VUCEVIC, M., *et al.* 529–530
——, Iatrogenic foreign body after laryngoscopy, YANG, L. C., *et al.*, (*C*) 115
Larynx, vocal cords, Measurement of voice wavelength variability in patients after tracheal extubation for intensive care, BAILEY, S., *et al.*, (*ARS*) 441P
Liver, blood flow, Indocyanine green clearance and hepatic function during and after prolonged anaesthesia: comparison of halothane with isoflurane, MURRAY, J. M., *et al.* 168–171
Liver, disease, Effects of different hepatic pathologies on disposition of alfentanil in anaesthetized patients, BOWER, S., *et al.* 462–465
——, Liver disease and drug disposition, HAYES, P. C., (*E*) 459–461
Liver, function, Indocyanine green clearance and hepatic function during and after prolonged anaesthesia: comparison of halothane with isoflurane, MURRAY, J. M., *et al.* 168–171
Liver, hepatotoxicity, Effects of halothane and other volatile anaesthetics on protein synthesis and secretion in guineapig liver slices, GHANTOUS, H. N., *et al.* 172–177
Liver, metabolism, Effect of anaesthetic doses of propofol on liver cell membrane lipid peroxidation in the rat, MURPHY, P. G., *et al.*, (*ARS*) 439P
——, Liver disease and drug disposition, HAYES, P. C., (*E*) 459–461
——, Propofol inhibits enzymatic degradation of alfentanil and sufentanil by isolated liver microsomes *in vitro*, JANICKI, P. K., *et al.* 311–312
Liver, protein synthesis, Effects of halothane and other volatile anaesthetics on protein synthesis and secretion in guineapig liver slices, GHANTOUS, H. N., *et al.* 172–177
Liver, transplantation, Extrahepatic metabolism of propofol in man during the anhepatic phase of orthotopic liver transplantation, VEROLI, P., *et al.* 183–186
Lung, compliance, A model lung with direct representation of respiratory muscle activity, MECKLENBURGH, J. S., *et al.* 603–612
Lung, gas exchange, Postoperative hypoxaemia: an analysis of causative factors, JONES, J. G., *et al.*, (*ARS*) 435P
Lung, mechanics, Anaesthesia and the ventilatory system in infants and young children, HATCH, D., *et al.* 398–410
Lung, model, A high flow semi-open system for preoxygenation: an evaluation, OOI, R., *et al.* 39–42
——, A model lung with direct representation of respiratory muscle activity, MECKLENBURGH, J. S., *et al.* 603–612
——, Nitrous oxide administration using commonly available oxygen therapy devices, JOSHI, P., *et al.* 630–632
Lung, pathophysiology, Anaesthesia and the ventilatory system in infants and young children, HATCH, D., *et al.* 398–410
Lung, physiotherapy, Effect of physiotherapy on the auditory evoked response of paralysed, sedated patients in the intensive care unit, SNEYD, J. R., *et al.* 349–351
Lung, respiratory resistance, A model lung with direct representation of respiratory muscle activity, MECKLENBURGH, J. S., *et al.* 603–612
Lung, shunting, What's in a slope? Comparison of carbon dioxide single breath tests in children with intracardiac shunts, FLETCHER, R., (*ARS*) 435–436
Lung, uptake, Uptake of sufentanil, alfentanil and morphine in the lungs of patients about to undergo coronary artery surgery, BOER, F., *et al.* 370–375

Malignant hyperthermia, Does postoperative pyrexia indicate malignant hyperthermia susceptibility? HALSALL, P. J., *et al.* 209–210
——, Effects of amiloride on the *in vitro* response of malignant hyperthermia muscle to halothane, HOPKINS, P. M., *et al.*, (*ARS*) 442P
——, *In vitro* contracture tests in patients with various neuromuscular diseases, HEYTENS, L., *et al.* 72–75
Measurement techniques, coagulation, Bleeding time: is it a useful clinical tool? O'KELLY, S. W., *et al.* 313–315
Measurement techniques, contracture test for MH, *In vitro* contracture tests in patients with various neuromuscular diseases, HEYTENS, L., *et al.* 72–75
Measurement techniques, Doppler echocardiography, Determination of cardiac output in the standing horse by thermodilution and Doppler echocardiography, LONG, K. J., *et al.*, (*ARS*) 447P
Measurement techniques, Doppler ultrasound, Change in cerebral blood flow velocity pattern during induced hypotension: a non-invasive indicator of increased intracranial pressure? LAM, A. M. 424–428
——, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., *et al.* 54–59
——, Transcranial Doppler sonography: effects of halothane, enflurane and isoflurane on blood flow velocity in the middle cerebral artery, THIEL, A., *et al.* 388–393
Measurement techniques, electromyography, Effects of atracurium on abdominal muscles, SADDLER, J. M., *et al.*, (*ARS*) 436P
Measurement techniques, electron spin resonance, The antioxidant potential of propofol (2,6-diisopropylphenol), MURPHY, P. G., *et al.* 613–618
Measurement techniques, lung shunting, What's in a slope? Comparison of carbon dioxide single breath tests in children with intracardiac shunts, FLETCHER, R., (*ARS*) 435–436
Measurement techniques, oximeters, Central non-invasive pulse oximetry using retinal oximetry: a feasibility study, GLYNN, C. J., *et al.*, (*ARS*) 436P
——, Hypoxaemia is reduced by pulse oximetry monitoring in the operating room and in the recovery room, MOLLER, J. T., *et al.* 146–150
——, Nasal oxygen prevents hypoxaemia the night after upper abdominal surgery, NIMMO, A. F., *et al.*, (*ARS*) 434–435P
Measurement techniques, radioimmunoassay, Radioimmunoassay tests in anaphylaxis, FISHER, M. McD., (*C*) 224
Measurement techniques, thermodilution, Determination of cardiac output in the standing horse by thermodilution and Doppler echocardiography, LONG, K. J., *et al.*, (*ARS*) 447P
Measurement techniques, thoracic impedance cardiography, Haemodynamic effects of transurethral prostatectomy, LAWSON, R. A., *et al.*, (*ARS*) 442P
Medico-legal, Radioimmunoassay tests in anaphylaxis, FISHER, M. McD., (*C*) 224
——, Use of drugs in children, STEVENS, J., (*C*) 635
Memory, Therapeutic suggestions during general anaesthesia in patients undergoing hysterectomy, LIU, W. H. D., *et al.* 277–281
Metabolism, atracurium, Pharmacokinetics of the monoquaternary alcohol metabolite of atracurium, CALVEY, T. N., *et al.*, (*ARS*) 437P
Metabolism, free radicals, Effect of anaesthetic doses of propofol on liver cell membrane lipid peroxidation in the rat, MURPHY, P. G., *et al.*, (*ARS*) 439P
——, The antioxidant potential of propofol (2,6-diisopropylphenol), MURPHY, P. G., *et al.* 613–618
Metabolism, glucose, Diabetes and anaesthesia: the past decade, MILASKIEWICZ, R. M., *et al.* 198–206
Metabolism, hyperglycaemia, Diabetes and anaesthesia: the past decade, MILASKIEWICZ, R. M., *et al.* 198–206
Metabolism, lipid, Effect of anaesthetic doses of propofol on liver cell membrane lipid peroxidation in the rat, MURPHY, P. G., *et al.*, (*ARS*) 439P

Metabolism, pH plasma, Pharmacokinetics of the monoquaternary alcohol metabolite of atracurium, CALVEY, T. N., *et al.*, (*ARS*) 437P
Model, Bond graphs, Using Bond graphs to represent pharmaco–physiological models, ASBURY, A. J., *et al.*, (*ARS*) 446P
Model, lung, A high flow semi-open system for preoxygenation: an evaluation, OOI, R., *et al.* 39–42
——, A model lung with direct representation of respiratory muscle activity, MECKLENBURGH, J. S., *et al.* 603–612
Model, mathematical, Laryngoscope blade position using a mathematical model, MARKS, R. R. D., *et al.*, (*ARS*) 439–440P
Model, pharmacodynamic, A new four-parameter threshold model for the plasma atracurium concentration–response relationship, PARKER, C. J. R., *et al.* 548–554
Model, pharmaco–physiological, Using Bond graphs to represent pharmaco–physiological models, ASBURY, A. J., *et al.*, (*ARS*) 446P
Model, rat, A quantitative *in vitro* animal model of suxamethonium- and halothane-induced muscle damage, HOPKINS, P. M., (*ARS*) 447–448P
Monitoring, computerized, A universal computer interface, YELLOWLEES, I., *et al.*, (*ARS*) 446P
Monitoring, depth of anaesthesia, Conscious awareness, JESSOP, J., *et al.*, (*C*) 325–326
——, Conscious awareness, MUNGLANI, R., (*C*) 325
Monitoring, echocardiography, Maternal and fetal haemodynamic effects of spinal and extradural anaesthesia for elective Caesarean section, ROBSON, S. C., *et al.* 54–59
Monitoring, evoked potentials, Effect of physiotherapy on the auditory evoked response of paralysed, sedated patients in the intensive care unit, SNEYD, J. R., *et al.* 349–351
Monitoring, neuromuscular function, Perioperative neuromuscular monitoring and residual curarization, SHORTEN, G. D., *et al.*, (*ARS*) 438–439P
Monitoring, oxygen, Central non-invasive pulse oximetry using retinal oximetry: a feasibility study, GLYNN, C. J., *et al.*, (*ARS*) 436P
——, Hypoxaemia and pain relief after lower abdominal surgery, MADEJ, T. H., *et al.*, (*ARS*) 434P
——, Hypoxaemia and pain relief after upper abdominal surgery, WHEATLEY, R. G., *et al.*, (*ARS*) 433–434P
——, Hypoxaemia is reduced by pulse oximetry monitoring in the operating room and in the recovery room, MOLLER, J. T., *et al.* 146–150
——, Inspiratory to end-tidal oxygen difference during nitrous oxide anaesthesia, BENGTSON, J. P., *et al.* 599–602
——, Nasal oxygen prevents hypoxaemia the night after upper abdominal surgery, NIMMO, A. F., *et al.*, (*ARS*) 434–435P
——, Postoperative hypoxaemia: an analysis of causative factors, JONES, J. G., *et al.*, (*ARS*) 435P
——, Relationship between hypoxaemic and cardiac ischaemic events in the perioperative period, GILL, N. P., *et al.* 471–473
——, Response of 10 pulse oximeters to an *in vitro* test system, REYNOLDS, K. J., *et al.* 365–369
——, Tension pneumothorax—detection and incidence, KUBOTA, Y., *et al.*, (*C*) 451
——, Tension pneumothorax—detection and incidence, LAISHLEY, R. S., (*C*) 451
Mouse, Does glycine antagonism underlie the excitatory effects of methohexitone and propofol? DOLIN, S. J., *et al.* 523–526
Muscle respiratory, A model lung with direct representation of respiratory muscle activity, MECKLENBURGH, J. S., *et al.* 603–612
——, Differential effects of vecuronium on diaphragm and geniohyoid muscle in anaesthetized dogs, ISONO, S., *et al.* 239–243
——, Not all muscles are the same, DONATI, F., *et al.*, (*E*) 235–236
Muscle respiratory, fatigue, Does a subparalysing dose of vecuronium enhance diaphragm fatigue? DUREUIL, B., *et al.* 352–355
Muscle respiratory, function, Effects of i.v. midazolam on upper airway resistance, MONTRAVERS, P., *et al.* 27–31
Muscle skeletal, Not all muscles are the same, DONATI, F., *et al.*, (*E*) 235–236
Muscle skeletal, contractility, Effects of amiloride on the *in vitro* response of malignant hyperthermia muscle to halothane, HOPKINS, P. M., *et al.*, (*ARS*) 442P
——, Effects of atracurium on abdominal muscles, SADDLER, J. M., *et al.*, (*ARS*) 436P
——, Halothane does not depress contractile function of fresh or fatigued diaphragm in pentobarbitone-anaesthetized dogs, KOCHI, T., *et al.* 562–566
——, *In vitro* contracture tests in patients with various neuromuscular diseases, HEYTENS, L., *et al.* 72–75
——, Masseter spasm after suxamethonium, MEAKIN, G., (*C*) 451
——, Masseter spasm after suxamethonium, SADDLER, J. M., (*C*) 451
Muscle skeletal, damage, A quantitative *in vitro* animal model of suxamethonium- and halothane-induced muscle damage, HOPKINS, P. M., (*ARS*) 447–448P
Muscle skeletal, diaphragm, Differential effects of vecuronium on diaphragm and geniohyoid muscle in anaesthetized dogs, ISONO, S., *et al.* 239–243
——, Does a subparalysing dose of vecuronium enhance diaphragm fatigue? DUREUIL, B., *et al.* 352–355
——, Halothane does not depress contractile function of fresh or fatigued diaphragm in pentobarbitone-anaesthetized dogs, KOCHI, T., *et al.* 562–566
——, Not all muscles are the same, DONATI, F., *et al.*, (*E*) 235–236
Muscle vascular, pharmacology, Direct vasoconstrictor and vasodilator effects of propofol in isolated dog arteries, NAKAMURA, K., *et al.* 193–197
——, Oxygen modulates contractile responses to potassium and prostaglandin $F_{2\alpha}$ in human pial arteries, REINSTRUP, P., *et al.* 187–192

Nerve, regeneration, Acute effect and recovery of primary afferent nerve fibres after graded radiofrequency lesions in anaesthetized rats, HAMANN, W., *et al.*, (*ARS*) 443P
Nerve–muscle preparations, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.* 161–163
——, Propofol potentiates both pre- and postsynaptic effects of vecuronium in the rat hemidiaphragm, LEBEDA, M. D., *et al.* 282–285
Neuroanaesthesia: Handbook of Clinical and Physiologic Essentials, 2nd Edn, NEWFIELD, P., *et al.*, (editors), (*R*) 232
Neuromuscular block, alcuronium, Bradycardia and vecuronium: comparison with alcuronium during cholecystectomy, MORTON, C. P. J., *et al.* 619–620
Neuromuscular block, antagonism, Atracurium reversal: what is the optimum dose of neostigmine? HARPER, N. J. N., *et al.*, (*ARS*) 438P
——, Effect of doxapram on neostigmine evoked antagonism of vecuronium neuromuscular block, ORLOWSKI, M., *et al.* 418–419
——, Effects of neostigmine and edrophonium on human erythrocyte acetylcholinesterase activity, SAKUMA, N., *et al.* 316–317
Neuromuscular block, atracurium, A new four-parameter threshold model for the plasma atracurium concentration–response relationship, PARKER, C. J. R., *et al.* 548–554
——, Atracurium reversal: what is the optimum dose of neostigmine? HARPER, N. J. N., *et al.*, (*ARS*) 438P
——, Clearance of atracurium in volunteers under acid and alkaline conditions, FRAZER, R. S., *et al.*, (*ARS*) 436–437P
——, Comparison of the train-of-four fade profiles produced by vecuronium and atracurium, FLETCHER, J. E., *et al.* 207–208
——, Dependence of the neuromuscular blocking effect of atracurium upon its disposition, PARKER, C. J. R., *et al.* 555–561
——, Effect of doxapram on the rate of recovery from atracurium and vecuronium neuromuscular block, COOPER, R., *et al.* 527–528
——, Effects of atracurium on abdominal muscles, SADDLER, J. M., *et al.*, (*ARS*) 436P
——, Neuromuscular blocking drugs and renal failure, POLLARD, B. J., (*E*) 545–547
——, The role of histamine in the cardiovascular effects of atracurium, ADT, M., *et al.* 155–160
Neuromuscular block, measurement of response, A new four-parameter threshold model for the plasma atracurium concentration–response relationship, PARKER, C. J. R., *et al.* 548–554
——, Comparison of the train-of-four fade profiles produced by vecuronium and atracurium, FLETCHER, J. E., *et al.* 207–208
——, Effect of pretreatment with oral pyridostigmine, CARTER, M. L., *et al.*, (*C*) 113–114
——, Not all muscles are the same, DONATI, F., *et al.*, (*E*) 235–236
——, Propofol potentiates both pre- and postsynaptic effects of vecuronium in the rat hemidiaphragm, LEBEDA, M. D., *et al.* 282–285
Neuromuscular block, mivacurium, Neuromuscular blocking drugs and renal failure, POLLARD, B. J., (*E*) 545–547

——, Use of mivacurium chloride by constant infusion in the anephric patient, PHILLIPS, B. J., *et al.* 492–498
Neuromuscular block, pancuronium, Perioperative neuromuscular monitoring and residual curarization, SHORTEN, G. D., *et al.*, (*ARS*) 438–439P
Neuromuscular block, recovery, Effect of doxapram on the rate of recovery from atracurium and vecuronium neuromuscular block, COOPER, R., *et al.* 527–528
——, Not all muscles are the same, DONATI, F., *et al.*, (*E*) 235–236
——, Perioperative neuromuscular monitoring and residual curarization, SHORTEN, G. D., *et al.*, (*ARS*) 438–439P
Neuromuscular block, suxamethonium, A quantitative *in vitro* animal model of suxamethonium- and halothane-induced muscle damage, HOPKINS, P. M., (*ARS*) 447–448P
——, Masseter spasm after suxamethonium, MEAKIN, G., (*C*) 451
——, Masseter spasm after suxamethonium, SADDLER, J. M., (*C*) 451
Neuromuscular block, tubocurarine, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.* 161–163
——, Neuromuscular blocking activity of tubocurarine in patients with diabetes mellitus, ATALLAH, M. M., *et al.* 567–569
Neuromuscular block, vecuronium, Bradycardia and vecuronium: comparison with alcuronium during cholecystectomy, MORTON, C. P. J., *et al.* 619–620
——, Comparison of the train-of-four fade profiles produced by vecuronium and atracurium, FLETCHER, J. E., *et al.* 207–208
——, Corticosteroids and resistance to vecuronium, FIACCHINO, F., *et al.*, (*C*) 540
——, Corticosteroids and resistance to vecuronium, ROBINSON, B. J., *et al.*, (*C*) 540
——, Differential effects of vecuronium on diaphragm and geniohyoid muscle in anaesthetized dogs, ISONO, S., *et al.* 239–243
——, Does a subparalysing dose of vecuronium enhance diaphragm fatigue? DUREUIL, B., *et al.* 352–355
——, Effect of doxapram on neostigmine evoked antagonism of vecuronium neuromuscular block, ORLOWSKI, M., *et al.* 418–419
——, Effect of doxapram on the rate of recovery from atracurium and vecuronium neuromuscular block, COOPER, R., *et al.* 527–528
——, Effect of pretreatment with oral pyridostigmine, CARTER, M. L., *et al.*, (*C*) 113–114
——, Neuromuscular blocking drugs and renal failure, POLLARD, B. J., (*E*) 545–547
——, Propofol potentiates both pre- and postsynaptic effects of vecuronium in the rat hemidiaphragm, LEBEDA, M. D., *et al.* 282–285
Neuromuscular relaxants, guaiphenesin, Use of a total i.v. anaesthetic technique using guaiphenesin, ketamine and detomidine in horses: endocrine changes and detomidine concentrations, TAYLOR, P. M., *et al.*, (*ARS*) 444–445P
Neuromuscular transmission, Effect of doxapram on neostigmine evoked antagonism of vecuronium neuromuscular block, ORLOWSKI, M., *et al.* 418–419
——, Propofol potentiates both pre- and postsynaptic effects of vecuronium in the rat hemidiaphragm, LEBEDA, M. D., *et al.* 282–285
Non-steroidal anti-inflammatory drugs, Effects of ketorolac trometamol on renal function, AITKEN, H. A., *et al.* 481–485
——, Extradurals and balanced analgesia, COLLINS, P. D., *et al.*, (*C*) 118
——, I.v. diclofenac in post-thoracotomy pain, PERTTUNEN, K., *et al.* 474–480
——, Treatment of postoperative pain with diclofenac in uvulopalatopharyngoplasty, EJNELL, H., *et al.* 76–80

Obesity and Cachexia—Physiological Mechanisms and New Approaches to Pharmacological Control, ROTHWELL, N. J., *et al.*, (editors), (*R*) 638
On Narcotism by the Inhalation of Vapours, SNOW, J., (*R*) 232
Organizations, European Community, Changes in 1992, SMITH, G., (*E*) 1–2
Organizations, Jehovah's Witnesses, Total hip replacement surgery without blood transfusion in Jehovah's Witnesses, WITTMANN, P. H., *et al.* 306–307
Organizations, Royal College of Anaesthetists, Collegiate developments, SPENCE, A. A., (*E*) 457–458
Osteogenesis imperfecta, Anaesthesia in a parturient with osteogenesis imperfecta, CHO, E., *et al.* 422–423
Oxygen, consumption, Oxygen delivery and consumption in patients undergoing elective surgery for abdominal aortic repair, GAVIN, N. J., *et al.*, (*ARS*) 433P
Oxygen, saturation, Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion: prospective evaluation of four techniques, HAYNES, S. R., *et al.* 519–522
——, Effect of oxygen therapy on late postoperative episodic and constant hypoxaemia, ROSENBERG, J., *et al.* 18–22
——, Hypoxia after dental anaesthesia, LANIGAN, C., (*C*) 635
——, Hypoxia after dental anaesthesia, WOODCOCK, B. J., *et al.*, (*C*) 635
——, Oxygen desaturation after dental anaesthesia, LANIGAN, C. J. 142–145
——, Postoperative hypoxaemia after major abdominal vascular surgery, REEDER, M. K., *et al.* 23–26
——, Postoperative hypoxaemia: an analysis of causative factors, JONES, J. G., *et al.*, (*ARS*) 435P
Oxygen, therapy, Effect of oxygen therapy on late postoperative episodic and constant hypoxaemia, ROSENBERG, J., *et al.* 18–22
——, Hypoxia after dental anaesthesia, LANIGAN, C., (*C*) 635
——, Hypoxia after dental anaesthesia, WOODCOCK, B. J., *et al.*, (*C*) 635
——, Management of carboxyhaemoglobinaemia, NATHANSON, M., *et al.*, (*C*) 113
——, Nasal oxygen prevents hypoxaemia the night after upper abdominal surgery, NIMMO, A. F., *et al.*, (*ARS*) 434–435P
——, Nitrous oxide administration using commonly available oxygen therapy devices, JOSHI, P., *et al.* 630–632
——, Oxygen desaturation after dental anaesthesia, LANIGAN, C. J. 142–145

Pain, chronic, Acute effect and recovery of primary afferent nerve fibres after graded radiofrequency lesions in anaesthetized rats, HAMANN, W., *et al.*, (*ARS*) 443P
Pain, neurolysis, Acute effect and recovery of primary afferent nerve fibres after graded radiofrequency lesions in anaesthetized rats, HAMANN, W., *et al.*, (*ARS*) 443P
Pain, postoperative, Effect of pre- *vs* postoperative inguinal field block on postoperative pain after herniorrhaphy, DIERKING, G. W., *et al.* 344–348
——, Evaluation of a disposable patient-controlled analgesia device in children, IRWIN, M., *et al.* 411–413
——, Extradurals and balanced analgesia, COLLINS, P. D., *et al.*, (*C*) 118
——, Hypoxaemia and pain relief after upper abdominal surgery, WHEATLEY, R. G., *et al.*, (*ARS*) 433–434P
——, I.v. diclofenac in post-thoracotomy pain, PERTTUNEN, K., *et al.* 474–480
——, The development and safe use of patient-controlled analgesia, ROWBOTHAM, D. J., (*E*) 331–332
——, Treatment of postoperative pain with diclofenac in uvulopalatopharyngoplasty, EJNELL, H., *et al.* 76–80
Parasympathetic nervous system, atropine, Atropine and the test dose, MOORE, D. C., (*C*) 328
——, Atropine and the test dose, NARCHI, P., (*C*) 328
——, Comparison of atropine and glycopyrrolate as antagonists to neostigmine in isolated human taenia coli, CROSSLEY, A. W. A., *et al.*, (*ARS*) 437–438P
Parasympathetic nervous system, glycopyrronium, Comparison of atropine and glycopyrrolate as antagonists to neostigmine in isolated human taenia coli, CROSSLEY, A. W. A., *et al.*, (*ARS*) 437–438P
Partial pressure, oxygen, Oxygen modulates contractile responses to potassium and prostaglandin $F_{2\alpha}$ in human pial arteries, REINSTRUP, P., *et al.* 187–192
Pharmacodynamics, Comparison of the train-of-four fade profiles produced by vecuronium and atracurium, FLETCHER, J. E., *et al.* 207–208
——, Dependence of the neuromuscular blocking effect of atracurium upon its disposition, PARKER, C. J. R., *et al.* 555–561
Pharmacokinetics, alfentanil, Effects of different hepatic pathologies on disposition of alfentanil in anaesthetized patients, BOWER, S., *et al.* 462–465
Pharmacokinetics, atracurium, Clearance of atracurium in volunteers under acid and alkaline conditions, FRAZER, R. S., *et al.*, (*ARS*) 436–437P
——, Dependence of the neuromuscular blocking effect of atracurium upon its disposition, PARKER, C. J. R., *et al.* 555–561
——, Pharmacokinetics of the monoquaternary alcohol metabolite of atracurium, CALVEY, T. N., *et al.*, (*ARS*) 437P
Pharmacokinetics for Anaesthesia, 1st Edn, HULL, C. J., (*R*) 542
Pharmacokinetics, liver, Liver disease and drug disposition, HAYES, P. C., (*E*) 459–461
Pharmacokinetics, pregnanolone, Preliminary study of a

pregnanolone emulsion (Kabi 2213) for i.v. induction of general anaesthesia, GRAY, H. ST J., *et al.* 272–276
Pharmacokinetics, propofol, Pharmacokinetics of propofol and haemodynamic changes during induction of anaesthesia in uraemic patients, KIRVELÄ, M., *et al.* 178–182
——, Pharmacokinetics of propofol during and after long term continuous infusion for maintenance of sedation in ICU patients, BAILIE, G. R., *et al.* 486–491
——, Propofol sedation for outpatient upper gastrointestinal endoscopy, BORGEAT, A., *et al.*, (*C*) 116
——, Propofol sedation for outpatient upper gastrointestinal endoscopy, PATTERSON, K. W., *et al.*, (*C*) 116
Pharmacokinetics, uptake, Peak serum bupivacaine concentration, ATHERTON, A. M. J., (*C*) 540
——, Peak serum bupivacaine concentration, PIHLAJAMÄKI, K. K., (*C*) 540
——, Uptake of sufentanil, alfentanil and morphine in the lungs of patients about to undergo coronary artery surgery, BOER, F., *et al.* 370–375
Pharmacology, betamethasone, Corticosteroids and resistance to vecuronium, FIACCHINO, F., *et al.*, (*C*) 540
——, Corticosteroids and resistance to vecuronium, ROBINSON, B. J., *et al.*, (*C*) 540
Pharmacology, Bond graphs, Using Bond graphs to represent pharmaco–physiological models, ASBURY, A. J., *et al.*, (*ARS*) 446P
Pharmacology, clonidine, Clonidine in the treatment of alcohol withdrawal in the intensive care unit, IP YAM, P. C., *et al.* 106–108
——, Extradural clonidine and bupivacaine for postoperative analgesia, CARABINE, U. A., *et al.* 132–135
——, Extradural clonidine infusions for analgesia after total hip replacement, CARABINE, U. A., *et al.* 338–343
Pharmacology, dose–response, A new four-parameter threshold model for the plasma atracurium concentration–response relationship, PARKER, C. J. R., *et al.* 548–554
——, Induction dose–response of propofol in unpremedicated children, AUN, C. S. T., *et al.* 64–67
——, Induction dose–response studies with propofol and thiopentone, NAGUIB, M., *et al.* 308–310
Pharmacology, isosorbide dinitrate, Vasodilator properties of nitroglycerin and isosorbide dinitrate during cardiopulmonary bypass, MUIKKU, O., *et al.* 376–380
Pharmacology, nitroglycerin, Vasodilator properties of nitroglycerin and isosorbide dinitrate during cardiopulmonary bypass, MUIKKU, O., *et al.* 376–380
Pharmacology, phosphodiesterase inhibitors, Pharmacology, mechanisms of action and uses of selective phosphodiesterase inhibitors, SKOYLES, J. R., *et al.* 293–302
Pharmacology, prostaglandins, Effect of prostaglandin E_1-induced hypotension on carbon dioxide reactivity and local cerebral blood flow after subarachnoid haemorrhage, ABE, K., *et al.* 268–271
Pharmacology, synergism, Analysis of effects of drug combinations, NAGUIB, M., *et al.*, (*C*) 114–115
——, Analysis of effects of drug combinations, PLUMMER, J. L., *et al.*, (*C*) 114
——, Extradural clonidine infusions for analgesia after total hip replacement, CARABINE, U. A., *et al.* 338–343
——, Propofol potentiates both pre- and postsynaptic effects of vecuronium in the rat hemidiaphragm, LEBEDA, M. D., *et al.* 282–285
Physics, baricity, Density of intrathecal agents, NICOL, M. E., *et al.* 60–63
——, Prediction of the spread of repeated spinal anaesthesia with bupivacaine, TUOMINEN, M., *et al.* 136–138
——, Prediction of the spread of repeated spinal anaesthesia with bupivacaine, TUOMINEN, M., *et al.*, (*C*) 636–637
——, Prediction of the spread of repeated spinal anaesthesia with bupivacaine, WILDSMITH, J. A. W., (*C*) 636
Physics, voltage fields, Voltage fields surrounding needles used in regional anaesthesia, JONES, R. P., *et al.* 515–518
Physiotherapy, Effect of physiotherapy on the auditory evoked response of paralysed, sedated patients in the intensive care unit, SNEYD, J. R., *et al.* 349–351
Pig, Propofol inhibits enzymatic degradation of alfentanil and sufentanil by isolated liver microsomes *in vitro*, JANICKI, P. K., *et al.* 311–312
Porphyria, Propofol in acute intermittent porphyria, TIDMARSH, M. A., *et al.*, (*C*) 230
Position, effects, Effects of posture, phonation and observer on Mallampati classification, THAM, E. J., *et al.* 32–38
——, Spinal anaesthesia for Caesarean section: 0.125% plain bupivacaine 12 ml compared with 0.5% plain bupivacaine 3 ml, VUCEVIC, M., *et al.* 590–595
——, Venous air embolism and the prone position, ANDERTON, J. M., (*C*) 325
——, Venous air embolism and the prone position, THOMAS, D. V., (*C*) 325
Position, intubation, Fibreoptic intubation, DOWSON, S., (*C*) 228
Position, neck, Neck flexion and common airway measurements, COLVILLE, L. J., *et al.*, (*ARS*) 445P
Position, prone, Venous air embolism and the prone position, ANDERTON, J. M., (*C*) 325
——, Venous air embolism and the prone position, THOMAS, D. V., (*C*) 325
Potency, anaesthetic, ED_{50}, Induction dose–response of propofol in unpremedicated children, AUN, C. S. T., *et al.* 64–67
——, Induction dose–response studies with propofol and thiopentone, NAGUIB, M., *et al.* 308–310
Potency, anaesthetic, MAC, MAC-awake of isoflurane, enflurane and halothane evaluated by slow and fast alveolar washout, GAUMANN, D. M., *et al.* 81–84
——, Minimum alveolar concentration of sevoflurane in children, KATOH, T., *et al.* 139–141
Potency, drug, Atracurium reversal: what is the optimum dose of neostigmine? HARPER, N. J. N., *et al.*, (*ARS*) 438P
——, Atropine and the test dose, MOORE, D. C., (*C*) 328
——, Atropine and the test dose, NARCHI, P., (*C*) 328
Potency, drug, age factors, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.* 161–163
Pregnancy, Effects of thiopentone and chlormethiazole on human myometrial arteries from term pregnant women, ALLEN, J., *et al.* 256–260
——, Gastric emptying in pregnancy, GIN, T., *et al.*, (*C*) 115–116
——, Gastric emptying in pregnancy, MACFIE, A. G., *et al.*, (*C*) 116
Premedication, atropine, Atropine and the test dose, MOORE, D. C., (*C*) 328
——, Atropine and the test dose, NARCHI, P., (*C*) 328
Premedication, dexmedetomidine, Dexmedetomidine attenuates sympathoadrenal responses to tracheal intubation and reduces the need for thiopentone and peroperative fentanyl, SCHEININ, B., *et al.* 126–131
——, Dexmedetomidine—A powerful new adjunct to anaesthesia? PEDEN, C. J., *et al.*, (*E*) 123–125
Premedication, ondansetron, Efficacy of orally administered ondansetron in the prevention of postoperative nausea and vomiting: a dose ranging study, KENNY, G. N. C., *et al.* 466–470
Premedication, pethidine, Effect of pethidine premedication and halothane anaesthesia on upper limb blood flow, PAUCA, A. L. 621–622
Principles and Practice of Neuroanaesthesia, EDWARDS, N., (*R*) 542
Protein metabolism, Effects of halothane and other volatile anaesthetics on protein synthesis and secretion in guineapig liver slices, GHANTOUS, H. N., *et al.* 172–177
Psychological responses, postoperative, Mental function after TURP, EVANS, M. J., (*C*) 329
——, Mental function after TURP, SMITH, C., (*C*) 329
Publications, Changes in 1992, SMITH, G., (*E*) 1–2
——, Dual publication of abstracts, SMITH, G., (*E*) 5

Rat, Acute effect and recovery of primary afferent nerve fibres after graded radiofrequency lesions in anaesthetized rats, HAMANN, W., *et al.*, (*ARS*) 443P
——, Age-dependent variation in response to tubocurarine in the isolated rat diaphragm, MEAKIN, G., *et al.* 161–163
——, Effect of anaesthetic doses of propofol on liver cell membrane lipid peroxidation in the rat, MURPHY, P. G., *et al.*, (*ARS*) 439P
——, Effect of volatile anaesthetic agents on choline acetyltransferase activity *in vitro*, GRIFFITHS, R., *et al.*, (*ARS*) 445P
——, Propofol potentiates both pre- and postsynaptic effects of vecuronium in the rat hemidiaphragm, LEBEDA, M. D., *et al.* 282–285
Receptors, cholinergic, Corticosteroids and resistance to vecuronium, FIACCHINO, F., *et al.*, (*C*) 540
——, Corticosteroids and resistance to vecuronium, ROBINSON, B. J., *et al.*, (*C*) 540
Records, anaesthesia, A survey of anaesthetic log book practice in the North-Western Region, STRANG, T., *et al.*, (*ARS*) 439P
——, Accuracy of text entries within a manually compiled anaesthetic record, ROWE, L., *et al.* 381–387
——, Reported significant observations during anaesthesia: a prospective analysis over an 18-month period, CHOPRA, V., *et al.* 13–17

Recovery, postoperative, Sedation after cardiac bypass surgery: comparison of propofol and midazolam in the presence of a computerized closed loop arterial pressure controller, CHAUDHRI, S., *et al.* 98–99
——, Therapeutic suggestions during general anaesthesia in patients undergoing hysterectomy, LIU, W. H. D., *et al.* 277–281
Recovery, postoperative cognitive testing, MAC-awake of isoflurane, enflurane and halothane evaluated by slow and fast alveolar washout, GAUMANN, D. M., *et al.* 81–84
Recovery, psychomotor, I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia, OOI, L. G., *et al.* 576–579
——, Recovery from day-case anaesthesia: a comparison of total i.v. anaesthesia using propofol with an inhalation technique, NIGHTINGALE, J. J., *et al.* 356–359
Reflexes, baroreceptor, Effect of low and high concentrations of alfentanil administered intrathecally on Aδ and C fibre mediated somatosympathetic reflexes, WANG, C., *et al.* 503–507
Reflexes, spinal, Effect of low and high concentrations of alfentanil administered intrathecally on Aδ and C fibre mediated somatosympathetic reflexes, WANG, C., *et al.* 503–507
Research, anaesthetic, Statistical awareness of research workers in British anaesthesia, GOODMAN, N. W., *et al.* 321–324
Research, antiemesis, Changing anaesthetic practice can affect the evaluation of postoperative nausea and vomiting, DUNDEE, J. W., *et al.*, (*ARS*) 446P
Risk, First-time coronary artery bypass grafting: the anaesthetist as a risk factor, MERRY, A. F., *et al.* 6–12
——, Reported significant observations during anaesthesia: a prospective analysis over an 18-month period, CHOPRA, V., *et al.* 13–17

Safety, equipment, Adequacy of preoperative safety checks of the Bain breathing system, WILLIAMS, A. R., *et al.*, (*C*) 637
——, Iatrogenic foreign body after laryngoscopy, YANG, L. C., *et al.*, (*C*) 115
——, Overdose of opioid from patient-controlled analgesia, NOTCUTT, W., (*C*) 450
——, The development and safe use of patient-controlled analgesia, ROWBOTHAM, D. J., (*E*) 331–332
Safety, techniques, Extradural diamorphine for postoperative analgesia: audit of a nurse-administered service to 800 patients in a district general hospital, STUART-TAYLOR, M. E., *et al.* 429–432
——, Reported significant observations during anaesthesia: a prospective analysis over an 18-month period, CHOPRA, V., *et al.* 13–17
Sedation, Effect of physiotherapy on the auditory evoked response of paralysed, sedated patients in the intensive care unit, SNEYD, J. R., *et al.* 349–351
——, Midazolam sedation reversed with flumazenil for cardioversion, FENNELLY, M. E., *et al.* 303–305
——, Nitrous oxide administration using commonly available oxygen therapy devices, JOSHI, P., *et al.* 630–632
——, Pharmacokinetics of propofol during and after long term continuous infusion for maintenance of sedation in ICU patients, BAILIE, G. R., *et al.* 486–491
——, Propofol sedation for outpatient upper gastrointestinal endoscopy, BORGEAT, A., *et al.*, (*C*) 116
——, Propofol sedation for outpatient upper gastrointestinal endoscopy, PATTERSON, K. W., *et al.*, (*C*) 116
——, Sedation after cardiac bypass surgery: comparison of propofol and midazolam in the presence of a computerized closed loop arterial pressure controller, CHAUDHRI, S., *et al.* 98–99
Sheep, Efficiency of the left ventricle assist device Hemopump in cardiac fibrillation, SCHRÖDER, T., *et al.* 536–539
Sleep apnoea, Treatment of postoperative pain with diclofenac in uvulopalatopharyngoplasty, EJNELL, H., *et al.* 76–80
Spinal cord, evoked potentials, Effect of low and high concentrations of alfentanil administered intrathecally on Aδ and C fibre mediated somatosympathetic reflexes, WANG, C., *et al.* 503–507
Statistics, Statistical awareness of research workers in British anaesthesia, GOODMAN, N. W., *et al.* 321–324
Strabismus, Acupressure and postoperative vomiting in strabismus correction, VEROLI, P., *et al.*, (*C*) 634
Stress, Esmolol hydrochloride for management of the cardiovascular stress responses to laryngoscopy and tracheal intubation, VUCEVIC, M., *et al.* 529–530
Surgery, abdominal, Hypoxaemia and pain relief after lower abdominal surgery, MADEJ, T. H., *et al.*, (*ARS*) 434P
——, Hypoxaemia and pain relief after upper abdominal surgery, WHEATLEY, R. G., *et al.*, (*ARS*) 433–434P
——, Nasal oxygen prevents hypoxaemia the night after upper abdominal surgery, NIMMO, A. F., *et al.*, (*ARS*) 434–435P
——, Oxygen delivery and consumption in patients undergoing elective surgery for abdominal aortic repair, GAVIN, N. J., *et al.*, (*ARS*) 433P
——, Postoperative hypoxaemia after major abdominal vascular surgery, REEDER, M. K., *et al.* 23–26
Surgery, aneurysm, Effect of prostaglandin E_1-induced hypotension on carbon dioxide reactivity and local cerebral blood flow after subarachnoid haemorrhage, ABE, K., *et al.* 268–271
Surgery, cardiovascular, Does propofol in combination with alfentanil provide stable anaesthesia in cardiac patients? LIPPMANN, M., *et al.*, (*C*) 228
——, Does propofol in combination with alfentanil provide stable anaesthesia in cardiac patients? MANARA, A. J., *et al.*, (*C*) 228–229
——, Effect of cardiopulmonary bypass on plasma cholinesterase, SHEARER, E. S., *et al.*, (*ARS*) 441–442P
——, First-time coronary artery bypass grafting: the anaesthetist as a risk factor, MERRY, A. F., *et al.* 6–12
——, Myocardial depressant effect of nitrous oxide after coronary artery bypass graft surgery, COLSON, P., *et al.* 420–421
——, Sedation after cardiac bypass surgery: comparison of propofol and midazolam in the presence of a computerized closed loop arterial pressure controller, CHAUDHRI, S., *et al.* 98–99
——, Uptake of sufentanil, alfentanil and morphine in the lungs of patients about to undergo coronary artery surgery, BOER, F., *et al.* 370–375
——, Vasodilator properties of nitroglycerin and isosorbide dinitrate during cardiopulmonary bypass, MUIKKU, O., *et al.* 376–380
Surgery, cholecystectomy, Bradycardia and vecuronium: comparison with alcuronium during cholecystectomy, MORTON, C. P. J., *et al.* 619–620
Surgery, cleft palate, Nasopharyngeal airways in infants after palatal surgery, DONNELLY, J., *et al.*, (*C*) 227
Surgery, day-case, I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia, OOI, L. G., *et al.* 576–579
——, Paediatric day-case surgery, MORRIS, P., (*E*) 3–4
Surgery, endoscopy, Anaesthesia for a patient undergoing transthoracic endoscopic vagotomy, CHUI, P. T., *et al.* 318–320
Surgery, gynaecological, Efficacy of orally administered ondansetron in the prevention of postoperative nausea and vomiting: a dose ranging study, KENNY, G. N. C., *et al.* 466–470
——, Fluid absorption during laser ablation of the endometrium in the treatment of menorrhagia, HASHAM, F., *et al.* 151–154
——, I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia, OOI, L. G., *et al.* 576–579
——, Therapeutic suggestions during general anaesthesia in patients undergoing hysterectomy, LIU, W. H. D., *et al.* 277–281
Surgery, laparoscopy, Ventilatory effects of laparoscopy under general anaesthesia, PURI, G. D., *et al.* 211–213
Surgery, miscellaneous, Effect of pre- *vs* postoperative inguinal field block on postoperative pain after herniorrhaphy, DIERKING, G. W., *et al.* 344–348
Surgery, neurological, Attenuation of the cardiovascular responses to subcutaneous adrenaline in neurosurgical patients, MURALIDHAR, K., *et al.* 264–267
——, Effect of prostaglandin E_1-induced hypotension on carbon dioxide reactivity and local cerebral blood flow after subarachnoid haemorrhage, ABE, K., *et al.* 268–271
Surgery, ophthalmological, Acupressure and postoperative vomiting in strabismus correction, VEROLI, P., *et al.*, (*C*) 634
——, Dexmedetomidine reduces intraocular pressure, intubation responses and anaesthetic requirements in patients undergoing ophthalmic surgery, JAAKOLA, M.-L., *et al.* 570–575
Surgery, orthopaedic, Cardiovascular support during combined extradural and general anaesthesia, WRIGHT, P. M. C., *et al.* 585–589
——, Duration of action of 5% intrathecal pethidine *vs* 0.5% hyperbaric bupivacaine for hip surgery, SPIERS, S. P. W., *et al.*, (*ARS*) 443–444P
——, Effect of oxygen therapy on late postoperative episodic and constant hypoxaemia, ROSENBERG, J., *et al.* 18–22
——, Extradural clonidine infusions for analgesia after total hip replacement, CARABINE, U. A., *et al.* 338–343

——, Reflective blankets used for reduction of heat loss during regional anaesthesia, HINDSHOLM, K. B., *et al.* 531–533
——, Total hip replacement surgery without blood transfusion in Jehovah's Witnesses, WITTMANN, P. H., *et al.* 306–307
Surgery, otolaryngological, Treatment of postoperative pain with diclofenac in uvulopalatopharyngoplasty, EJNELL, H., *et al.* 76–80
Surgery, paediatric, Paediatric day-case surgery, MORRIS, P., (*E*) 3–4
Surgery, thoracic, Anaesthesia for a patient undergoing transthoracic endoscopic vagotomy, CHUI, P. T., *et al.* 318–320
——, I.v. diclofenac in post-thoracotomy pain, PERTTUNEN, K., *et al.* 474–480
Surgery, transplantation, Extrahepatic metabolism of propofol in man during the anhepatic phase of orthotopic liver transplantation, VEROLI, P., *et al.* 183–186
——, Pharmacokinetics of propofol and haemodynamic changes during induction of anaesthesia in uraemic patients, KIRVELÄ, M., *et al.* 178–182
Surgery, urological, Haemodynamic effects of transurethral prostatectomy, LAWSON, R. A., *et al.*, (*ARS*) 442P
——, Mental function after TURP, EVANS, M. J., (*C*) 329
——, Mental function after TURP, SMITH, C., (*C*) 329
——, Pharmacokinetics of propofol and haemodynamic changes during induction of anaesthesia in uraemic patients, KIRVELÄ, M., *et al.* 178–182
——, Plasma concentrations of lignocaine after obturator nerve block combined with spinal anaesthesia in patients undergoing transurethral resection procedures, FUJITA, Y., *et al.* 596–598
Surgery, vascular, Oxygen delivery and consumption in patients undergoing elective surgery for abdominal aortic repair, GAVIN, N. J., *et al.*, (*ARS*) 433P
——, Postoperative hypoxaemia after major abdominal vascular surgery, REEDER, M. K., *et al.* 23–26
Surgery, war injuries, Transfusion requirements for the management of war injured: the experience of the International Committee of the Red Cross, ESHAYA-CHAUVIN, B., *et al.* 221–223
Sympathetic nervous system, adrenaline, Attenuation of the cardiovascular responses to subcutaneous adrenaline in neurosurgical patients, MURALIDHAR, K., *et al.* 264–267
——, Reversal of extradurally induced hypotension, DELLA PUPA, A., (*C*) 229–230
——, Reversal of extradurally induced hypotension, SHARROCK, N. E., (*C*) 230
——, Stability of fentanyl, bupivacaine and adrenaline solutions for extradural infusion, DAWSON, P. J., *et al.* 414–417
Sympathetic nervous system, adrenergic block, Attenuation of the cardiovascular responses to subcutaneous adrenaline in neurosurgical patients, MURALIDHAR, K., *et al.* 264–267
Sympathetic nervous system, block, Effect of low and high concentrations of alfentanil administered intrathecally on Aδ and C fibre mediated somatosympathetic reflexes, WANG, C., *et al.* 503–507
Sympathetic nervous system, clonidine, Dexmedetomidine—A powerful new adjunct to anaesthesia? PEDEN, C. J., *et al.*, (*E*) 123–125
——, Extradural clonidine and bupivacaine for postoperative analgesia, CARABINE, U. A., *et al.* 132–135
——, Extradural clonidine infusions for analgesia after total hip replacement, CARABINE, U. A., *et al.* 338–343
Sympathetic nervous system, detomidine, Use of a total i.v. anaesthetic technique using guaiphenesin, ketamine and detomidine in horses: endocrine changes and detomidine concentrations, TAYLOR, P. M., *et al.*, (*ARS*) 444–445P
Sympathetic nervous system, dexmedetomidine, Dexmedetomidine—A powerful new adjunct to anaesthesia? PEDEN, C. J., *et al.*, (*E*) 123–125
——, Dexmedetomidine attenuates sympathoadrenal responses to tracheal intubation and reduces the need for thiopentone and peroperative fentanyl, SCHEININ, B., *et al.* 126–131
——, Dexmedetomidine reduces intraocular pressure, intubation responses and anaesthetic requirements in patients undergoing ophthalmic surgery, JAAKOLA, M.-L., *et al.* 570–575
Sympathetic nervous system, ephedrine, Cardiovascular support during combined extradural and general anaesthesia, WRIGHT, P. M. C., *et al.* 585–589
——, Reversal of extradurally induced hypotension, SHARROCK, N. E., (*C*) 230
Sympathetic nervous system, esmolol, Esmolol hydrochloride for management of the cardiovascular stress responses to laryngoscopy and tracheal intubation, VUCEVIC, M., *et al.* 529–530
Sympathetic nervous system, methoxamine, Cardiovascular support during combined extradural and general anaesthesia, WRIGHT, P. M. C., *et al.* 585–589
——, Methoxamine and peripheral blood flow during subarachnoid anaesthesia, FOGARTY, D. J., *et al.*, (*ARS*) 444P
Sympathetic nervous system, metoprolol, Attenuation of the cardiovascular responses to subcutaneous adrenaline in neurosurgical patients, MURALIDHAR, K., *et al.* 264–267
Sympathetic nervous system, propranolol, Attenuation of the cardiovascular responses to subcutaneous adrenaline in neurosurgical patients, MURALIDHAR, K., *et al.* 264–267
Sympathetic nervous system, sympathoadrenal responses, Cardiovascular and plasma catecholamine responses at tracheal extubation, LOWRIE, A., *et al.* 261–263
——, Dexmedetomidine attenuates sympathoadrenal responses to tracheal intubation and reduces the need for thiopentone and peroperative fentanyl, SCHEININ, B., *et al.* 126–131
——, Dexmedetomidine reduces intraocular pressure, intubation responses and anaesthetic requirements in patients undergoing ophthalmic surgery, JAAKOLA, M.-L., *et al.* 570–575

Temperature, body, Reflective blankets used for reduction of heat loss during regional anaesthesia, HINDSHOLM, K. B., *et al.* 531–533
Temperature, effect, Effect of cardiopulmonary bypass on plasma cholinesterase, SHEARER, E. S., *et al.*, (*ARS*) 441–442P
The Principles and Practice of Pharmacology for Anaesthetists, 2nd Edn, CALVEY, T. N., *et al.*, (*R*) 638
Transfusion, Transfusion requirements for the management of war injured: the experience of the International Committee of the Red Cross, ESHAYA-CHAUVIN, B., *et al.* 221–223
Transfusion, autotransfusion, Blood conservation, RYAN, D. W., *et al.*, (*C*) 326
——, No heparinization with the Cell Saver, COLUMB, M. O., (*C*) 227
——, No heparinization with the Cell Saver, LINDOP, M. J., *et al.*, (*C*) 226–227
Transfusion, stored blood, Use and abuse of fresh frozen plasma, THOMSON, A., *et al.*, (*E*) 237–238

Uterus, blood flow, Effects of thiopentone and chlormethiazole on human myometrial arteries from term pregnant women, ALLEN, J., *et al.* 256–260
Uterus, chlormethiazole, Effects of thiopentone and chlormethiazole on human myometrial arteries from term pregnant women, ALLEN, J., *et al.* 256–260
Uterus, thiopentone, Effects of thiopentone and chlormethiazole on human myometrial arteries from term pregnant women, ALLEN, J., *et al.* 256–260

Vascular Anaesthesia, 1st Edn, KAPLAN, J. A., (editor), (*R*) 233
Ventilation, airway muscles, Differential effects of vecuronium on diaphragm and geniohyoid muscle in anaesthetized dogs, ISONO, S., *et al.* 239–243
Ventilation, anaesthetics, effects of, Anaesthesia and the ventilatory system in infants and young children, HATCH, D., *et al.* 398–410
Ventilation, apnoea, Effects of i.v. midazolam on upper airway resistance, MONTRAVERS, P., *et al.* 27–31
Ventilation, carbon dioxide response, Ventilatory effects of laparoscopy under general anaesthesia, PURI, G. D., *et al.* 211–213
Ventilation, deadspace, Ventilatory effects of laparoscopy under general anaesthesia, PURI, G. D., *et al.* 211–213
Ventilation, diaphragm, Differential effects of vecuronium on diaphragm and geniohyoid muscle in anaesthetized dogs, ISONO, S., *et al.* 239–243
——, Does a subparalysing dose of vecuronium enhance diaphragm fatigue? DUREUIL, B., *et al.* 352–355
Ventilation, fresh gas flow, Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously ventilating children, MEAKIN, G., *et al.* 333–337
——, Fresh gas utilization in the circle system, BHASKAR, P. U., (*C*) 452
——, Fresh gas utilization in the circle system, ZBINDEN, A. M., (*C*) 452
Ventilation, intermittent positive pressure, Anaesthesia and the ventilatory system in infants and young children, HATCH, D., *et al.* 398–410

Ventilation, mechanical, A model lung with direct representation of respiratory muscle activity, MECKLENBURGH, J. S., *et al.* 603–612
——, Gastroduodenal dysfunction as a cause of gastric bacterial overgrowth in patients undergoing mechanical ventilation of the lungs, INGLIS, T. J. J., *et al.* 499–502
——, Tension pneumothorax—detection and incidence, KUBOTA, Y., *et al.*, (*C*) 451
——, Tension pneumothorax—detection and incidence, LAISHLEY, R. S., (*C*) 451
Ventilation, one-lung, Anaesthesia for a patient undergoing transthoracic endoscopic vagotomy, CHUI, P. T., *et al.* 318–320
Ventilation, pattern, Sighs and their effect on the breathing of patients anaesthetized with infusions of propofol, GOODMAN, N. W., *et al.* 48–53
Ventilation, spontaneous, A model lung with direct representation of respiratory muscle activity, MECKLENBURGH, J. S., *et al.* 603–612
——, Nitrous oxide administration using commonly available oxygen therapy devices, JOSHI, P., *et al.* 630–632
——, Sighs and their effect on the breathing of patients anaesthetized with infusions of propofol, GOODMAN, N. W., *et al.* 48–53
Vomiting, antiemetics, Changing anaesthetic practice can affect the evaluation of postoperative nausea and vomiting, DUNDEE, J. W., *et al.*, (*ARS*) 446P
——, Efficacy of orally administered ondansetron in the prevention of postoperative nausea and vomiting: a dose ranging study, KENNY, G. N. C., *et al.* 466–470
——, P6 acupressure and postoperative vomiting, DUNDEE, J. W., *et al.*, (*C*) 225–226
——, P6 acupressure and postoperative vomiting, LEWIS, I., *et al.*, (*C*) 226
Vomiting, incidence, Acupressure and postoperative vomiting in strabismus correction, VEROLI, P., *et al.*, (*C*) 634
——, Acupuncture and postoperative vomiting in children, LEWIS, I. H., *et al.*, (*C*) 633
——, Acupuncture and postoperative vomiting in children, NASH, T. P., (*C*) 633
——, Acupuncture and postoperative vomiting in children, YENTIS, S. M., (*C*) 633–634
——, Changing anaesthetic practice can affect the evaluation of postoperative nausea and vomiting, DUNDEE, J. W., *et al.*, (*ARS*) 446P
Vomiting, nausea, Efficacy of orally administered ondansetron in the prevention of postoperative nausea and vomiting: a dose ranging study, KENNY, G. N. C., *et al.* 466–470
——, P6 acupressure and postoperative vomiting, DUNDEE, J. W., *et al.*, (*C*) 225–226
——, P6 acupressure and postoperative vomiting, LEWIS, I., *et al.*, (*C*) 226